

CENTURY PLYBOARDS (I) LTD.
ENVIRONMENTAL COMPLIANCE STATUS REPORT
EC Letter No.: J-11011/362/2012-IA II (I) Dated 18th April 2016
M/s Century Plyboards (I) Ltd. Diamond Harbour Road, Kanchowki, Bishnupur, 24 Parganas (South) West Bengal - 743503
Period: 1st April to 30th September 2025

Period of Compliance: 1st April 2025 to 30th September 2025		
• SPECIFIC CONDITIONS		
Sl.No.	EC Conditions	Compliance Status (as on 30th September, 2025)
i)	National Emissions Standards for Organic Chemicals Manufacturing Industry issued by Ministry vide G.S.R 608 (E) dated 21 st July 2010 and amended time to time shall be followed by the unit.	Complied as per standard .Periodical test done twice in a year through NABL lab and found to be in order.
ii)	Bag filter along with stack of adequate height should be installed to coal/lignite fired steam boiler to control particulate emissions.	All Stack height adequately maintained as per the laid norms nearing to 33 m.
iii)	In plant control measures for checking fugitive emissions from all the vulnerable sources shall be provided. Adequate dust suppression systems with water spray shall be provided for storage yard, junction houses. Raw materials loading and unloading area shall be covered and also provided with water spraying system. Fugitive emissions in the work zone environment, product, raw materials storage area etc. shall be regularly monitored and records maintained. Wet scrubber shall be provided to control process emissions. Regular monitoring of Volatile Organic Compounds (VOCs) should be carried out. The emissions shall conform to the limits stipulated by the WBPCB.	To maintain the air pollution level spray is carried out through mist sprayer at regular interval inside the plant in daily basis at specific locations . All requisite test being conducted by yearly through NABL laboratory and parameter are within limit. (Report enclosed).
iv)	The gaseous emissions from DG set shall be dispersed through adequate stack height as per CPCB standards. Acoustic enclosure shall be provided to the DG sets to mitigate the noise pollution.	Complied as per CPCB standards. Number of DG has been reduced with higher capacity Acoustic proof generator set.
v)	The company shall upload the status of compliance	Compliance status uploaded

	of the stipulated environmental clearance conditions, including results of monitored data on its website and shall update the same periodically. It shall simultaneously be sent to the Regional office of MOEF, the respective Zonal office of CPCB and the State Pollution Control Board. The levels of PM10, PM2.5, SO ₂ , NO _x , CO and VOCs in ambient air shall be monitored and displayed at a convenient location near the main gate of the company and at important public places.	in the website as per requirement once in June and next on December. Reports shared & Display through online and displayed at entrance point in digital screen.
vi)	Total fresh water requirement from ground water source shall not exceed 70 m ³ /day and prior permission shall be obtained from the CGWA/SGWA.	Maintained within the limit. Apart from this plant has developed reuses of water from of A/C/condenser amounting of 2m ³ /day overall used as make up water in Hot water generator.
vii)	As proposed, no process industrial effluent will be generated as processed condensate shall be recycled in the process Industrial effluent generation (10 m ³ /day) from cooling tower blow down will be treated and recycled/reused within plant premises. Sewage will be treated in the sewage treatment plant (STP). Water quality of treated effluent shall meet the norms prescribed by CPCB/SPCB.	Controlled & Complied. Sewage Treatment Plant (STP) is installed to treat the sewage as per the standard.
viii)	No effluent from the plant shall be discharged outside the factory premises and 'Zero' effluent discharge concept shall be followed.	Followed & Complied.
ix)	Automatic/online monitoring system (24 x 7 monitoring devices) for flow measurement and relevant pollutants in the treatment system to be installed. The data to be made available to the respective SPCB and in the Company's website. To prevent bypassing of effluent during non-operation of ETP, software controlled interlocking facility should be provided on the basis of real time data from the plant control system.	Online monitoring system for stack emission has been installed for all existing stacks with updated opacity meters and it is functioning effectively since November 2022.
x)	Process effluent/any waste water shall not be allowed to mix with storm water. Storm water drain shall be passed through guard pond.	Domestic waste water has been reused after the filtration process through STP. Filtrate water used in washrooms. Rainwater harvesting adequate tank has been made for use in gardening, road cleaning.
xi)	The company shall obtain Authorization for collection, storage and disposal of hazardous waste under the Hazardous Waste (Management, Handling and Trans-Boundary Movement) Rules,	Hazardous waste being disposed through authorized vendor-West Bengal Waste Management through

	2008 and amended as on date for management of Hazardous wastes and prior permission from SPCB shall be obtained for disposal of solid / hazardous waste in the TSDF. Measures shall be taken for fire fighting facilities in case of emergency. Disposal of wastes will be as per HW Rules.	Form10 (Manifest copy).
xii)	The Company shall strictly comply with the rules and guidelines under Manufacture, Storage and Import of Hazardous Chemicals (MSIHC) Rules, 1989 as amended time to time. All Transportation of Hazardous Chemicals shall be as per the Motor Vehicle Act (MVA), 1989.	Complied.
xiii)	All the commitments made to the public during the Public Hearing/Public Consultation meeting held on 20th November, 2014 shall be satisfactorily implemented and a separate budget for implementing the same shall be allocated and information submitted to the Ministry's Regional Office at Bhubaneswar.	The commitments made to the public hearing have been implemented along with the separate budget. Apart from the commitment company has annual tentative budge on CSR activities like proving free plant distribution/free medical camp for workmen & localities apart from bus stoppage, offering free tailoring classes for the needy people of locality specially income group. Company also started water spray along the NH to keep area dust free.
xiv)	At least 2.5 % of the total cost of the project should be earmarked towards the Enterprise social Commitment and item-wise details along with time bound action plan should be prepared and submitted to the Ministry's Regional Office at Bhopal. Implementation of such program should be ensured accordingly in a time bound manner.	Total project cost: 58.57 crores. Estimated CSR Value: 1.46 crores. Total CSR Expenses has been done till September, 2025: 1.596 crores. However, plant is continuing CSR activities. Present CSR expenses values Rs. 3,86,550 On account of Saplings distribution/Water spraying on DH road, tuition fees for the needy students perusing higher studies (Graduation onwards), distribution of mosquito net to needy people, renovation of century school, etc.
xv)	The unit shall make the arrangement for protection of possible fire hazards during manufacturing	The company arrange firefighting/emergency

	process in material handling. Fire fighting system shall be as per norms	preparedness training through trained personnel's h.
xvi)	Occupational health surveillance of the workers should be done on a regular basis and records maintained as per the Factories Act.	Full time unit being operated with trained paramedics' team (24 * 7) and activities along with stand by capacity overviewed by Sr. Welfare Officer.
xvii)	Green belt over 16755.3 m ² area shall be developed within plant premises with at least 10 meter wide green belt on all sides along the periphery of the project area, in downward direction, and along road sides etc. Selection of plant species shall be as per the CPCB guidelines in consultation with the DFO.	Green belt has been developed as per the requirement. Present Areas of 22412.6 m ² have been further extended around 3000 m ² approx.
xviii)	Provision shall be made for the housing for the construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile sewage treatment plant, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structure to be removed after the completion of the project. All the construction wastes shall be managed so that there is no impact on the surrounding environment.	No such constructions during the period.
• GENERAL CONDITIONS		
i)	The project authorities shall strictly adhere to the stipulations made by the State Pollution Control Board.	Complied
ii)	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment and Forests. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any	Necessary compliances will be made.
iii)	Ambient air quality data should be collected as per NAAQES standards notified by the Ministry on 16th November, 2009	Complied.
iv)	The locations of ambient air quality monitoring stations shall be decided in consultation with the State Pollution Control Board (SPCB) and it shall be ensured that at least one stations is installed in the upwind and downwind direction as well as where maximum ground level concentrations are anticipated.	Complied.
v)	The overall noise levels in and around the plant area shall be kept well within the standards by providing	High noise area has been identified and proper signage

	noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).	is displayed. PPE provided with required training to workmen. Periodical monitoring was done as per system.
vi)	The Company shall harvest rainwater from the roof tops of the buildings and storm water drains to recharge the ground water and use the same water for the process activities of the project to conserve fresh water.	Plant has developed two major storage tank for rain water harvesting having 11.8kl in addition to 1 lakh KL in extended shed areas.
vii)	Training shall be imparted to all employees on safety and health aspects of chemicals handling. Pre-employment and routine periodical medical examinations for all employees shall be undertaken on regular basis. Training to all employees on handling of chemicals shall be imparted.	Training calendar prepared in advanced and reviewed to ensure all compliance for entire workforce which is audited internally
viii)	Usage of Personnel Protection Equipments (PPEs) by all employees/ workers shall be ensured.	This is part of the requirement and adhered strictly. Plant is certified with ISO 45001: 2018 (Occupational Health and Safety Management System).
ix)	The company shall also comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, risk mitigation measures and public hearing relating to the project shall be implemented	Complied.
x)	The company shall undertake all relevant measures for improving the socio-economic conditions of the surrounding area. CSR activities shall be undertaken by involving local villages and administration.	Company has established free health check-up facilities (Medical camp, picture annexed) for the needy peoples of nearby localities.
xi)	The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.	Undertaken eco-friendly beautification including mass plantation programme. A number of 12,100 saplings were distributed since 2022 every year in the nearby villages, schools and clubs. Company also organizes awareness among workmen /locality about need of Plantation and rain water harvesting.
xii)	A separate Environmental Management Cell equipped with full-fledged laboratory facilities shall	Complied. In-house testing laboratory

	be set up to carry out the Environmental Management and Monitoring functions.	has been commissioned and functional from May, 2023 for better and fair environment.
xiii)	The company shall earmark sufficient funds toward capital cost and recurring cost/annum to implement the conditions stipulated by the Ministry of Environment and Forests as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management/ pollution control measures shall not be diverted for any other purpose.	To enhance air quality, the company has installed bag filter systems and implemented a rainwater harvesting project. Dust monitoring systems have also been deployed and are continuously supervised through online and periodic inspections. As a significant measure to reduce our carbon footprint, the company has begun replacing diesel-operated forklifts with battery-operated units. Additionally, to decrease dependence on conventional electricity, a 1.5 MW solar power system has been installed, increasing the company's total solar capacity to 2.7 MW.
xiv)	A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zila Parishad/Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal.	Copy circulated.
xv)	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the State Pollution Control Board. A copy of Environmental Clearance and six monthly compliance status reports shall be posted on the website of the company.	1st April 2025 to 30th September 2025.
xvi)	The environmental statement for each financial year ending 31 st March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of	All reports are preparing and shall be submitted within timeframe.

	environmental clearance conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.	
xvii)	The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry at http://envfor.nic.in . This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.	Complied
xviii)	The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.	We have already received the Consent to Establish (NoC) bearing the Memo No.: WBPCB/4194867/2023, dated 30/07/2024 & Consent to Operate (NoC) bearing the Memo No.: WBPCB/4972155/2024, dated 02/08/2024 from WBPCB.

Some glimps of CSR activities by Centuty Ply (I) Ltd. Joka Plant



Water spraying on adjacent D.H. Road



Water spraying inside factory


Photo: Water sparer for proper dust suppression on the road and inside the plant



Photo: Free drinking water for local villagers.



Photo: ATM and free drinking water station (renovated) installed for local peoples



1. Photographs: Schools and colleges



School: D. A. V. Public School
Planted saplings: 100 Nos.



School: Nibedita Girls High School
Planted saplings: 50 Nos.



School: Udayrampur Pallisree High School
Planted saplings: 50 Nos.



School: Vidyanagar Girls High School
Planted saplings: 100 Nos.



School: Bidyanagar Multipurpose Boys School
Planted saplings: 50 Nos.



Collage: Bidyanagar College
Planted saplings: 100 Nos.



School: Calcutta Business School
Planted saplings: 100 Nos.



School: K E Karmel School (Amtala)
Planted saplings: 50 Nos.



School: Rotary School
Planted saplings: 50 Nos.



School: Bhasa Primary School
Planted saplings: 50 Nos.

2. Photographs: Clubs



Sitala Sangha
Planted saplings: 50 Nos.



Jatindra Smriti Sangha
Planted saplings: 50 Nos.



Mukul Sangha
Planted saplings: 50 Nos.



Bishnupur Milani Sangha
Planted saplings: 50 Nos.



N. D. INTERNATIONAL LAB LLP

GOVERNMENT REGISTERED
An ISO 9001:2015 Certified Company

TEST REPORT

SAMPLE DRAWN BY : N.D. INTERNATIONAL LAB LLP

NO. AA(M)/25-26/00977

Date: September 08, 2025

Page 1 of 1

Name of Customer : M/s Century Plyboards India Limited
Address : Diamond Harbour Road, Konchowki, Bishnupur, South 24 Pgs.
: Pincode - 743503.
Description of Sample : Ambient Air.
Collection Source : Near CDC Area (North Side of the Factory)
Monitoring on : 29.08.2025
Monitoring done by : Mr. A. Mondal, Mr. R. Mandal, Mr. R. Patra.
Analysis Started on : 30.08.2025
Analysis Completed on : 05.09.2025

Environmental Condition:

Barometric Pressure (mmHg) (Average) : 751
Ambient Temperature (°C) (Average) : 31
Relative Humidity (%) : 80
Time of Sampling : 09:30 A.M. to 05:30 P.M.

A. CHEMICAL TEST FINDINGS:

Sl No.	Test Parameters	Test Method	Unit	Results	Limit as per NAAQS Notification 18th November, 2009
1	Respirable Particulate Matter (PM _{2.5})	USEPA CFR40, P-50, APP-L	µg/m ³	20.0	60
2	Particulate Matter (PM ₁₀)	IS : 5182 (Part-23)	µg/m ³	48.2	100
3	Sulphur dioxide as SO ₂	IS 5182 (Part-2)	µg/m ³	<8.0 (DL:8.0)	80
4	Nitrogen dioxide as NO ₂	IS 5182 (Part-6)	µg/m ³	13.9	80
5	Ammonia as NH ₃	CPCB Method NAAQS Vol I	µg/m ³	8.3	400
6	Arsenic (As)	CPCB NAAQHS/36	ng/m ³	<2.0 (DL:2.0)	6
7	Nickel (Ni)	CPCB NAAQHS/36	ng/m ³	<10 (DL:10)	20
8	Lead (Pb)	CPCB NAAQHS/36	µg/m ³	<0.004 (DL:0.004)	1.0
9	Ozone (O ₃)	CPCB Method NAAQS Vol I	µg/m ³	<32.0	180
10	Carbon Monoxide (CO)	IS 5182 (Part - 10)	ppm	<1	4
11	Benzene (C ₆ H ₆)	IS 5182 (Part - 11)	µg/m ³	<2	5
12	Benzo (a) Pyrene (BaP)	IS 5182 (Part - 12)	ng/m ³	<0.1	1

Note: DL: Detection Limit.

...END OF TEST REPORT...



For N.D. International Lab LLP


K.P. De – CEO
(Authorised Signatory)

1. The test report shall not be reproduced, except in full, without written approval of the company.
2. Results relate only to the parameters tested.
3. The remaining sample after test will be retained for 15 days from the date of issue of certificate.

NS



N. D. INTERNATIONAL LAB LLP

GOVERNMENT REGISTERED
An ISO 9001:2015 Certified Company

TEST REPORT

SAMPLE DRAWN BY : N.D. INTERNATIONAL LAB LLP

NO. AA(M)/25-26/00978

Date: September 08, 2025

Page 1 of 1

Name of Customer : M/s Century Plyboards India Limited
Address : Diamond Harbour Road, Konchowki, Bishnupur, South 24 Pgs.
: Pincode - 743503.
Description of Sample : Ambient Air.
Collection Source : Near Worker Canteen (North Side of the Factory)
Monitoring on : 29.08.2025
Monitoring done by : Mr. A. Mondal, Mr. R. Mandal, Mr. R. Patra.
Analysis Started on : 30.08.2025
Analysis Completed on : 05.09.2025

Environmental Condition:

Barometric Pressure (mmHg) (Average) : 751
Ambient Temperature (°C) (Average) : 31
Relative Humidity (%) : 80
Time of Sampling : 10:00 A.M. to 06:00 P.M.

A. CHEMICAL TEST FINDINGS:

Sl No.	Test Parameters	Test Method	Unit	Results	Limit as per NAAQS Notification 18th November, 2009
1	Respirable Particulate Matter (PM _{2.5})	USEPA CFR40, P-50, APP-L	µg/m ³	17.5	60
2	Particulate Matter (PM ₁₀)	IS : 5182 (Part-23)	µg/m ³	49.7	100
3	Sulphur dioxide as SO ₂	IS 5182 (Part-2)	µg/m ³	<8.0 (DL:8.0)	80
4	Nitrogen dioxide as NO ₂	IS 5182 (Part-6)	µg/m ³	12.4	80
5	Ammonia as NH ₃	CPCB Method NAAQS Vol I	µg/m ³	7.9	400
6	Arsenic (As)	CPCB NAAQHS/36	ng/m ³	<2.0 (DL:2.0)	6
7	Nickel (Ni)	CPCB NAAQHS/36	ng/m ³	<10 (DL:10)	20
8	Lead (Pb)	CPCB NAAQHS/36	µg/m ³	<0.004 (DL:0.004)	1.0
9	Ozone (O ₃)	CPCB Method NAAQS Vol I	µg/m ³	<32.0	180
10	Carbon Monoxide (CO)	IS 5182 (Part – 10)	ppm	<1	4
11	Benzene (C ₆ H ₆)	IS 5182 (Part – 11)	µg/m ³	< 2	5
12	Benzo (a) Pyrene (BaP)	IS 5182 (Part – 12)	ng/m ³	< 0.1	1

Note: DL: Detection Limit.

...END OF TEST REPORT...



For N.D. International Lab LLP

K.P. De – CEO
(Authorised Signatory)

1. The test report shall not be reproduced, except in full, without written approval of the company.
2. Results relate only to the parameters tested.
3. The remaining sample after test will be retained for 15 days from the date of issue of certificate.

NS



N. D. INTERNATIONAL LAB LLP

GOVERNMENT REGISTERED
An ISO 9001:2015 Certified Company

TEST REPORT

NL(M)/25-26/00943 to 00946

Date: September 08, 2025

Page 1 of 1

Name of Client : M/s Century Plyboards India Limited.
Address : Diamond Harbour Road, Konchowki, Bishnupur, South 24 Pgs.
Pincode - 743503
Description of Sample : Ambient Noise Level
Monitoring on : 28.08.2025
Analysis Completed on : 28.08.2025

TEST FINDINGS:

Sl No.	Collection Source	Time (Day & Night)	Noise Level in dB (A)			Limit in dB(A) Leq.
			L _{Min}	L _{Max}	L _{eq}	
1.	Near Main Gate(East Side of Factory)	11.00 A.M. To 11.10 A.M	71.8	74.4	73.20	75 (Max.)
		10.30 P.M. To 10.40 P.M	62.4	64.0	63.40	
2.	Near Worker Canteen (West Side Of the Factory)	11.20 A.M. To 11.30 A.M	69.8	71.5	70.54	
		10.45 P.M. To 10.55 P.M	60.4	63.0	61.96	
3.	Near CDC Area (North Side of the Factory)	11.35 A.M. To 11.45 A.M	69.8	73.4	71.81	
		11.05 P.M. To 11.15 P.M	60.8	63.0	62.19	
4.	Near Deco Veneer (South Side of the Factory)	11.55 A.M. To 12.05 P.M	71.9	73.0	72.52	
		11.25 P.M. To 11.35 P.M	59.8	62.2	61.26	

Note: 1. Limit as per CPCB for Industrial Area. 2. Day Time (6:00 am to 10:00 pm) : 75 dB(A) .

...END OF TEST REPORT...



For N.D. International Lab LLP

K.P. De – CEO
(Authorised Signatory)

1. The test report shall not be reproduced, except in full, without written approval of the company.
2. Results relate only to the parameters tested.

AK



N. D. INTERNATIONAL LAB LLP

GOVERNMENT REGISTERED
An ISO 9001:2015 Certified Company

TEST REPORT

NL(M)/25-26/00947 to 00955

Date: September 08, 2025

Page 1 of 1

Name of Client : M/s Century Plyboards India Limited.
Address : Diamond Harbour Road, Konchowki, Bishnupur, South 24 Pgs.
Pincode - 743503
Description of Sample : Workzone Noise Level
Monitoring on : 28.08.2025
Analysis Completed on : 28.08.2025

TEST FINDINGS:

Sl No.	Collection Source	Time (Day & Night)	Noise Level in dB (A)			Limit in dB(A) Leq.
			L _{Min}	L _{Max}	L _{eq}	
1.	Near Ply DD Saw Area	12.30 P.M. To 12.40 P.M	81.8	86.8	83.71	90 (Max.)
		10.05 P.M. To 10.15 P.M	69.8	72.2	71.24	
2.	Near Ply Finishing Area	12.50 P.M. To 01.00 P.M	82.0	85.4	83.84	
		10.20 P.M. To 10.30 P.M	70.8	73.0	72.24	
3.	4 th Peeling Area	01.05 P.M. To 01.15 P.M	76.7	80.2	78.70	
		10.35 P.M. To 10.45 P.M	63.0	66.4	64.89	
4.	Near Saw Mill Area	01.20 P.M. To 01.30 P.M	78.8	83.0	81.30	
		10.50 P.M. To 11.00 P.M	64.4	68.8	66.73	
5	Near Sanding Area(Laminate Old)	01.40 P.M. To 01.50 P.M	82.6	86.7	84.97	
		11.10 P.M. To 11.20 P.M	65.8	68.2	66.99	
6	Near Wood Cheaper Area	02.00 P.M. To 02.10 P.M	86.0	88.0	87.17	
		11.30 P.M. To 11.40 P.M	61.8	63.6	62.61	
7	Near Sanding Area(Laminate New)	02.20 P.M. To 02.30 P.M	81.4	84.5	83.34	
		11.50 P.M. To 12.00 A.M	65.6	68.0	67.0	
8	Homag M/C Laminate New Plant	02.40 P.M. To 02.50 P.M	83.8	86.0	85.19	
		12.10 A.M. To 12.20 A.M	65.8	68.2	67.21	
9	Sanding M/C Laminate New	03.00 P.M. To 03.10 P.M	83.3	85.3	84.17	
		12.30 A.M. To 12.40 A.M	66.8	70.4	68.60	

Note: Limit as per model rules framed under factory act 1948 (for the exposure time of 8 hours) is 90dB.

...END OF TEST REPORT...



For N.D. International Lab LLP

K.P. De – CEO

(Authorised Signatory)

1. The test report shall not be reproduced, except in full, without written approval of the company.
2. Results relate only to the parameters tested.

AK



N. D. INTERNATIONAL LAB LLP

GOVERNMENT REGISTERED
An ISO 9001:2015 Certified Company

TEST REPORT



TC - 15617

Format No.: NDI/FM/50

Dated : 04/09/2025

Page No.: 1 of 4

ULR No.:TC1561725000007398F

Certificate No : NDI/WTR/25-26/03258

UID No : NDI/WTR/25-26/03258

Sample Drawn By : N.D. International LAB LLP

Name of Customer : M/s. Century Ply Boards Ltd.

Address : Diamond Harbour Road, Kanchowki, Bishnupur, West Bengal-743503

Description of Sample : Drinking Water

Collection Source : Laminate Worker Canteen Tap Water

Sampling Done by : A.Mondal, R.Mandal, R.Patra

Environmental Condition : Temperature :29°C, Humidity : 82%

Sample Quantity : 5.2 ltr

Sample Drawn on : 29/08/2025

Sample Received on : 29/08/2025

Analysis Started on : 29/08/2025

Analysis Completed on : 04/09/2025

Method of Sampling : IS-1622:1981, IS-17614:(P-25):2022 (Bact), IS-17614:(P-5):2021(Chem)

Mode of Sampling : Grab

Sampling Plan : NDI/FM/52A

TEST RESULT

Sl.No.	Parameters	Test Method	Unit	Results	Norms as per IS 10500:2012	
					Acceptable Limit	Permissible Limit
Organoleptic & Physical Parameters						
1	Colour	IS 3025 (Part 4)	Hazen	<1 (DL:1.0)	Max 5.0	Max 15
2	Odour	IS 3025 (Part 5)	-	Agreeable	Agreeable	Agreeable
3	pH at 25°C	APHA (24th Edition) 4500 H+ B	-	7.7	6.5-8.5	No relaxation
4	Taste	IS 3025 (Part 8)	-	Agreeable	Agreeable	Agreeable
5	Turbidity.	APHA (24th Edition) 2130B	NTU	<1 (DL:1.0)	Max 1.0	Max 5.0
6	Total Dissolved Solids.	APHA (24th Edition) 2540C	mg/l	954	Max 500	Max 2000
General Parameters Concerning Substances Undesirable						
7	Aluminum (as Al)	IS 3025 (Part-55)	mg/l	<0.03 (DL:0.03)	Max 0.03	Max 0.2
8	Ammonia (as total ammonia-N)	APHA 24th Edition 4500 NH3-F	mg/l	<0.1 (DL:0.1)	Max 0.50	No relaxation
9	Anionic Detergents (as MBAS)	APHA 24th Edition 5540 C	mg/l	<0.05 (DL:0.05)	Max 0.20	Max 1.0
10	Boron (as B)	APHA 24th edition 4500 B C	mg/l	<0.25 (DL:0.25)	Max 0.50	Max 1.0
11	Calcium (as Ca)	APHA (24th Edition), 3500-Ca B	mg/l	100	Max 75.0	Max 200
12	Chloramines (as Cl2)	APHA 24th edition 4500 Cl -F	mg/l	<0.1 (DL:0.1)	Max 4.0	No relaxation

1. The test report shall not be reproduced, except in full, without written approval of the company.
2. Results relate only to the parameters tested.
3. The remaining sample after test will be retained for 15 days from the date of issue of certificate.



N. D. INTERNATIONAL LAB LLP

GOVERNMENT REGISTERED
An ISO 9001:2015 Certified Company

TEST REPORT



TC - 15617

ULR No.:TC1561725000007398F

Format No.: NDI/FM/50

Certificate No : NDI/WTR/25-26/03258

Dated : 04/09/2025

UID No : NDI/WTR/25-26/03258

Page No.: 2 of 4

Sample Drawn By : N.D. International LAB LLP

Sl.No.	Parameters	Test Method	Unit	Results	Norms as per IS 10500:2012	
					Acceptable Limit	Permissible Limit
13	Chloride (as Cl).	APHA (24th Edition)4500 Cl B	mg/l	268.7	Max 250	Max 1000
14	Copper (as Cu).	APHA (24th Edition), 3111B	mg/l	<0.05(DL:0.05)	Max 0.05	Max 1.5
15	Fluoride (as F)	APHA (24th Edition), 4500-F C	mg/l	<0.1 (DL:0.1)	Max 1.0	Max 1.5
16	Residual Free Chlorine	IS 3025(Part 26)	mg/l	<0.1 (DL:0.1)	Not Specified	Not Specified
17	Iron (as Fe)	APHA (24th Edition), 3500-Fe B	mg/l	<0.1 (DL:0.1)	Max 0.3	No relaxation
18	Magnesium (Mg)	APHA (24th Edition) 3500-Mg	mg/l	31.6	Max 30.0	Max 100
19	Manganese (as Mn)	APHA (24th Edition), 3111 B	mg/l	<0.05(DL:0.05)	Max 0.10	Max 0.3
20	Nitrate (as NO ₃)	APHA (24th Edition), 4500-NO ₃ B	mg/l	0.30	Max 45	No relaxation
21	Phenolic Compounds (as C ₆ H ₅ OH)	APHA (24th Edition) 5530 C,D	mg/l	<0.001 (DL:0.001)	Max 0.001	Max 0.002
22	Sulphate (as SO ₄).	APHA (24th Edition), 4500-SO ₄ E	mg/l	32.3	Max 200	Max 400
23	Sulphide (as H ₂ S)	APHA 24th Edition 4500 S ₂ D	mg/l	<0.05 (DL:0.05)	Max 0.05	No relaxation
24	Total Alkalinity as CaCO ₃ .	APHA (24th Edition), 2320 B	mg/l	360	Max 200	Max 600
25	Total Hardness (as CaCO ₃).	APHA (24th Edition) 2340 C	mg/l	380	Max 200	Max 600
Parameters Concerning Toxic Substances						
26	Barium (as Ba)	APHA (24th Edition), 3113 B	mg/l	<0.05(DL:0.05)	Max 0.70	No relaxation
27	Cadmium (as Cd)	APHA (24th Edition), 3113 B	mg/l	<0.0002(DL:0.0002)	Max 0.003	No relaxation
28	Cyanide (CN)	APHA 24th Edition 4500 CN F	mg/l	<0.05 (DL:0.05)	Max 0.05	No relaxation
29	Lead (as Pb)	APHA (24th Edition), 3113 B	mg/l	<0.005(DL:0.005)	Max 0.01	No relaxation
30	Mercury (as Hg)	APHA (24th Edition), 3112 B	mg/l	<0.0004(DL:0.0004)	Max 0.001	No relaxation
31	Molybdenum (as Mo)	APHA (24th Edition), 3113 B	mg/l	<0.05(DL:0.05)	Max 0.07	No relaxation
32	Nickel (as Ni)	APHA (24th Edition),3113 B	mg/l	<0.02(DL:0.02)	Max 0.02	No relaxation
33	Arsenic (as As)	APHA (24th Edition), 3114, C	mg/l	<0.002(DL:0.002)	Max 0.01	Max 0.05

1. The test report shall not be reproduced,except in full,without written approval of the company.
2. Results relate only to the parameters tested.
3. The remaining sample after test will be retained for 15 days from the date of issue of certificate.



N. D. INTERNATIONAL LAB LLP

GOVERNMENT REGISTERED
An ISO 9001:2015 Certified Company

TEST REPORT



TC - 15617

ULR No.:TC1561725000007398F

Format No.: NDI/FM/50

Certificate No : NDI/WTR/25-26/03258

Dated : 04/09/2025

UID No : NDI/WTR/25-26/03258

Page No.: 3 of 4

Sample Drawn By : N.D. International LAB LLP

Sl.No.	Parameters	Test Method	Unit	Results	Norms as per IS 10500:2012	
					Acceptable Limit	Permissible Limit
34	Selenium (as Se)	APHA (24th Edition), 3114, C	mg/l	<0.005(DL:0.005)	Max 0.01	No relaxation
35	Total Chromium (as Cr)	APHA (24th Edition), 3113, B	mg/l	<0.005(DL:0.005)	Max 0.05	No relaxation
36	Zinc (as Zn)	APHA (24th Edition), 3111 B	mg/l	<0.05(DL:0.05)	Max 5.0	Max 15
37	Silver (as Ag)	APHA (24th Edition), 3113 B	mg/l	<0.002(DL:0.002)	Max 0.10	No relaxation
38	Polychlorinated biphenyls (as PCB).	NDI/CHEM/SOP/II/PCB/01	mg/l	<0.00001(DL:0.00001)	Max 0.0005	No relaxation
39	Polynuclear aromatic hydrocarbons (as PAH).	NDI/CHEM/SOP/II/PAH/01	mg/l	<0.00001(DL:0.00001)	Max 0.0001	No relaxation
Pesticide Residues						
40	Atrazine	NDI/CHEM/SOP/II/P/01	µg/l	<0.01(DL:0.01)	Max 2.0	No relaxation
41	Aldrin	NDI/CHEM/SOP/II/P/01	µg/l	<0.01(DL:0.01)	Max 0.03	No relaxation
42	Alpha HCH	NDI/CHEM/SOP/II/P/01	µg/l	<0.01(DL:0.01)	Max 0.01	No relaxation
43	Beta HCH	NDI/CHEM/SOP/II/P/01	µg/l	<0.01(DL:0.01)	Max 0.04	No relaxation
44	Butachlor	NDI/CHEM/SOP/II/P/01	µg/l	<0.01(DL:0.01)	Max 125	No relaxation
45	Chlorpyrifos	NDI/CHEM/SOP/II/P/01	µg/l	<0.01(DL:0.01)	Max 30	No relaxation
46	Delta HCH	NDI/CHEM/SOP/II/P/01	µg/l	<0.01(DL:0.01)	Max 0.04	No relaxation
47	2,4-DDD	NDI/CHEM/SOP/II/P/01	µg/l	<0.01(DL:0.01)	Max 1.0	No relaxation
48	2,4-DDT	NDI/CHEM/SOP/II/P/01	µg/l	<0.01(DL:0.01)	Max 1.0	No relaxation
49	2,4-DDE	NDI/CHEM/SOP/II/P/01	µg/l	<0.01(DL:0.01)	Max 1.0	No relaxation
50	4,4-DDD	NDI/CHEM/SOP/II/P/01	µg/l	<0.01(DL:0.01)	Max 1.0	No relaxation
51	4,4-DDT	NDI/CHEM/SOP/II/P/01	µg/l	<0.01(DL:0.01)	Max 1.0	No relaxation
52	4,4-DDE	NDI/CHEM/SOP/II/P/01	µg/l	<0.01(DL:0.01)	Max 1.0	No relaxation
53	Endosulphan-I	NDI/CHEM/SOP/II/P/01	µg/l	<0.01(DL:0.01)	Max 0.4	No relaxation
54	Endosulphan-II	NDI/CHEM/SOP/II/P/01	µg/l	<0.01(DL:0.01)	Max 0.4	No relaxation

1. The test report shall not be reproduced, except in full, without written approval of the company.
2. Results relate only to the parameters tested.
3. The remaining sample after test will be retained for 15 days from the date of issue of certificate.



N. D. INTERNATIONAL LAB LLP

GOVERNMENT REGISTERED
An ISO 9001:2015 Certified Company

TEST REPORT



TC - 15617

ULR No.:TC1561725000007398F

Format No.: NDI/FM/50

Certificate No : NDI/WTR/25-26/03258

Dated : 04/09/2025

UID No : NDI/WTR/25-26/03258

Page No.: 4 of 4

Sample Drawn By : N.D. International LAB LLP

Sl.No.	Parameters	Test Method	Unit	Results	Norms as per IS 10500:2012	
					Acceptable Limit	Permissible Limit
55	Endosulphan Sulfate	NDI/CHEM/SOP/I/P/01	µg/l	<0.01(DL:0.01)	Max 0.4	No relaxation
56	Ethion	NDI/CHEM/SOP/I/P/01	µg/l	<0.01(DL:0.01)	Max 3.0	No relaxation
57	Gamma HCH (Lindane)	NDI/CHEM/SOP/I/P/01	µg/l	<0.01(DL:0.01)	Max 2.0	No relaxation
58	Malathion	NDI/CHEM/SOP/I/P/01	µg/l	<0.01(DL:0.01)	Max 190	No relaxation
59	Methyl Parathion	NDI/CHEM/SOP/I/P/01	µg/l	<0.01(DL:0.01)	Max 0.3	No relaxation
60	Monocrotophos	NDI/CHEM/SOP/I/P/01	µg/l	<0.01(DL:0.01)	Max 1.0	No relaxation
Microbiological Test Parameters						
61	Total Coliform in cfu(Membrane Filtration)	IS 1622	cfu/100ml	Absent	Not Detectable	Not Detectable
62	Detection of E. coli MF	IS 1622	cfu/100ml	Absent	Not Detectable	Not Detectable

Note : DL: Detection Limit. Max: Maximum.

Remarks : Bacteriologically: Satisfactory for the above tested parameters. Chemically: Satisfactory for the above tested parameters. Total Dissolved Solids, Calcium, Chloride, Magnesium, Total Alkalinity, Total Hardness are beyond the Acceptable Limit (Max), but within Permissible Limit (Max).

Statement of Conformity is applied considering Decision Rule as per ISO Guide 98-4.

End of Report

FOR N.D. INTERNATIONAL LAB LLP

Sweta Mukherjee
(Microbiologist)
Authorized Signatory



FOR N.D. INTERNATIONAL LAB LLP

K. P. De
CEO
Authorized Signatory

1. The test report shall not be reproduced, except in full, without written approval of the company.
2. Results relate only to the parameters tested.
3. The remaining sample after test will be retained for 15 days from the date of issue of certificate.



N. D. INTERNATIONAL LAB LLP

GOVERNMENT REGISTERED
An ISO 9001:2015 Certified Company

TEST REPORT

Format No.: NDI/FM/50

Dated : 04/09/2025

Page No.: 1 of 1

Certificate No : NDI/WTR/25-26/03258-A

UID No : NDI/WTR/25-26/03258-A

Sample Drawn By : N.D. International LAB LLP

Name of Customer : M/s. Century Ply Boards Ltd.
Address : Diamond Harbour Road, Kanchowki, Bishnupur, West Bengal-743503

Description of Sample : Drinking Water
Collection Source : Laminated Worker Canteen Tap Water

Sampling Done by : A.Mondal, R.Mandal, R.Patra
Environmental Condition : Temperature :29°C, Humidity : 82%
Sample Drawn on : 29/08/2025
Analysis Started on : 29/08/2025
Analysis Completed on : 04/09/2025

Sample Quantity : 5.2 ltr

Sample Received on : 29/08/2025

Method of Sampling : IS-1622:1981, IS-17614:(P-25):2022 (Bact), IS-17614:(P-5):2021 (Chem)

Mode of Sampling : Grab
Sampling Plan : NDI/FM/52A

TEST RESULT

Sl.No.	Parameters	Test Method	Unit	Results	Norms as per IS 10500:2012	
					Acceptable Limit	Permissible Limit
Pesticide Residues						
1	Alachlor	NDI/CHEM/SOP//P/01	µg/l	<0.01(DL:0.01)	Max 20	No relaxation
2	2,4 dichlorophenoxyacetic acid	NDI/CHEM/SOP//P/01	µg/l	<0.01(DL:0.01)	Max 30	No relaxation
3	Isoproturon	NDI/CHEM/SOP//P/01	µg/l	<0.01(DL:0.01)	Max 9.0	No relaxation
4	Phorate	NDI/CHEM/SOP//P/01	µg/l	<0.01(DL:0.01)	Max 2.0	No relaxation
Trihalomethanes						
5	Bromoform	APHA 6232	mg/l	<0.01(DL:0.01)	Max 0.1	No relaxation
6	Dibromochloromethane	APHA 6232	mg/l	<0.01(DL:0.01)	Max 0.1	No relaxation
7	Bromodichloromethane	APHA 6232	mg/l	<0.01(DL:0.01)	Max 0.06	No relaxation
8	Chloroform	APHA 6232	mg/l	<0.01(DL:0.01)	Max 0.2	No relaxation

Note : DL: Detection Limit. Max: Maximum.

Remarks : Chemically: Satisfactory for the above tested parameters.

Statement of Conformity is applied considering Decision Rule as per ISO Guide 98-4.

End of Report



FOR N.D. INTERNATIONAL LAB LLP

K. P. De
CEO

Authorized Signatory

- The test report shall not be reproduced, except in full, without written approval of the company.
- Results relate only to the parameters tested.
- The remaining sample after test will be retained for 15 days from the date of issue of certificate.



N. D. INTERNATIONAL LAB LLP

GOVERNMENT REGISTERED
An ISO 9001:2015 Certified Company

TEST REPORT



TC - 15617

ULR No.:TC1561725000007399F

Format No.: NDI/FM/50

Certificate No : NDI/WTR/25-26/03259

Dated : 04/09/2025

UID No : NDI/WTR/25-26/03259

Page No.: 1 of 4

Sample Drawn By : N.D. International LAB LLP

Name of Customer : M/s. Century Ply Boards Ltd.
Address : Diamond Harbour Road, Kanchowki, Bishnupur, West Bengal-743503

Description of Sample : Drinking Water
Collection Source : Operation Canteen Tap Water

Sampling Done by : A.Mondal, R.Mandal, R.Patra
Environmental Condition : Temperature :29°C, Humidity : 82%
Sample Drawn on : 29/08/2025
Analysis Started on : 29/08/2025
Analysis Completed on : 04/09/2025
Sample Quantity : 5.2 ltr
Sample Received on : 29/08/2025

Method of Sampling : IS-1622:1981, IS-17614:(P-25):2022 (Bact), IS-17614:(P-5):2021 (Chem)
Mode of Sampling : Grab
Sampling Plan : NDI/FM/52A

TEST RESULT

TEST RESULT

Sl.No.	Parameters	Test Method	Unit	Results	Norms as per IS 10500:2012	
					Acceptable Limit	Permissible Limit
Organoleptic & Physical Parameters						
1	Colour	IS 3025 (Part 4)	Hazen	<1 (DL:1.0)	Max 5.0	Max 15
2	Odour	IS 3025 (Part 5)	-	Agreeable	Agreeable	Agreeable
3	pH at 25°C	APHA (24th Edition) 4500 H+ B	-	7.7	6.5-8.5	No relaxation
4	Taste	IS 3025 (Part 8)	-	Agreeable	Agreeable	Agreeable
5	Turbidity.	APHA (24th Edition) 2130B	NTU	<1 (DL:1.0)	Max 1.0	Max 5.0
6	Total Dissolved Solids.	APHA (24th Edition) 2540C	mg/l	1206	Max 500	Max 2000
General Parameters Concerning Substances Undesirable						
7	Aluminum (as Al)	IS 3025 (Part-55)	mg/l	<0.03 (DL:0.03)	Max 0.03	Max 0.2
8	Ammonia (as total ammonia-N)	APHA 24th Edition 4500 NH3-F	mg/l	<0.1 (DL:0.1)	Max 0.50	No relaxation
9	Anionic Detergents (as MBAS)	APHA 24th Edition 5540 C	mg/l	<0.05 (DL:0.05)	Max 0.20	Max 1.0
10	Boron (as B)	APHA 24th edition 4500 B C	mg/l	<0.25 (DL:0.25)	Max 0.50	Max 1.0
11	Calcium (as Ca)	APHA (24th Edition), 3500-Ca B	mg/l	104	Max 75.0	Max 200
12	Chloramines (as Cl2)	APHA 24th edition 4500 Cl -F	mg/l	<0.1 (DL:0.1)	Max 4.0	No relaxation

- The test report shall not be reproduced, except in full, without written approval of the company.
- Results relate only to the parameters tested.
- The remaining sample after test will be retained for 15 days from the date of issue of certificate.



N. D. INTERNATIONAL LAB LLP

GOVERNMENT REGISTERED
An ISO 9001:2015 Certified Company

TEST REPORT



TC - 15617

ULR No.:TC1561725000007399F

Certificate No : NDI/WTR/25-26/03259

UID No : NDI/WTR/25-26/03259

Sample Drawn By : N.D. International LAB LLP

Format No.: NDI/FM/50

Dated : 04/09/2025

Page No.: 2 of 4

Sl.No.	Parameters	Test Method	Unit	Results	Norms as per IS 10500:2012	
					Acceptable Limit	Permissible Limit
13	Chloride (as Cl).	APHA (24th Edition)4500 Cl B	mg/l	344.2	Max 250	Max 1000
14	Copper (as Cu).	APHA (24th Edition), 3111B	mg/l	<0.05(DL:0.05)	Max 0.05	Max 1.5
15	Fluoride (as F)	APHA (24th Edition), 4500-F C	mg/l	<0.1 (DL:0.1)	Max 1.0	Max 1.5
16	Residual Free Chlorine	IS 3025(Part 26)	mg/l	<0.1 (DL:0.1)	Not Specified	Not Specified
17	Iron (as Fe)	APHA (24th Edition), 3500-Fe B	mg/l	<0.1 (DL:0.1)	Max 0.3	No relaxation
18	Magnesium (Mg)	APHA (24th Edition) 3500-Mg	mg/l	31.6	Max 30.0	Max 100
19	Manganese (as Mn)	APHA (24th Edition), 3111 B	mg/l	<0.05(DL:0.05)	Max 0.10	Max 0.3
20	Nitrate (as NO ₃)	APHA (24th Edition), 4500-NO ₃ B	mg/l	0.30	Max 45	No relaxation
21	Phenolic Compounds (as C ₆ H ₅ OH)	APHA (24th Edition) 5530 C,D	mg/l	<0.001 (DL:0.001)	Max 0.001	Max 0.002
22	Sulphate (as SO ₄).	APHA (24th Edition), 4500-SO ₄ E	mg/l	31	Max 200	Max 400
23	Sulphide (as H ₂ S)	APHA 24th Edition 4500 S ₂ D	mg/l	<0.05 (DL:0.05)	Max 0.05	No relaxation
24	Total Alkalinity as CaCO ₃ .	APHA (24th Edition), 2320 B	mg/l	576	Max 200	Max 600
25	Total Hardness (as CaCO ₃).	APHA (24th Edition) 2340 C	mg/l	390	Max 200	Max 600
Parameters Concerning Toxic Substances						
26	Barium (as Ba)	APHA (24th Edition), 3113 B	mg/l	<0.05(DL:0.05)	Max 0.70	No relaxation
27	Cadmium (as Cd)	APHA (24th Edition), 3113 B	mg/l	<0.0002(DL:0.0002)	Max 0.003	No relaxation
28	Cyanide (CN)	APHA 24th Edition 4500 CN F	mg/l	<0.05 (DL:0.05)	Max 0.05	No relaxation
29	Lead (as Pb)	APHA (24th Edition), 3113 B	mg/l	<0.005(DL:0.005)	Max 0.01	No relaxation
30	Mercury (as Hg)	APHA (24th Edition), 3112 B	mg/l	<0.0004(DL:0.0004)	Max 0.001	No relaxation
31	Molybdenum (as Mo)	APHA (24th Edition), 3113 B	mg/l	<0.05(DL:0.05)	Max 0.07	No relaxation
32	Nickel (as Ni)	APHA (24th Edition),3113 B	mg/l	<0.02(DL:0.02)	Max 0.02	No relaxation
33	Arsenic (as As)	APHA (24th Edition), 3114, C	mg/l	<0.002(DL:0.002)	Max 0.01	Max 0.05

1. The test report shall not be reproduced,except in full,without written approval of the company.
2. Results relate only to the parameters tested.
3. The remaining sample after test will be retained for 15 days from the date of issue of certificate.



N. D. INTERNATIONAL LAB LLP

GOVERNMENT REGISTERED
An ISO 9001:2015 Certified Company

TEST REPORT



TC - 15617

ULR No.:TC1561725000007399F

Format No.: NDI/FM/50

Certificate No : NDI/WTR/25-26/03259

Dated : 04/09/2025

UID No : NDI/WTR/25-26/03259

Page No.: 3 of 4

Sample Drawn By : N.D. International LAB LLP

Sl.No.	Parameters	Test Method	Unit	Results	Norms as per IS 10500:2012	
					Acceptable Limit	Permissible Limit
34	Selenium (as Se)	APHA (24th Edition), 3114, C	mg/l	<0.005(DL:0.005)	Max 0.01	No relaxation
35	Total Chromium (as Cr)	APHA (24th Edition), 3113, B	mg/l	<0.005(DL:0.005)	Max 0.05	No relaxation
36	Zinc (as Zn)	APHA (24th Edition), 3111 B	mg/l	<0.05(DL:0.05)	Max 5.0	Max 15
37	Silver (as Ag)	APHA (24th Edition), 3113 B	mg/l	<0.002(DL:0.002)	Max 0.10	No relaxation
38	Polychlorinated biphenyls (as PCB).	NDI/CHEM/SOP/II/PCB/01	mg/l	<0.00001(DL:0.00001)	Max 0.0005	No relaxation
39	Polynuclear aromatic hydrocarbons (as PAH).	NDI/CHEM/SOP/II/PAH/01	mg/l	<0.00001(DL:0.00001)	Max 0.0001	No relaxation
Pesticide Residues						
40	Atrazine	NDI/CHEM/SOP/II/P/01	µg/l	<0.01(DL:0.01)	Max 2.0	No relaxation
41	Aldrin	NDI/CHEM/SOP/II/P/01	µg/l	<0.01(DL:0.01)	Max 0.03	No relaxation
42	Alpha HCH	NDI/CHEM/SOP/II/P/01	µg/l	<0.01(DL:0.01)	Max 0.01	No relaxation
43	Beta HCH	NDI/CHEM/SOP/II/P/01	µg/l	<0.01(DL:0.01)	Max 0.04	No relaxation
44	Butachlor	NDI/CHEM/SOP/II/P/01	µg/l	<0.01(DL:0.01)	Max 125	No relaxation
45	Chlorpyrifos	NDI/CHEM/SOP/II/P/01	µg/l	<0.01(DL:0.01)	Max 30	No relaxation
46	Delta HCH	NDI/CHEM/SOP/II/P/01	µg/l	<0.01(DL:0.01)	Max 0.04	No relaxation
47	2,4-DDD	NDI/CHEM/SOP/II/P/01	µg/l	<0.01(DL:0.01)	Max 1.0	No relaxation
48	2,4-DDT	NDI/CHEM/SOP/II/P/01	µg/l	<0.01(DL:0.01)	Max 1.0	No relaxation
49	2,4-DDE	NDI/CHEM/SOP/II/P/01	µg/l	<0.01(DL:0.01)	Max 1.0	No relaxation
50	4,4-DDD	NDI/CHEM/SOP/II/P/01	µg/l	<0.01(DL:0.01)	Max 1.0	No relaxation
51	4,4-DDT	NDI/CHEM/SOP/II/P/01	µg/l	<0.01(DL:0.01)	Max 1.0	No relaxation
52	4,4-DDE	NDI/CHEM/SOP/II/P/01	µg/l	<0.01(DL:0.01)	Max 1.0	No relaxation
53	Endosulphan-I	NDI/CHEM/SOP/II/P/01	µg/l	<0.01(DL:0.01)	Max 0.4	No relaxation
54	Endosulphan-II	NDI/CHEM/SOP/II/P/01	µg/l	<0.01(DL:0.01)	Max 0.4	No relaxation

1. The test report shall not be reproduced, except in full, without written approval of the company.
2. Results relate only to the parameters tested.
3. The remaining sample after test will be retained for 15 days from the date of issue of certificate.



N. D. INTERNATIONAL LAB LLP

GOVERNMENT REGISTERED
An ISO 9001:2015 Certified Company

TEST REPORT



TC - 15617

ULR No.:TC1561725000007399F

Certificate No : NDI/WTR/25-26/03259

UID No : NDI/WTR/25-26/03259

Sample Drawn By : N.D. International LAB LLP

Format No.: NDI/FM/50

Dated : 04/09/2025

Page No.: 4 of 4

Sl.No.	Parameters	Test Method	Unit	Results	Norms as per IS 10500:2012	
					Acceptable Limit	Permissible Limit
55	Endosulphan Sulfate	NDI/CHEM/SOP/I/P/01	µg/l	<0.01(DL:0.01)	Max 0.4	No relaxation
56	Ethion	NDI/CHEM/SOP/I/P/01	µg/l	<0.01(DL:0.01)	Max 3.0	No relaxation
57	Gamma HCH (Lindane)	NDI/CHEM/SOP/I/P/01	µg/l	<0.01(DL:0.01)	Max 2.0	No relaxation
58	Malathion	NDI/CHEM/SOP/I/P/01	µg/l	<0.01(DL:0.01)	Max 190	No relaxation
59	Methyl Parathion	NDI/CHEM/SOP/I/P/01	µg/l	<0.01(DL:0.01)	Max 0.3	No relaxation
60	Monocrotophos	NDI/CHEM/SOP/I/P/01	µg/l	<0.01(DL:0.01)	Max 1.0	No relaxation
Microbiological Test Parameters						
61	Total Coliform in cfu(Membrane Filtration)	IS 1622	cfu/100ml	Absent	Not Detectable	Not Detectable
62	Detection of E. coli MF	IS 1622	cfu/100ml	Absent	Not Detectable	Not Detectable

Note : DL: Detection Limit. Max: Maximum.

Remarks : Bacteriologically: Satisfactory for the above tested parameters. Chemically: Satisfactory for the above tested parameters. Total Dissolved Solids, Calcium, Chloride, Magnesium, Total Alkalinity, Total Hardness are beyond the Acceptable Limit (Max), but within Permissible Limit (Max).

Statement of Conformity is applied considering Decision Rule as per ISO Guide 98-4.

End of Report

FOR N.D. INTERNATIONAL LAB LLP

Sweta Mukherjee
(Microbiologist)
Authorized Signatory



FOR N.D. INTERNATIONAL LAB LLP

K. P. De
CEO
Authorized Signatory

1. The test report shall not be reproduced, except in full, without written approval of the company.
2. Results relate only to the parameters tested.
3. The remaining sample after test will be retained for 15 days from the date of issue of certificate.



N. D. INTERNATIONAL LAB LLP

GOVERNMENT REGISTERED
An ISO 9001:2015 Certified Company

TEST REPORT

Format No.: NDI/FM/50

Dated : 04/09/2025

Page No.: 1 of 1

Certificate No : NDI/WTR/25-26/03259-A

UID No : NDI/WTR/25-26/03259-A

Sample Drawn By : N.D. International LAB LLP

Name of Customer : M/s. Century Ply Boards Ltd.

Address : Diamond Harbour Road, Kanchowki, Bishnupur, West Bengal-743503

Description of Sample : Drinking Water

Collection Source : Operation Canteen Tap Water

Sampling Done by : A.Mondal, R.Mandal, R.Patra

Environmental Condition : Temperature :29°C, Humidity : 82%

Sample Quantity : 5.2 ltr

Sample Drawn on : 29/08/2025

Sample Received on : 29/08/2025

Analysis Started on : 29/08/2025

Analysis Completed on : 04/09/2025

Method of Sampling : IS-1622:1981, IS-17614:(P-25):2022 (Bact), IS-17614:(P-5):2021(Chem)

Mode of Sampling : Grab

Sampling Plan : NDI/FM/52A

TEST RESULT

Sl.No.	Parameters	Test Method	Unit	Results	Norms as per IS 10500:2012	
					Acceptable Limit	Permissible Limit
Pesticide Residues						
1	Alachlor	NDI/CHEM/SOP/II/P/01	µg/l	<0.01(DL:0.01)	Max 20	No relaxation
2	2,4 dichlorophenoxyacetic acid	NDI/CHEM/SOP/II/P/01	µg/l	<0.01(DL:0.01)	Max 30	No relaxation
3	Isoproturon	NDI/CHEM/SOP/II/P/01	µg/l	<0.01(DL:0.01)	Max 9.0	No relaxation
4	Phorate	NDI/CHEM/SOP/II/P/01	µg/l	<0.01(DL:0.01)	Max 2.0	No relaxation
Trihalomethanes						
5	Bromoform	APHA 6232	mg/l	<0.01(DL:0.01)	Max 0.1	No relaxation
6	Dibromochloromethane	APHA 6232	mg/l	<0.01(DL:0.01)	Max 0.1	No relaxation
7	Bromodichloromethane	APHA 6232	mg/l	<0.01(DL:0.01)	Max 0.06	No relaxation
8	Chloroform	APHA 6232	mg/l	<0.01(DL:0.01)	Max 0.2	No relaxation

Note : DL: Detection Limit. Max: Maximum.

Remarks : Chemically: Satisfactory for the above tested parameters.

Statement of Conformity is applied considering Decision Rule as per ISO Guide 98-4.

End of Report



FOR N.D. INTERNATIONAL LAB LLP

K. P. De

CEO

Authorized Signatory

1. The test report shall not be reproduced, except in full, without written approval of the company.

2. Results relate only to the parameters tested.

3. The remaining sample after test will be retained for 15 days from the date of issue of certificate.



N. D. INTERNATIONAL LAB LLP

GOVERNMENT REGISTERED
An ISO 9001:2015 Certified Company

TEST REPORT



TC - 15617

ULR No.:TC1561725000007400F

Format No.: NDI/FM/50

Certificate No : NDI/WTR/25-26/03260

Dated : 04/09/2025

UID No : NDI/WTR/25-26/03260

Page No.: 1 of 4

Sample Drawn By : N.D. International LAB LLP

Name of Customer : M/s. Century Ply Boards Ltd.
Address : Diamond Harbour Road, Kanchowki, Bishnupur, West Bengal-743503

Description of Sample : Drinking Water
Collection Source : Executive Canteen Tap Water

Sampling Done by : A.Mondal, R.Mandal, R.Patra
Environmental Condition : Temperature :29°C, Humidity : 82%
Sample Drawn on : 29/08/2025 Sample Quantity : 5.2 ltr
Analysis Started on : 29/08/2025 Sample Received on : 29/08/2025
Analysis Completed on : 04/09/2025

Method of Sampling : IS-1622:1981, IS-17614:(P-25):2022 (Bact), IS-17614:(P-5):2021(Chem)
Mode of Sampling : Grab Sampling Plan : NDI/FM/52A

TEST RESULT

TEST RESULT

Sl.No.	Parameters	Test Method	Unit	Results	Norms as per IS 10500:2012	
					Acceptable Limit	Permissible Limit
Organoleptic & Physical Parameters						
1	Colour	IS 3025 (Part 4)	Hazen	<1 (DL:1.0)	Max 5.0	Max 15
2	Odour	IS 3025 (Part 5)	-	Agreeable	Agreeable	Agreeable
3	pH at 25°C	APHA (24th Edition) 4500 H+ B	-	7.9	6.5-8.5	No relaxation
4	Taste	IS 3025 (Part 8)	-	Agreeable	Agreeable	Agreeable
5	Turbidity.	APHA (24th Edition) 2130B	NTU	<1 (DL:1.0)	Max 1.0	Max 5.0
6	Total Dissolved Solids.	APHA (24th Edition) 2540C	mg/l	1116	Max 500	Max 2000
General Parameters Concerning Substances Undesirable						
7	Aluminum (as Al)	IS 3025 (Part-55)	mg/l	<0.03 (DL:0.03)	Max 0.03	Max 0.2
8	Ammonia (as total ammonia-N)	APHA 24th Edition 4500 NH3-F	mg/l	<0.1 (DL:0.1)	Max 0.50	No relaxation
9	Anionic Detergents (as MBAS)	APHA 24th Edition 5540 C	mg/l	<0.05 (DL:0.05)	Max 0.20	Max 1.0
10	Boron (as B)	APHA 24th edition 4500 B C	mg/l	<0.25 (DL:0.25)	Max 0.50	Max 1.0
11	Calcium (as Ca)	APHA (24th Edition), 3500-Ca B	mg/l	96	Max 75.0	Max 200
12	Chloramines (as Cl2)	APHA 24th edition 4500 Cl -F	mg/l	<0.1 (DL:0.1)	Max 4.0	No relaxation

1. The test report shall not be reproduced, except in full, without written approval of the company.
2. Results relate only to the parameters tested.
3. The remaining sample after test will be retained for 15 days from the date of issue of certificate.



N. D. INTERNATIONAL LAB LLP

GOVERNMENT REGISTERED
An ISO 9001:2015 Certified Company

TEST REPORT



TC - 15617

ULR No.:TC156172500007400F

Certificate No : NDI/WTR/25-26/03260

UID No : NDI/WTR/25-26/03260

Sample Drawn By : N.D. International LAB LLP

Format No.: NDI/FM/50

Dated : 04/09/2025

Page No.: 2 of 4

Sl.No.	Parameters	Test Method	Unit	Results	Norms as per IS 10500:2012	
					Acceptable Limit	Permissible Limit
13	Chloride (as Cl).	APHA (24th Edition)4500 Cl B	mg/l	325.3	Max 250	Max 1000
14	Copper (as Cu).	APHA (24th Edition), 3111B	mg/l	<0.05(DL:0.05)	Max 0.05	Max 1.5
15	Fluoride (as F)	APHA (24th Edition), 4500-F C	mg/l	<0.1 (DL:0.1)	Max 1.0	Max 1.5
16	Residual Free Chlorine	IS 3025(Part 26)	mg/l	<0.1 (DL:0.1)	Not Specified	Not Specified
17	Iron (as Fe)	APHA (24th Edition), 3500-Fe B	mg/l	<0.1 (DL:0.1)	Max 0.3	No relaxation
18	Magnesium (Mg)	APHA (24th Edition) 3500-Mg	mg/l	29.2	Max 30.0	Max 100
19	Manganese (as Mn)	APHA (24th Edition), 3111 B	mg/l	<0.05(DL:0.05)	Max 0.10	Max 0.3
20	Nitrate (as NO3)	APHA (24th Edition), 4500-NO3 B	mg/l	0.30	Max 45	No relaxation
21	Phenolic Compounds (as C6H5OH)	APHA (24th Edition) 5530 C,D	mg/l	<0.001 (DL:0.001)	Max 0.001	Max 0.002
22	Sulphate (as SO4).	APHA (24th Edition), 4500-SO4 E	mg/l	32.8	Max 200	Max 400
23	Sulphide (as H2S)	APHA 24th Edition 4500 S2 D	mg/l	<0.05 (DL:0.05)	Max 0.05	No relaxation
24	Total Alkalinity as CaCO3.	APHA (24th Edition), 2320 B	mg/l	336	Max 200	Max 600
25	Total Hardness (as CaCO3).	APHA (24th Edition) 2340 C	mg/l	360	Max 200	Max 600
Parameters Concerning Toxic Substances						
26	Barium (as Ba)	APHA (24th Edition), 3113 B	mg/l	<0.05(DL:0.05)	Max 0.70	No relaxation
27	Cadmium (as Cd)	APHA (24th Edition), 3113 B	mg/l	<0.0002(DL:0.0002)	Max 0.003	No relaxation
28	Cyanide (CN)	APHA 24th Edition 4500 CN F	mg/l	<0.05 (DL:0.05)	Max 0.05	No relaxation
29	Lead (as Pb)	APHA (24th Edition), 3113 B	mg/l	<0.005(DL:0.005)	Max 0.01	No relaxation
30	Mercury (as Hg)	APHA (24th Edition), 3112 B	mg/l	<0.0004(DL:0.0004)	Max 0.001	No relaxation
31	Molybdenum (as Mo)	APHA (24th Edition), 3113 B	mg/l	<0.05(DL:0.05)	Max 0.07	No relaxation
32	Nickel (as Ni)	APHA (24th Edition),3113 B	mg/l	<0.02(DL:0.02)	Max 0.02	No relaxation
33	Arsenic (as As)	APHA (24th Edition), 3114, C	mg/l	<0.002(DL:0.002)	Max 0.01	Max 0.05

1. The test report shall not be reproduced,except in full,without written approval of the company.
2. Results relate only to the parameters tested.
3. The remaining sample after test will be retained for 15 days from the date of issue of certificate.



N. D. INTERNATIONAL LAB LLP

GOVERNMENT REGISTERED
An ISO 9001:2015 Certified Company

TEST REPORT



TC - 15617

ULR No.:TC1561725000007400F

Certificate No : NDI/WTR/25-26/03260

UID No : NDI/WTR/25-26/03260

Sample Drawn By : N.D. International LAB LLP

Format No.: NDI/FM/50

Dated : 04/09/2025

Page No.: 3 of 4

Sl.No.	Parameters	Test Method	Unit	Results	Norms as per IS 10500:2012	
					Acceptable Limit	Permissible Limit
34	Selenium (as Se)	APHA (24th Edition), 3114, C	mg/l	<0.005(DL:0.005)	Max 0.01	No relaxation
35	Total Chromium (as Cr)	APHA (24th Edition), 3113, B	mg/l	<0.005(DL:0.005)	Max 0.05	No relaxation
36	Zinc (as Zn)	APHA (24th Edition), 3111 B	mg/l	<0.05(DL:0.05)	Max 5.0	Max 15
37	Silver (as Ag)	APHA (24th Edition), 3113 B	mg/l	<0.002(DL:0.002)	Max 0.10	No relaxation
38	Polychlorinated biphenyls (as PCB).	NDI/CHEM/SOP/II/PCB/01	mg/l	<0.00001(DL:0.00001)	Max 0.0005	No relaxation
39	Polynuclear aromatic hydrocarbons (as PAH).	NDI/CHEM/SOP/II/PAH/01	mg/l	<0.00001(DL:0.00001)	Max 0.0001	No relaxation
Pesticide Residues						
40	Atrazine	NDI/CHEM/SOP/II/P/01	µg/l	<0.01(DL:0.01)	Max 2.0	No relaxation
41	Aldrin	NDI/CHEM/SOP/II/P/01	µg/l	<0.01(DL:0.01)	Max 0.03	No relaxation
42	Alpha HCH	NDI/CHEM/SOP/II/P/01	µg/l	<0.01(DL:0.01)	Max 0.01	No relaxation
43	Beta HCH	NDI/CHEM/SOP/II/P/01	µg/l	<0.01(DL:0.01)	Max 0.04	No relaxation
44	Butachlor	NDI/CHEM/SOP/II/P/01	µg/l	<0.01(DL:0.01)	Max 125	No relaxation
45	Chlorpyrifos	NDI/CHEM/SOP/II/P/01	µg/l	<0.01(DL:0.01)	Max 30	No relaxation
46	Delta HCH	NDI/CHEM/SOP/II/P/01	µg/l	<0.01(DL:0.01)	Max 0.04	No relaxation
47	2,4-DDD	NDI/CHEM/SOP/II/P/01	µg/l	<0.01(DL:0.01)	Max 1.0	No relaxation
48	2,4-DDT	NDI/CHEM/SOP/II/P/01	µg/l	<0.01(DL:0.01)	Max 1.0	No relaxation
49	2,4-DDE	NDI/CHEM/SOP/II/P/01	µg/l	<0.01(DL:0.01)	Max 1.0	No relaxation
50	4,4-DDD	NDI/CHEM/SOP/II/P/01	µg/l	<0.01(DL:0.01)	Max 1.0	No relaxation
51	4,4-DDT	NDI/CHEM/SOP/II/P/01	µg/l	<0.01(DL:0.01)	Max 1.0	No relaxation
52	4,4-DDE	NDI/CHEM/SOP/II/P/01	µg/l	<0.01(DL:0.01)	Max 1.0	No relaxation
53	Endosulphan-I	NDI/CHEM/SOP/II/P/01	µg/l	<0.01(DL:0.01)	Max 0.4	No relaxation
54	Endosulphan-II	NDI/CHEM/SOP/II/P/01	µg/l	<0.01(DL:0.01)	Max 0.4	No relaxation

1. The test report shall not be reproduced, except in full, without written approval of the company.
2. Results relate only to the parameters tested.
3. The remaining sample after test will be retained for 15 days from the date of issue of certificate.



N. D. INTERNATIONAL LAB LLP

GOVERNMENT REGISTERED
An ISO 9001:2015 Certified Company

TEST REPORT



TC - 15617

ULR No.:TC1561725000007400F

Certificate No : NDI/WTR/25-26/03260

UID No : NDI/WTR/25-26/03260

Sample Drawn By : N.D. International LAB LLP

Format No.: NDI/FM/50

Dated : 04/09/2025

Page No.: 4 of 4

Sl.No.	Parameters	Test Method	Unit	Results	Norms as per IS 10500:2012	
					Acceptable Limit	Permissible Limit
55	Endosulphan Sulfate	NDI/CHEM/SOP/II/P/01	µg/l	<0.01(DL:0.01)	Max 0.4	No relaxation
56	Ethion	NDI/CHEM/SOP/II/P/01	µg/l	<0.01(DL:0.01)	Max 3.0	No relaxation
57	Gamma HCH (Lindane)	NDI/CHEM/SOP/II/P/01	µg/l	<0.01(DL:0.01)	Max 2.0	No relaxation
58	Malathion	NDI/CHEM/SOP/II/P/01	µg/l	<0.01(DL:0.01)	Max 190	No relaxation
59	Methyl Parathion	NDI/CHEM/SOP/II/P/01	µg/l	<0.01(DL:0.01)	Max 0.3	No relaxation
60	Monocrotophos	NDI/CHEM/SOP/II/P/01	µg/l	<0.01(DL:0.01)	Max 1.0	No relaxation
Microbiological Test Parameters						
61	Total Coliform in cfu(Membrane Filtration)	IS 1622	cfu/100ml	Absent	Not Detectable	Not Detectable
62	Detection of E. coli MF	IS 1622	cfu/100ml	Absent	Not Detectable	Not Detectable

Note : DL: Detection Limit. Max: Maximum.

Remarks : Bacteriologically: Satisfactory for the above tested parameters. Chemically: Satisfactory for the above tested parameters. Total Dissolved Solids, Calcium, Chloride, Total Alkalinity, Total Hardness are beyond the Acceptable Limit (Max), but within Permissible Limit (Max).

Statement of Conformity is applied considering Decision Rule as per ISO Guide 98-4.

End of Report

FOR N.D. INTERNATIONAL LAB LLP

Sweta Mukherjee

(Microbiologist)

Authorized Signatory



FOR N.D. INTERNATIONAL LAB LLP

K. P. De

CEO

Authorized Signatory

1. The test report shall not be reproduced, except in full, without written approval of the company.
2. Results relate only to the parameters tested.
3. The remaining sample after test will be retained for 15 days from the date of issue of certificate.



N. D. INTERNATIONAL LAB LLP

GOVERNMENT REGISTERED
An ISO 9001:2015 Certified Company

TEST REPORT

Format No.: NDI/FM/50

Dated : 04/09/2025

Page No.: 1 of 1

Certificate No : NDI/WTR/25-26/03260-A

UID No : NDI/WTR/25-26/03260-A

Sample Drawn By : N.D. International LAB LLP

Name of Customer : M/s. Century Ply Boards Ltd.
Address : Diamond Harbour Road, Kanchowki, Bishnupur, West Bengal-743503

Description of Sample : Drinking Water
Collection Source : Executive Canteen Tap Water

Sampling Done by : A.Mondal, R.Mandal, R.Patra
Environmental Condition : Temperature :29°C, Humidity : 82%
Sample Drawn on : 29/08/2025
Analysis Started on : 29/08/2025
Analysis Completed on : 04/09/2025

Sample Quantity : 5.2 ltr

Sample Received on : 29/08/2025

Method of Sampling : IS-1622:1981, IS-17614:(P-25):2022 (Bact), IS-17614:(P-5):2021 (Chem)

Mode of Sampling : Grab Sampling Plan : NDI/FM/52A

TEST RESULT

Sl.No.	Parameters	Test Method	Unit	Results	Norms as per IS 10500:2012	
					Acceptable Limit	Permissible Limit
Pesticide Residues						
1	Alachlor	NDI/CHEM/SOP/II/P/01	µg/l	<0.01(DL:0.01)	Max 20	No relaxation
2	2,4 dichlorophenoxyacetic acid	NDI/CHEM/SOP/II/P/01	µg/l	<0.01(DL:0.01)	Max 30	No relaxation
3	Isoproturon	NDI/CHEM/SOP/II/P/01	µg/l	<0.01(DL:0.01)	Max 9.0	No relaxation
4	Phorate	NDI/CHEM/SOP/II/P/01	µg/l	<0.01(DL:0.01)	Max 2.0	No relaxation
Trihalomethanes						
5	Bromoform	APHA 6232	mg/l	<0.01(DL:0.01)	Max 0.1	No relaxation
6	Dibromochloromethane	APHA 6232	mg/l	<0.01(DL:0.01)	Max 0.1	No relaxation
7	Bromodichloromethane	APHA 6232	mg/l	<0.01(DL:0.01)	Max 0.06	No relaxation
8	Chloroform	APHA 6232	mg/l	<0.01(DL:0.01)	Max 0.2	No relaxation

Note : DL: Detection Limit. Max: Maximum.

Remarks : Chemically: Satisfactory for the above tested parameters.

Statement of Conformity is applied considering Decision Rule as per ISO Guide 98-4.

End of Report



FOR N.D. INTERNATIONAL LAB LLP

K. P. De

CEO

Authorized Signatory

1. The test report shall not be reproduced, except in full, without written approval of the company.
2. Results relate only to the parameters tested.
3. The remaining sample after test will be retained for 15 days from the date of issue of certificate.



N. D. INTERNATIONAL LAB LLP

GOVERNMENT REGISTERED
An ISO 9001:2015 Certified Company

TEST REPORT



TC - 15617

ULR No.:TC1561725000007401F

Format No.: NDI/FM/50

Certificate No : NDI/WTR/25-26/03261

Dated : 04/09/2025

UID No : NDI/WTR/25-26/03261

Page No.: 1 of 4

Sample Drawn By : N.D. International LAB LLP

Name of Customer : M/s. Century Ply Boards Ltd.
Address : Diamond Harbour Road, Kanchowki, Bishnupur, West Bengal-743503

Description of Sample : Drinking Water
Collection Source : Ply Worker Canteen Tap Water

Sampling Done by : A.Mondal, R.Mandal, R.Patra
Environmental Condition : Temperature :29°C, Humidity : 82%
Sample Drawn on : 29/08/2025
Analysis Started on : 29/08/2025
Analysis Completed on : 04/09/2025
Sample Quantity : 5.2 ltr
Sample Received on : 29/08/2025

Method of Sampling : IS-1622:1981, IS-17614:(P-25):2022 (Bact), IS-17614:(P-5):2021 (Chem)
Mode of Sampling : Grab
Sampling Plan : NDI/FM/52A

TEST RESULT

TEST RESULT

Sl.No.	Parameters	Test Method	Unit	Results	Norms as per IS 10500:2012	
					Acceptable Limit	Permissible Limit
Organoleptic & Physical Parameters						
1	Colour	IS 3025 (Part 4)	Hazen	<1 (DL:1.0)	Max 5.0	Max 15
2	Odour	IS 3025 (Part 5)	-	Agreeable	Agreeable	Agreeable
3	pH at 25°C	APHA (24th Edition) 4500 H+ B	-	7.9	6.5-8.5	No relaxation
4	Taste	IS 3025 (Part 8)	-	Agreeable	Agreeable	Agreeable
5	Turbidity.	APHA (24th Edition) 2130B	NTU	<1 (DL:1.0)	Max 1.0	Max 5.0
6	Total Dissolved Solids.	APHA (24th Edition) 2540C	mg/l	1362	Max 500	Max 2000
General Parameters Concerning Substances Undesirable						
7	Aluminum (as Al)	IS 3025 (Part-55)	mg/l	<0.03 (DL:0.03)	Max 0.03	Max 0.2
8	Ammonia (as total ammonia-N)	APHA 24th Edition 4500 NH3-F	mg/l	<0.1 (DL:0.1)	Max 0.50	No relaxation
9	Anionic Detergents (as MBAS)	APHA 24th Edition 5540 C	mg/l	<0.05 (DL:0.05)	Max 0.20	Max 1.0
10	Boron (as B)	APHA 24th edition 4500 B C	mg/l	<0.25 (DL:0.25)	Max 0.50	Max 1.0
11	Calcium (as Ca)	APHA (24th Edition), 3500-Ca B	mg/l	132	Max 75.0	Max 200
12	Chloramines (as Cl2)	APHA 24th edition 4500 Cl -F	mg/l	<0.1 (DL:0.1)	Max 4.0	No relaxation

1. The test report shall not be reproduced, except in full, without written approval of the company.
2. Results relate only to the parameters tested.
3. The remaining sample after test will be retained for 15 days from the date of issue of certificate.



N. D. INTERNATIONAL LAB LLP

GOVERNMENT REGISTERED
An ISO 9001:2015 Certified Company

TEST REPORT



TC - 15617

ULR No.:TC1561725000007401F

Format No.: NDI/FM/50

Certificate No : NDI/WTR/25-26/03261

Dated : 04/09/2025

UID No : NDI/WTR/25-26/03261

Page No.: 2 of 4

Sample Drawn By : N.D. International LAB LLP

Sl.No.	Parameters	Test Method	Unit	Results	Norms as per IS 10500:2012	
					Acceptable Limit	Permissible Limit
13	Chloride (as Cl).	APHA (24th Edition)4500 Cl B	mg/l	429.1	Max 250	Max 1000
14	Copper (as Cu).	APHA (24th Edition), 3111B	mg/l	<0.05(DL;0.05)	Max 0.05	Max 1.5
15	Fluoride (as F)	APHA (24th Edition), 4500-F C	mg/l	0.33	Max 1.0	Max 1.5
16	Residual Free Chlorine	IS 3025(Part 26)	mg/l	<0.1 (DL:0.1)	Not Specified	Not Specified
17	Iron (as Fe)	APHA (24th Edition), 3500-Fe B	mg/l	<0.1 (DL:0.1)	Max 0.3	No relaxation
18	Magnesium (Mg)	APHA (24th Edition) 3500-Mg	mg/l	41.3	Max 30.0	Max 100
19	Manganese (as Mn)	APHA (24th Edition), 3111 B	mg/l	<0.05(DL;0.05)	Max 0.10	Max 0.3
20	Nitrate (as NO3)	APHA (24th Edition), 4500-NO3 B	mg/l	0.40	Max 45	No relaxation
21	Phenolic Compounds (as C6H5OH)	APHA (24th Edition) 5530 C,D	mg/l	<0.001 (DL:0.001)	Max 0.001	Max 0.002
22	Sulphate (as SO4).	APHA (24th Edition), 4500-SO4 E	mg/l	31.7	Max 200	Max 400
23	Sulphide (as H2S)	APHA 24th Edition 4500 S2 D	mg/l	<0.05 (DL:0.05)	Max 0.05	No relaxation
24	Total Alkalinity as CaCO3.	APHA (24th Edition), 2320 B	mg/l	360	Max 200	Max 600
25	Total Hardness (as CaCO3).	APHA (24th Edition) 2340 C	mg/l	500	Max 200	Max 600
Parameters Concerning Toxic Substances						
26	Barium (as Ba)	APHA (24th Edition), 3113 B	mg/l	<0.05(DL;0.05)	Max 0.70	No relaxation
27	Cadmium (as Cd)	APHA (24th Edition), 3113 B	mg/l	<0.0002(DL;0.0002)	Max 0.003	No relaxation
28	Cyanide (CN)	APHA 24th Edition 4500 CN F	mg/l	<0.05 (DL:0.05)	Max 0.05	No relaxation
29	Lead (as Pb)	APHA (24th Edition), 3113 B	mg/l	<0.005(DL;0.005)	Max 0.01	No relaxation
30	Mercury (as Hg)	APHA (24th Edition), 3112 B	mg/l	<0.0004(DL;0.0004)	Max 0.001	No relaxation
31	Molybdenum (as Mo)	APHA (24th Edition), 3113 B	mg/l	<0.05(DL;0.05)	Max 0.07	No relaxation
32	Nickel (as Ni)	APHA (24th Edition),3113 B	mg/l	<0.02(DL;0.02)	Max 0.02	No relaxation
33	Arsenic (as As)	APHA (24th Edition), 3114, C	mg/l	<0.05(DL;0.05)	Max 0.01	Max 0.05
34	Selenium (as Se)	APHA (24th Edition), 3114, C	mg/l	<0.005(DL;0.005)	Max 0.01	No relaxation

1. The test report shall not be reproduced,except in full,without written approval of the company.
2. Results relate only to the parameters tested.
3. The remaining sample after test will be retained for 15 days from the date of issue of certificate.



N. D. INTERNATIONAL LAB LLP

GOVERNMENT REGISTERED
An ISO 9001:2015 Certified Company

TEST REPORT



TC - 15617

ULR No.:TC1561725000007401F

Certificate No : NDI/WTR/25-26/03261

UID No : NDI/WTR/25-26/03261

Sample Drawn By : N.D. International LAB LLP

Format No.: NDI/FM/50

Dated : 04/09/2025

Page No.: 3 of 4

Sl.No.	Parameters	Test Method	Unit	Results	Norms as per IS 10500:2012	
					Acceptable Limit	Permissible Limit
34				5)		
35	Total Chromium (as Cr)	APHA (24th Edition), 3113, B	mg/l	<0.005(DL:0.005)	Max 0.05	No relaxation
36	Zinc (as Zn)	APHA (24th Edition), 3111 B	mg/l	<0.05(DL:0.05)	Max 5.0	Max 15
37	Silver (as Ag)	APHA (24th Edition), 3113 B	mg/l	<0.002(DL:0.002)	Max 0.10	No relaxation
38	Polychlorinated biphenyls (as PCB).	NDI/CHEM/SOP/II/PCB/01	mg/l	<0.00001(DL:0.00001)	Max 0.0005	No relaxation
39	Polynuclear aromatic hydrocarbons (as PAH).	NDI/CHEM/SOP/II/PAH/01	mg/l	<0.00001(DL:0.00001)	Max 0.0001	No relaxation
Pesticide Residues						
40	Atrazine	NDI/CHEM/SOP/II/P/01	µg/l	<0.01(DL:0.01)	Max 2.0	No relaxation
41	Aldrin	NDI/CHEM/SOP/II/P/01	µg/l	<0.01(DL:0.01)	Max 0.03	No relaxation
42	Alpha HCH	NDI/CHEM/SOP/II/P/01	µg/l	<0.01(DL:0.01)	Max 0.01	No relaxation
43	Beta HCH	NDI/CHEM/SOP/II/P/01	µg/l	<0.01(DL:0.01)	Max 0.04	No relaxation
44	Butachlor	NDI/CHEM/SOP/II/P/01	µg/l	<0.01(DL:0.01)	Max 125	No relaxation
45	Chlorpyrifos	NDI/CHEM/SOP/II/P/01	µg/l	<0.01(DL:0.01)	Max 30	No relaxation
46	Delta HCH	NDI/CHEM/SOP/II/P/01	µg/l	<0.01(DL:0.01)	Max 0.04	No relaxation
47	2,4-DDD	NDI/CHEM/SOP/II/P/01	µg/l	<0.01(DL:0.01)	Max 1.0	No relaxation
48	2,4-DDT	NDI/CHEM/SOP/II/P/01	µg/l	<0.01(DL:0.01)	Max 1.0	No relaxation
49	2,4-DDE	NDI/CHEM/SOP/II/P/01	µg/l	<0.01(DL:0.01)	Max 1.0	No relaxation
50	4,4-DDD	NDI/CHEM/SOP/II/P/01	µg/l	<0.01(DL:0.01)	Max 1.0	No relaxation
51	4,4-DDT	NDI/CHEM/SOP/II/P/01	µg/l	<0.01(DL:0.01)	Max 1.0	No relaxation
52	4,4-DDE	NDI/CHEM/SOP/II/P/01	µg/l	<0.01(DL:0.01)	Max 1.0	No relaxation
53	Endosulphan-I	NDI/CHEM/SOP/II/P/01	µg/l	<0.01(DL:0.01)	Max 0.4	No relaxation
54	Endosulphan-II	NDI/CHEM/SOP/II/P/01	µg/l	<0.01(DL:0.01)	Max 0.4	No relaxation
55	Endosulphan Sulfate	NDI/CHEM/SOP/II/P/01	µg/l	<0.01(DL:0.01)	Max 0.4	No relaxation

1. The test report shall not be reproduced,except in full,without written approval of the company.
2. Results relate only to the parameters tested.
3. The remaining sample after test will be retained for 15 days from the date of issue of certificate.



N. D. INTERNATIONAL LAB LLP

GOVERNMENT REGISTERED
An ISO 9001:2015 Certified Company

TEST REPORT



TC - 15617

ULR No.:TC1561725000007401F

Format No.: NDI/FM/50

Certificate No : NDI/WTR/25-26/03261

Dated : 04/09/2025

UID No : NDI/WTR/25-26/03261

Page No.: 4 of 4

Sample Drawn By : N.D. International LAB LLP

Sl.No.	Parameters	Test Method	Unit	Results	Norms as per IS 10500:2012	
					Acceptable Limit	Permissible Limit
56	Ethion	NDI/CHEM/SOP/I/P/01	µg/l	<0.01(DL:0.01)	Max 3.0	No relaxation
57	Gamma HCH (Lindane)	NDI/CHEM/SOP/I/P/01	µg/l	<0.01(DL:0.01)	Max 2.0	No relaxation
58	Malathion	NDI/CHEM/SOP/I/P/01	µg/l	<0.01(DL:0.01)	Max 190	No relaxation
59	Methyl Parathion	NDI/CHEM/SOP/I/P/01	µg/l	<0.01(DL:0.01)	Max 0.3	No relaxation
60	Monocrotophos	NDI/CHEM/SOP/I/P/01	µg/l	<0.01(DL:0.01)	Max 1.0	No relaxation
Microbiological Test Parameters						
61	Total Coliform in cfu(Membrane Filtration)	IS 1622	cfu/100ml	Absent	Not Detectable	Not Detectable
62	Detection of E. coli MF	IS 1622	cfu/100ml	Absent	Not Detectable	Not Detectable

Note : DL: Detection Limit. Max: Maximum.

Remarks : Bacteriologically: Satisfactory for the above tested parameters. Chemically: Satisfactory for the above tested parameters. Total Dissolved Solids, Calcium, Chloride, Magnesium, Total Alkalinity, Total Hardness are beyond the Acceptable Limit (Max), but within Permissible Limit (Max).

Statement of Conformity is applied considering Decision Rule as per ISO Guide 98-4.

End of Report

FOR N.D. INTERNATIONAL LAB LLP


Sweta Mukherjee
(Microbiologist)

Authorized Signatory



FOR N.D. INTERNATIONAL LAB LLP


K. P. De
CEO

Authorized Signatory

1. The test report shall not be reproduced, except in full, without written approval of the company.
2. Results relate only to the parameters tested.
3. The remaining sample after test will be retained for 15 days from the date of issue of certificate.



N. D. INTERNATIONAL LAB LLP

GOVERNMENT REGISTERED
An ISO 9001:2015 Certified Company

TEST REPORT

Format No.: NDI/FM/50

Dated : 04/09/2025

Page No.: 1 of 1

Certificate No : NDI/WTR/25-26/03261-A

UID No : NDI/WTR/25-26/03261-A

Sample Drawn By : N.D. International LAB LLP

Name of Customer : M/s. Century Ply Boards Ltd.

Address : Diamond Harbour Road, Kanchowki, Bishnupur, West Bengal-743503

Description of Sample : Drinking Water

Collection Source : Ply Worker Canteen Tap Water

Sampling Done by : A.Mondal, R.Mandal, R.Patra

Environmental Condition : Temperature :29°C, Humidity : 82%

Sample Quantity : 5.2 ltr

Sample Drawn on : 29/08/2025

Sample Received on : 29/08/2025

Analysis Started on : 29/08/2025

Analysis Completed on : 04/09/2025

Method of Sampling : IS-1622:1981, IS-17614:(P-25):2022 (Bact), IS-17614:(P-5):2021 (Chem)

Mode of Sampling : Grab

Sampling Plan : NDI/FM/52A

TEST RESULT

Sl.No.	Parameters	Test Method	Unit	Results	Norms as per IS 10500:2012	
					Acceptable Limit	Permissible Limit
Pesticide Residues						
1	Alachlor	NDI/CHEM/SOP//P/01	µg/l	<0.01(DL:0.01)	Max 20	No relaxation
2	2,4 dichlorophenoxyacetic acid	NDI/CHEM/SOP//P/01	µg/l	<0.01(DL:0.01)	Max 30	No relaxation
3	Isoproturon	NDI/CHEM/SOP//P/01	µg/l	<0.01(DL:0.01)	Max 9.0	No relaxation
4	Phorate	NDI/CHEM/SOP//P/01	µg/l	<0.01(DL:0.01)	Max 2.0	No relaxation
Trihalomethanes						
5	Bromoform	APHA 6232	mg/l	<0.01(DL:0.01)	Max 0.1	No relaxation
6	Dibromochloromethane	APHA 6232	mg/l	<0.01(DL:0.01)	Max 0.1	No relaxation
7	Bromodichloromethane	APHA 6232	mg/l	<0.01(DL:0.01)	Max 0.06	No relaxation
8	Chloroform	APHA 6232	mg/l	<0.01(DL:0.01)	Max 0.2	No relaxation

Note : DL: Detection Limit. Max: Maximum.

Remarks : Chemically: Satisfactory for the above tested parameters.

Statement of Conformity is applied considering Decision Rule as per ISO Guide 98-4.

End of Report



FOR N.D. INTERNATIONAL LAB LLP

K. P. De

CEO

Authorized Signatory

1. The test report shall not be reproduced, except in full, without written approval of the company.

2. Results relate only to the parameters tested.

3. The remaining sample after test will be retained for 15 days from the date of issue of certificate.



N. D. INTERNATIONAL LAB LLP

GOVERNMENT REGISTERED
An ISO 9001:2015 Certified Company

TEST REPORT

Certificate No : W(D)-(NN)/25-26/00919

Dated: 08.09.2025

SAMPLE DRAWN BY : N.D. INTERNATIONAL LAB LLP

Page - 1 of 1

Name of Customer	: M/S Century Plyboards India Limited
Address	: Diamond Harbour Road, Konchowki, Bishnupur, South 24 Parganas, West Bengal, Pin - 743503
Description of Sample	: Cooling Tower Water
Collection Source	: Cooling Tower Laminar Old Unit
Sampling Done by	: Mr. A. Mondal, R. Mondal & R. Patra.
Environmental Condition	: Temperature : 29°C, Humidity : 82%
Sample Drawn on	: 28.08.2025
Analysis Started on	: 28.08.2025
Analysis Completed on	: 08.09.2025
Method of Sampling	: IS 17614 (P-25) : 2022, IS 1622 : 1981(Bact)
Mode of Sampling	: Grab

Sampling Plan : NDI/FM/52A

A. MICROBIOLOGICAL PARAMETER :

Sl. No.	Test Parameters	Test Method	Unit	Results
1	Legionella sp.	APHA 24th Edition, 9260 J	---	Absent

...END OF TEST REPORT...



For, N.D. International Lab LLP

Sweta Mukherjee
(Microbiologist)
(Authorised Signatory)

1. The test report shall not be reproduced, except in full, without written approval of the company.
2. Results relate only to the parameters tested.
3. The remaining sample after test will be retained for 15 days from the date of issue of certificate.

MB-II



N. D. INTERNATIONAL LAB LLP

GOVERNMENT REGISTERED
An ISO 9001:2015 Certified Company

TEST REPORT

Certificate No : W(D)-(NN)/25-26/00920

Dated: 08.09.2025

SAMPLE DRAWN BY : N.D. INTERNATIONAL LAB LLP

Page - 1 of 1

Name of Customer	: M/S Century Plyboards India Limited
Address	: Diamond Harbour Road, Konchowki, Bishnupur, South 24 Parganas, West Bengal, Pin - 743503
Description of Sample	: Cooling Tower Water
Collection Source	: Cooling Tower Laminar New Unit
Sampling Done by	: Mr. A. Mondal, R. Mondal & R. Patra.
Environmental Condition	: Temperature : 29°C, Humidity : 82%
Sample Drawn on	: 28.08.2025
Analysis Started on	: 28.08.2025
Analysis Completed on	: 08.09.2025
Method of Sampling	: IS 17614 (P-25) : 2022, IS 1622 : 1981(Bact)
Mode of Sampling	: Grab

Sampling Plan : NDI/FM/52A

A. MICROBIOLOGICAL PARAMETER :

Sl. No.	Test Parameters	Test Method	Unit	Results
1	Legionella sp.	APHA 24th Edition, 9260 J	---	Absent

...END OF TEST REPORT...



For, N.D. International Lab LLP

Sweta Mukherjee
(Microbiologist)
(Authorised Signatory)

1. The test report shall not be reproduced, except in full, without written approval of the company.
2. Results relate only to the parameters tested.
3. The remaining sample after test will be retained for 15 days from the date of issue of certificate.

MB-II



N. D. INTERNATIONAL LAB LLP

GOVERNMENT REGISTERED
An ISO 9001:2015 Certified Company

TEST REPORT

Certificate No.: E(D)-(NN)/25-26/00909

Date: 08.09.2025

SAMPLE DRAWN BY : N.D. INTERNATIONAL LAB LLP

Page 1 of 1

Name of Customer	: M/s. Century Plyboards India Limited
Address	: Diamond Harbour Road, Konchowki, Bishnupur, : South 24 Parganas, West Bengal, Pin - 743503
Description of Sample	: STP Water
Collection Source	: STP Intlet
Sampling Done by	: Mr. A. Mondal, R. Mandal & Mr. R. Patra.
Environmental Condition	: Temperature : 29°C, Humidity : 82%
Sample Drawn on	: 28.08.2025
Analysis Started on	: 29.08.2025
Analysis Completed on	: 06.09.2025
Method of Sampling	: IS 17614 (P-25) : 2022, IS 1622 : 1981(Bact), IS 17614 (P-5) : 2021(Chem)
Mode of Sampling	: Grab
Sampling Plan : NDI/FM/52A	

A. MICROBIOLOGICAL TEST FINDINGS:

Sl. No.	Test Parameter	Test Method	Unit	Result
1	Faecal Coliform/100ml	IS 1622	---	Present
2	Total Coliform/100ml @ 37°C for 24 hours		MPN	1600


B. CHEMICAL TEST FINDINGS:

Sl No.	Test Parameters	Test Method	Unit	Result
1	pH at 25°C	APHA 24th Edn, 4500 H ⁺ B	---	6.93
2	Total Suspended Solids	APHA 24th Edn, 2540 D	mg/L	29.1
3	Biochemical Oxygen Demand at 27°C for 3 days	IS 3025 (Part - 44)	mg/L	38
4	Chemical Oxygen Demand	IS 3025 (Part - 58)	mg/L	95.8
5	Oil & Grease	APHA 24th Edn, 5520 B	mg/L	3.1
6	Phenolic Compound as C ₆ H ₅ OH	APHA 24th Edn, 5530- C	mg/L	<0.001(DL:0.001)
7	Ammoniacal Nitrogen	APHA 24th Edition, 4500 NH ₃ F	mg/L	<0.5(DL:0.5)
8	Residual Free Chlorine	IS 3025 (Part 26): 1986	mg/L	<0.1(DL:0.1)

DL=Detection Limit


...End of Test Report...

For, N.D. International Lab LLP


Sweta Mukherjee
(Microbiologist)
(Authorised Signatory)



For, N.D. International Lab LLP


K.P. De - CEO
(Authorised Signatory)

1. The test report shall not be reproduced, except in full, without written approval of the company.
2. Results relate only to the parameters tested.
3. The remaining sample after test will be retained for 15 days from the date of issue of certificate.



N. D. INTERNATIONAL LAB LLP

GOVERNMENT REGISTERED
An ISO 9001:2015 Certified Company

TEST REPORT

Certificate No.: E(D)-(NN)/25-26/00910

Date: 08.09.2025

SAMPLE DRAWN BY : N.D. INTERNATIONAL LAB LLP

Page 1 of 1

Name of Customer : M/s. Century Plyboards India Limited
Address : Diamond Harbour Road, Konchowki, Bishnupur,
South 24 Parganas, West Bengal, Pin - 743503
Description of Sample : STP Water
Collection Source : STP Outlet
Sampling Done by : Mr. A. Mondal, R. Mandal & Mr. R. Patra.
Environmental Condition : Temperature : 29°C, Humidity : 82%
Sample Drawn on : 28.08.2025
Analysis Started on : 29.08.2025
Analysis Completed on : 06.09.2025
Method of Sampling : IS 17614 (P-25) : 2022, IS 1622 : 1981(Bact), IS 17614 (P-5) : 2021(Chem)
Mode of Sampling : Grab Sampling Plan : NDI/FM/52A

A. PHYSICAL TEST FINDINGS:

Sl. No.	Test Parameter	Test Method	Unit	Result
1	Faecal Coliform/100ml	IS 1622	---	Absent
2	Total Coliform/100ml @ 37°C for 24 hours		MPN	110

B. CHEMICAL TEST FINDINGS:

Sl No.	Test Parameters	Test Method	Unit	Result	Limit as per Environmental Protection Act. (MOE & F) for Effluent discharge into inland surface water
1	pH at 25°C	APHA 24th Edn, 4500 H ⁺ B	---	7.22	5.5 - 9.0
2	Total Suspended Solids	APHA 24th Edn, 2540 D	mg/L	6.2	100 mg/L (max)
3	Biochemical Oxygen Demand at 27°C for 3 days	IS 3025 (Part - 44)	mg/L	9.3	30 mg/L (max)
4	Chemical Oxygen Demand	IS 3025 (Part - 58)	mg/L	24.5	250 mg/L (max)
5	Oil & Grease	APHA 24th Edn, 5530-D	mg/L	<2.0(DL:2.0)	10 mg/L (max)
6	Phenolic Compound as C ₆ H ₅ OH	APHA 24th Edn, 5530- C	mg/L	<0.001 (DL:0.001)	1 mg/L (max)
7	Ammoniacal Nitrogen	APHA 24th Edition, 4500 NH ₃ F	mg/L	<0.5(DL:0.5)	50
8	Residual Free Chlorine	IS 3025 (Part 26)	mg/L	<0.1 (DL:0.1)	0.1

Note : 1. DL - Detection Limit.

Remarks : Satisfactory for the above tested parameters.

...End of Test Report...

For, N.D. International Lab LLP

Sweta Mukherjee

(Microbiologist)

(Authorised Signatory)



For, N.D. International Lab LLP

K.P. De - CEO

(Authorised Signatory)

- The test report shall not be reproduced, except in full, without written approval of the company.
- Results relate only to the parameters tested.
- The remaining sample after test will be retained for 15 days from the date of issue of certificate.



N. D. INTERNATIONAL LAB LLP

GOVERNMENT REGISTERED
An ISO 9001:2015 Certified Company

TEST REPORT

Certificate No : W(D)-(NN)/25-26/00911

Dated: 06.09.2025

SAMPLE DRAWN BY : N.D. INTERNATIONAL LAB LLP

Page - 1 of 1

Name of Customer : M/S Century Plyboards India Limited
Address : Diamond Harbour Road, Konchowki, Bishnupur, South 24 Parganas,
West Bengal, Pin - 743503

Description of Sample : Borewell Water
Collection Source : Dispenser Admin Building Borewell Water Factory 2nd Gate (P-9)
Sampling Done by : Mr. R. Mandal, A. Mondal, R. Patra.
Environmental Condition : Temperature : 29°C, Humidity : 82%
Sample Drawn on : 28.08.2025
Analysis Started on : 29.08.2025
Analysis Completed on : 05.09.2025

Method of Sampling : IS 17614 (P-25) : 2022, IS 1622 : 1981 (Bact), IS 17614 (P-5) : 2021 (Chem)
Mode of Sampling : Grab Sampling Plan : NDI/FM/52A

A. MICROBIOLOGICAL PARAMETERS :

Sl. No.	Test Parameters	Test Method	Unit	Results	Norms as per IS 10500
1	Total Coliform/100ml @ 37°C for 24 hours	IS 1622	Cfu	Absent	Not Detectable
2	Faecal Coliform/100ml @ 44.5°C for 24 hours		Cfu	Absent	Not Detectable

B. ORGANOLEPTIC & PHYSICAL PARAMETERS :

Sl. No.	Test Parameters	Test Method	Unit	Results	Norms as per IS 10500:2012	
					AL(Max.)	PL(Max.)
3	Colour	IS 3025 (Part 4)	Hazen	<1.0(DL:1.0)	5	15
4	Odour	IS 3025 (Part 5)	--	Agreeable	Agreeable	Agreeable
5	pH at 25°C	APHA 24th Edn, 4500 H+ B	--	7.6	6.5 - 8.5	No Relaxation
6	Turbidity	APHA 24th Edn, 2130-B	NTU	2	1.0	5.0
7	Total Dissolved Solids	APHA 24th Edn, 2540-C	mg/L	1362	500	2000

C. GENERAL PARAMETERS :

8	Calcium as Ca	APHA 24th Edn, 3500- Ca B	mg/L	104	75	200
9	Calcium Hardness as Ca	APHA 24th Edn, 3500- Ca B	mg/L	260	No relaxation	
10	Chloride as Cl	APHA 24th Edn, 4500 Cl-B	mg/L	443.2	250	1000
11	Residual Free Chlorine	IS 3025 (Part 26)	mg/l	<0.1 (DL:0.1)	0.20	1.0
12	Iron as Fe	APHA 24th Edn, 3500- Fe B	mg/L	0.16	0.30	No Relaxation
13	Magnesium as Mg	APHA 24th Edn, 3500- Mg B	mg/L	31.6	30	100
14	Nitrate as NO ₃	APHA 24th Edn, 4500-NO3 B	mg/l	<0.2(DL:0.2)	45	No relaxation
15	Sulphate as SO ₄	APHA 24th Edn, 4500- SO42- E	mg/L	21.5	200	400
16	Total Alkalinity as CaCO ₃	APHA 24th Edn, 2320-B	mg/L	372	200	600
17	Total Hardness as CaCO ₃	APHA 24th Edn, 2340-C	mg/L	390	200	600
18	Arsenic as As	APHA 24th Edn, 3114C	mg/l	<0.002 (DL: 0.002)	0.01	0.05

Note : 1. AL - Acceptable Limit. 2. PL - Permissible Limit, DI - Detection Limit.

Remarks : Bacteriologically : Satisfactory for the above tested parameters.

Chemically : Satisfactory for the above tested parameters.

Turbidity, Total Dissolved Solids, Calcium, Chloride, Magnesium, Total Alkalinity & Total Hardness are beyond the AL(Max.) but within PL(Max.).

Statement of Conformity is applied considering Decision Rule as per ISO Guide 98-4.

...END OF TEST REPORT...

For, N.D. International Lab LLP

For, N.D. International Lab LLP

Sweta Mukherjee
(Microbiologist)

(Authorised Signatory)

K. P. De - CEO

(Authorised Signatory)

1. The test report shall not be reproduced, except in full, without written approval of the company.

2. Results relate only to the parameters tested.

3. The remaining sample after test will be retained for 15 days from the date of issue of certificate.

MB-II



N. D. INTERNATIONAL LAB LLP

GOVERNMENT REGISTERED
An ISO 9001:2015 Certified Company

TEST REPORT

Certificate No : W(D)-(NN)/25-26/00912

Dated: 06.09.2025

SAMPLE DRAWN BY : N.D. INTERNATIONAL LAB LLP

Page - 1 of 1

Name of Customer : M/S Century Plyboards India Limited
 Address : Diamond Harbour Road, Konchowki, Bishnupur, South 24 Parganas,
 West Bengal, Pin - 743503
 Description of Sample : Borewell Water
 Collection Source : Dispenser CDC Borewell Water (p- 8)
 Sampling Done by : Mr. R. Mandal, A. Mondal, R. Patra.
 Environmental Condition : Temperature : 29°C, Humidity : 82%
 Sample Drawn on : 28.08.2025
 Analysis Started on : 29.08.2025
 Analysis Completed on : 05.09.2025

Method of Sampling : IS 17614 (P-25) : 2022, IS 1622 : 1981(Bact), IS 17614 (P-5) : 2021(Chem)
 Mode of Sampling : Grab Sampling Plan : NDI/FM/52A

A. MICROBIOLOGICAL PARAMETERS :

Sl. No.	Test Parameters	Test Method	Unit	Results	Norms as per IS 10500
1	Total Coliform/100ml @ 37°C for 24 hours	IS 1622	Cfu	Absent	Not Detectable
2	Faecal Coliform/100ml @ 44.5°C for 24 hours		Cfu	Absent	Not Detectable

B. ORGANOLEPTIC & PHYSICAL PARAMETERS :

Sl. No.	Test Parameters	Test Method	Unit	Results	Norms as per IS 10500:2012	
					AL(Max.)	PL(Max.)
3	Colour	IS 3025 (Part 4)	Hazen	<1.0(DL:1.0)	5	15
4	Odour	IS 3025 (Part 5)	--	Agreeable	Agreeable	Agreeable
5	pH at 25°C	APHA 24th Edn, 4500 H+ B	--	7.9	6.5 - 8.5	No Relaxation
6	Turbidity	APHA 24th Edn, 2130-B	NTU	2	1.0	5.0
7	Total Dissolved Solids	APHA 24th Edn, 2540-C	mg/L	1080	500	2000

C. GENERAL PARAMETERS :

8	Calcium as Ca	APHA 24th Edn, 3500- Ca B	mg/L	104	75	200
9	Calcium Hardness as Ca	APHA 24th Edn, 3500- Ca B	mg/L	260	No relaxation	
10	Chloride as Cl	APHA 24th Edn, 4500 Cl-B	mg/L	320.6	250	1000
11	Residual Free Chlorine	IS 3025 (Part 26)	mg/l	<0.1 (DL:0.1)	0.20	1.0
12	Iron as Fe	APHA 24th Edn, 3500- Fe B	mg/L	0.1	0.30	No Relaxation
13	Magnesium as Mg	APHA 24th Edn, 3500- Mg B	mg/L	31.6	30	100
14	Nitrate as NO ₃	APHA 24th Edn, 4500-NO3 B	mg/l	<0.2(DL:0.2)	45	No relaxation
15	Sulphate as SO ₄	APHA 24th Edn, 4500- SO42- E	mg/L	20.56	200	400
16	Total Alkalinity as CaCO ₃	APHA 24th Edn, 2320-B	mg/L	360	200	600
17	Total Hardness as CaCO ₃	APHA 24th Edn, 2340-C	mg/L	390	200	600
18	Arsenic as As	APHA 24th Edn, 3114C	mg/l	<0.002 (DL: 0.002)	0.01	0.05

Note : 1. AL - Acceptable Limit. 2. PL - Permissible Limit, DI - Detection Limit.

Remarks : Bacteriologically : Satisfactory for the above tested parameters.

Chemically : Satisfactory for the above tested parameters.

Turbidity, Total Dissolved Solids, Calcium, Chloride, Magnesium, Total Alkalinity & Total Hardness are beyond the AL(Max.) but within PL(Max.).

Statement of Conformity is applied considering Decision Rule as per ISO Guide 98-4.

...END OF TEST REPORT...

For, N.D. International Lab LLP

For, N.D. International Lab LLP

Sweta Mukherjee
(Microbiologist)

(Authorised Signatory)



K. P. De - CEO

(Authorised Signatory)

1. The test report shall not be reproduced, except in full, without written approval of the company.

2. Results relate only to the parameters tested.

3. The remaining sample after test will be retained for 15 days from the date of issue of certificate.

MB-II



N. D. INTERNATIONAL LAB LLP

GOVERNMENT REGISTERED
An ISO 9001:2015 Certified Company

TEST REPORT

Certificate No : W(D)-(NN)/25-26/00913

Dated: 06.09.2025

SAMPLE DRAWN BY : N.D. INTERNATIONAL LAB LLP

Page - 1 of 1

Name of Customer : M/S Century Plyboards India Limited
 Address : Diamond Harbour Road, Konchowki, Bishnupur, South 24 Parganas,
 West Bengal, Pin - 743503
 Description of Sample : Borewell Water
 Collection Source : Dispenser Laminate NC Plant Borewell Water Right Side of CDC (P-7)
 Sampling Done by : Mr. R. Mandal, A. Mondal, R. Patra.
 Environmental Condition : Temperature : 29°C, Humidity : 82%
 Sample Drawn on : 28.08.2025
 Analysis Started on : 29.08.2025
 Analysis Completed on : 05.09.2025

Method of Sampling : IS 17614 (P-25) : 2022, IS 1622 : 1981 (Bact), IS 17614 (P-5) : 2021 (Chem)
 Mode of Sampling : Grab Sampling Plan : NDI/FM/52A

A. MICROBIOLOGICAL PARAMETERS :

Sl. No.	Test Parameters	Test Method	Unit	Results	Norms as per IS 10500
1	Total Coliform/100ml @ 37°C for 24 hours	IS 1622	Cfu	Absent	Not Detectable
2	Faecal Coliform/100ml @ 44.5°C for 24 hours		Cfu	Absent	Not Detectable

B. ORGANOLEPTIC & PHYSICAL PARAMETERS :

Sl. No.	Test Parameters	Test Method	Unit	Results	Norms as per IS 10500:2012	
					AL(Max.)	PL(Max.)
3	Colour	IS 3025 (Part 4)	Hazen	<1.0(DL:1.0)	5	15
4	Odour	IS 3025 (Part 5)	--	Agreeable	Agreeable	Agreeable
5	pH at 25°C	APHA 24th Edn, 4500 H+ B	--	7.7	6.5 - 8.5	No Relaxation
6	Turbidity	APHA 24th Edn, 2130-B	NTU	1	1.0	5.0
7	Total Dissolved Solids	APHA 24th Edn, 2540-C	mg/L	1074	500	2000

C. GENERAL PARAMETERS :

8	Calcium as Ca	APHA 24th Edn, 3500- Ca B	mg/L	100	75	200
9	Calcium Hardness as Ca	APHA 24th Edn, 3500- Ca B	mg/L	250	No relaxation	
10	Chloride as Cl	APHA 24th Edn, 4500 Cl-B	mg/L	320.6	250	1000
11	Residual Free Chlorine	IS 3025 (Part 26)	mg/l	<0.1 (DL:0.1)	0.20	1.0
12	Iron as Fe	APHA 24th Edn, 3500- Fe B	mg/L	<0.1 (DL:0.1)	0.30	No Relaxation
13	Magnesium as Mg	APHA 24th Edn, 3500- Mg B	mg/L	31.6	30	100
14	Nitrate as NO ₃	APHA 24th Edn, 4500-NO3 B	mg/l	<0.2(DL:0.2)	45	No relaxation
15	Sulphate as SO ₄	APHA 24th Edn, 4500- SO42- E	mg/L	20.89	200	400
16	Total Alkalinity as CaCO ₃	APHA 24th Edn, 2320-B	mg/L	336	200	600
17	Total Hardness as CaCO ₃	APHA 24th Edn, 2340-C	mg/L	380	200	600
18	Arsenic as As	APHA 24th Edn, 3114C	mg/l	<0.002 (DL: 0.002)	0.01	0.05

Note : 1. AL - Acceptable Limit. 2. PL - Permissible Limit, DL - Detection Limit.

Remarks : Bacteriologically : Satisfactory for the above tested parameters.

Chemically : Satisfactory for the above tested parameters.

Total Dissolved Solids, Calcium, Chloride, Magnesium, Total Alkalinity & Total Hardness are beyond the AL(Max.) but within PL(Max.).

Statement of Conformity is applied considering Decision Rule as per ISO Guide 98-4.

...END OF TEST REPORT...

For, N.D. International Lab LLP

For, N.D. International Lab LLP

Sweta Mukherjee
(Microbiologist)

(Authorised Signatory)



K. P. De - CEO

(Authorised Signatory)

- The test report shall not be reproduced, except in full, without written approval of the company.
- Results relate only to the parameters tested.
- The remaining sample after test will be retained for 15 days from the date of issue of certificate.

MB-II



N. D. INTERNATIONAL LAB LLP

GOVERNMENT REGISTERED
An ISO 9001:2015 Certified Company

TEST REPORT

Certificate No : W(D)-(NN)/25-26/00914

Dated: 06.09.2025

SAMPLE DRAWN BY : N.D. INTERNATIONAL LAB LLP

Page - 1 of 1

Name of Customer : M/S Century Plyboards India Limited
 Address : Diamond Harbour Road, Konchowki, Bishnupur, South 24 Parganas,
 West Bengal, Pin - 743503
 Description of Sample : Borewell Water
 Collection Source : Dispenser Sample Section Laminate Borewell Water Behind Old Forklift Workshop (P-6)
 Sampling Done by : Mr. R. Mandal, A. Mondal, R. Patra.
 Environmental Condition : Temperature : 29°C, Humidity : 82%
 Sample Drawn on : 28.08.2025
 Analysis Started on : 29.08.2025
 Analysis Completed on : 05.09.2025
 Method of Sampling : IS 17614 (P-25) : 2022, IS 1622 : 1981 (Bact), IS 17614 (P-5) : 2021 (Chem)
 Mode of Sampling : Grab Sampling Plan : NDI/FM/52A

A. MICROBIOLOGICAL PARAMETERS :

Sl. No.	Test Parameters	Test Method	Unit	Results	Norms as per IS 10500
1	Total Coliform/100ml @ 37°C for 24 hours	IS 1622	Cfu	Absent	Not Detectable
2	Faecal Coliform/100ml @ 44.5°C for 24 hours		Cfu	Absent	Not Detectable

B. ORGANOLEPTIC & PHYSICAL PARAMETERS :

Sl. No.	Test Parameters	Test Method	Unit	Results	Norms as per IS 10500:2012	
					AL(Max.)	PL(Max.)
3	Colour	IS 3025 (Part 4)	Hazen	<1.0(DL:1.0)	5	15
4	Odour	IS 3025 (Part 5)	--	Agreeable	Agreeable	Agreeable
5	pH at 25°C	APHA 24th Edn, 4500 H+ B	--	7.9	6.5 - 8.5	No Relaxation
6	Turbidity	APHA 24th Edn, 2130-B	NTU	3	1.0	5.0
7	Total Dissolved Solids	APHA 24th Edn, 2540-C	mg/L	972	500	2000

C. GENERAL PARAMETERS :

8	Calcium as Ca	APHA 24th Edn, 3500- Ca B	mg/L	92	75	200
9	Calcium Hardness as Ca	APHA 24th Edn, 3500- Ca B	mg/L	230	No relaxation	
10	Chloride as Cl	APHA 24th Edn, 4500 Cl-B	mg/L	254.6	250	1000
11	Residual Free Chlorine	IS 3025 (Part 26)	mg/l	<0.1 (DL:0.1)	0.20	1.0
12	Iron as Fe	APHA 24th Edn, 3500- Fe B	mg/L	0.18	0.30	No Relaxation
13	Magnesium as Mg	APHA 24th Edn, 3500- Mg B	mg/L	29.16	30	100
14	Nitrate as NO ₃	APHA 24th Edn, 4500-NO ₃ B	mg/l	<0.2(DL:0.2)	45	No relaxation
15	Sulphate as SO ₄	APHA 24th Edn, 4500- SO ₄ - E	mg/L	18.25	200	400
16	Total Alkalinity as CaCO ₃	APHA 24th Edn, 2320-B	mg/L	336	200	600
17	Total Hardness as CaCO ₃	APHA 24th Edn, 2340-C	mg/L	350	200	600
18	Arsenic as As	APHA 24th Edn, 3114C	mg/l	<0.002 (DL: 0.002)	0.01	0.05

Note : 1. AL - Acceptable Limit. 2. PL - Permissible Limit, DL - Detection Limit.

Remarks : Bacteriologically : Satisfactory for the above tested parameters.

Chemically : Satisfactory for the above tested parameters.

Turbidity, Total Dissolved Solids, Calcium, Chloride, Total Alkalinity & Total Hardness are beyond the AL(Max.) but within PL(Max.).

Statement of Conformity is applied considering Decision Rule as per ISO Guide 98-4.

...END OF TEST REPORT...

For, N.D. International Lab LLP

For, N.D. International Lab LLP

Sweta Mukherjee
(Microbiologist)
(Authorised Signatory)



K. P. De - CEO
(Authorised Signatory)

- The test report shall not be reproduced, except in full, without written approval of the company.
- Results relate only to the parameters tested.
- The remaining sample after test will be retained for 15 days from the date of issue of certificate.

MB-II



N. D. INTERNATIONAL LAB LLP

GOVERNMENT REGISTERED

An ISO 9001:2015 Certified Company

TEST REPORT

Certificate No : W(D)-(NN)/25-26/00915

Dated: 06.09.2025

SAMPLE DRAWN BY : N.D. INTERNATIONAL LAB LLP

Page - 1 of 1

Name of Customer : M/S Century Plyboards India Limited
 Address : Diamond Harbour Road, Konchowki, Bishnupur, South 24 Parganas,
 West Bengal, Pin - 743503
 Description of Sample : Borewell Water
 Collection Source : Dispenser Lam Old Power House Behind Coal Storage Area Laminate Old Plant (P- 4)
 Sampling Done by : Mr. R. Mandal, A. Mondal, R. Patra.
 Environmental Condition : Temperature : 29°C, Humidity : 82%
 Sample Drawn on : 28.08.2025
 Analysis Started on : 29.08.2025
 Analysis Completed on : 05.09.2025
 Method of Sampling : IS 17614 (P-25) : 2022, IS 1622 : 1981 (Bact), IS 17614 (P-5) : 2021 (Chem)
 Mode of Sampling : Grab Sampling Plan : NDI/FM/52A

A. MICROBIOLOGICAL PARAMETERS :

Sl. No.	Test Parameters	Test Method	Unit	Results	Norms as per IS 10500
1	Total Coliform/100ml @ 37°C for 24 hours	IS 1622	Cfu	Absent	Not Detectable
2	Faecal Coliform/100ml @ 44.5°C for 24 hours		Cfu	Absent	Not Detectable

B. ORGANOLEPTIC & PHYSICAL PARAMETERS :

Sl. No.	Test Parameters	Test Method	Unit	Results	Norms as per IS 10500:2012	
					AL(Max.)	PL(Max.)
3	Colour	IS 3025 (Part 4)	Hazen	<1.0(DL:1.0)	5	15
4	Odour	IS 3025 (Part 5)	--	Agreeable	Agreeable	Agreeable
5	pH at 25°C	APHA 24th Edn, 4500 H+ B	--	7.8	6.5 - 8.5	No Relaxation
6	Turbidity	APHA 24th Edn, 2130-B	NTU	1	1.0	5.0
7	Total Dissolved Solids	APHA 24th Edn, 2540-C	mg/L	942	500	2000

C. GENERAL PARAMETERS :

8	Calcium as Ca	APHA 24th Edn, 3500- Ca B	mg/L	108	75	200
9	Calcium Hardness as Ca	APHA 24th Edn, 3500- Ca B	mg/L	270	No relaxation	
10	Chloride as Cl	APHA 24th Edn, 4500 Cl-B	mg/L	249.9	250	1000
11	Residual Free Chlorine	IS 3025 (Part 26)	mg/l	<0.1 (DL:0.1)	0.20	1.0
12	Iron as Fe	APHA 24th Edn, 3500- Fe B	mg/L	0.11	0.30	No Relaxation
13	Magnesium as Mg	APHA 24th Edn, 3500- Mg B	mg/L	34.02	30	100
14	Nitrate as NO ₃	APHA 24th Edn, 4500-NO3 B	mg/l	<0.2(DL:0.2)	45	No relaxation
15	Sulphate as SO ₄	APHA 24th Edn, 4500- SO42- E	mg/L	16.93	200	400
16	Total Alkalinity as CaCO ₃	APHA 24th Edn, 2320-B	mg/L	360	200	600
17	Total Hardness as CaCO ₃	APHA 24th Edn, 2340-C	mg/L	410	200	600
18	Arsenic as As	APHA 24th Edn, 3114C	mg/l	<0.002 (DL: 0.002)	0.01	0.05

Note : 1. AL - Acceptable Limit. 2. PL - Permissible Limit, DL - Detection Limit.

Remarks : Bacteriologically : Satisfactory for the above tested parameters.

Chemically : Satisfactory for the above tested parameters.

Total Dissolved Solids, Calcium, Magnesium, Total Alkalinity & Total Hardness are beyond the AL(Max.) but within PL(Max.).

Statement of Conformity is applied considering Decision Rule as per ISO Guide 98-4.

For, N.D. International Lab LLP

...END OF TEST REPORT...

For, N.D. International Lab LLP

Sweta Mukherjee
 (Microbiologist)
 (Authorised Signatory)



K. P. De - CEO
 (Authorised Signatory)

- The test report shall not be reproduced, except in full, without written approval of the company.
- Results relate only to the parameters tested.
- The remaining sample after test will be retained for 15 days from the date of issue of certificate.

MB-II



N. D. INTERNATIONAL LAB LLP

GOVERNMENT REGISTERED
An ISO 9001:2015 Certified Company

TEST REPORT

Certificate No : W(D)-(NN)/25-26/00916

Dated: 06.09.2025

SAMPLE DRAWN BY : N.D. INTERNATIONAL LAB LLP

Page - 1 of 1

Name of Customer : M/S Century Plyboards India Limited
 Address : Diamond Harbour Road, Konchowki, Bishnupur, South 24 Parganas,
 West Bengal, Pin - 743503
 Description of Sample : Borewell Water
 Collection Source : Dispenser Deco Plywood Behind Coal Storage Area Laminate Old Plant (P-1)
 Sampling Done by : Mr. R. Mandal, A. Mondal, R. Patra.
 Environmental Condition : Temperature : 29°C, Humidity : 82%
 Sample Drawn on : 28.08.2025
 Analysis Started on : 29.08.2025
 Analysis Completed on : 05.09.2025

Method of Sampling : IS 17614 (P-25) : 2022, IS 1622 : 1981 (Bact), IS 17614 (P-5) : 2021 (Chem)
 Mode of Sampling : Grab Sampling Plan : NDI/FM/52A

A. MICROBIOLOGICAL PARAMETERS :

Sl. No.	Test Parameters	Test Method	Unit	Results	Norms as per IS 10500
1	Total Coliform/100ml @ 37°C for 24 hours	IS 1622	Cfu	Absent	Not Detectable
2	Faecal Coliform/100ml @ 44.5°C for 24 hours		Cfu	Absent	Not Detectable

B. ORGANOLEPTIC & PHYSICAL PARAMETERS :

Sl. No.	Test Parameters	Test Method	Unit	Results	Norms as per IS 10500:2012	
					AL(Max.)	PL(Max.)
3	Colour	IS 3025 (Part 4)	Hazen	<1.0(DL:1.0)	5	15
4	Odour	IS 3025 (Part 5)	--	Agreeable	Agreeable	Agreeable
5	pH at 25°C	APHA 24th Edn, 4500 H+ B	--	7.8	6.5 - 8.5	No Relaxation
6	Turbidity	APHA 24th Edn, 2130-B	NTU	2	1.0	5.0
7	Total Dissolved Solids	APHA 24th Edn, 2540-C	mg/L	1200	500	2000

C. GENERAL PARAMETERS :

8	Calcium as Ca	APHA 24th Edn, 3500- Ca B	mg/L	108	75	200
9	Calcium Hardness as Ca	APHA 24th Edn, 3500- Ca B	mg/L	270	No relaxation	
10	Chloride as Cl	APHA 24th Edn, 4500 Cl-B	mg/L	377.19	250	1000
11	Residual Free Chlorine	IS 3025 (Part 26)	mg/l	<0.1 (DL:0.1)	0.20	1.0
12	Iron as Fe	APHA 24th Edn, 3500- Fe B	mg/L	<0.1 (DL:0.1)	0.30	No Relaxation
13	Magnesium as Mg	APHA 24th Edn, 3500- Mg B	mg/L	34.02	30	100
14	Nitrate as NO ₃	APHA 24th Edn, 4500-NO3 B	mg/l	<0.2(DL:0.2)	45	No relaxation
15	Sulphate as SO ₄	APHA 24th Edn, 4500- SO42- E	mg/L	19.13	200	400
16	Total Alkalinity as CaCO ₃	APHA 24th Edn, 2320-B	mg/L	360	200	600
17	Total Hardness as CaCO ₃	APHA 24th Edn, 2340-C	mg/L	410	200	600
18	Arsenic as As	APHA 24th Edn, 3114C	mg/l	<0.002 (DL: 0.002)	0.01	0.05

Note : 1. AL - Acceptable Limit. 2. PL - Permissible Limit, DI - Detection Limit.

Remarks : Bacteriologically : Satisfactory for the above tested parameters.

Chemically : Satisfactory for the above tested parameters.

Turbidity, Total Dissolved Solids, Calcium, Chloride, Magnesium, Total Alkalinity & Total Hardness are beyond the AL(Max.) but within PL(Max.).

Statement of Conformity is applied considering Decision Rule as per ISO Guide 98-4.

...END OF TEST REPORT...

For, N.D. International Lab LLP

For, N.D. International Lab LLP

Sweta Mukherjee
(Microbiologist)

(Authorised Signatory)



K. P. De - CEO

(Authorised Signatory)

- The test report shall not be reproduced, except in full, without written approval of the company.
- Results relate only to the parameters tested.
- The remaining sample after test will be retained for 15 days from the date of issue of certificate.

MB-II



N. D. INTERNATIONAL LAB LLP

GOVERNMENT REGISTERED
An ISO 9001:2015 Certified Company

TEST REPORT

Certificate No : W(D)-(NN)/25-26/00917

Dated: 06.09.2025

SAMPLE DRAWN BY : N.D. INTERNATIONAL LAB LLP

Page - 1 of 1

Name of Customer : M/S Century Plyboards India Limited
 Address : Diamond Harbour Road, Konchowki, Bishnupur, South 24 Parganas,
 West Bengal, Pin - 743503
 Description of Sample : Borewell Water
 Collection Source : Dispenser Decoveneer Opposite of Old Lathe Room (P-3)
 Sampling Done by : Mr. R. Mandal, A. Mondal, R. Patra.
 Environmental Condition : Temperature : 29°C, Humidity : 82%
 Sample Drawn on : 28.08.2025
 Analysis Started on : 29.08.2025
 Analysis Completed on : 05.09.2025

Method of Sampling : IS 17614 (P-25) : 2022, IS 1622 : 1981(Bact), IS 17614 (P-5) : 2021(Chem)
 Mode of Sampling : Grab Sampling Plan : NDI/FM/52A

A. MICROBIOLOGICAL PARAMETERS :

Sl. No.	Test Parameters	Test Method	Unit	Results	Norms as per IS 10500
1	Total Coliform/100ml @ 37°C for 24 hours	IS 1622	Cfu	Absent	Not Detectable
2	Faecal Coliform/100ml @ 44.5°C for 24 hours		Cfu	Absent	Not Detectable

B. ORGANOLEPTIC & PHYSICAL PARAMETERS :

Sl. No.	Test Parameters	Test Method	Unit	Results	Norms as per IS 10500:2012	
					AL(Max.)	PL(Max.)
3	Colour	IS 3025 (Part 4)	Hazen	<1.0(DL:1.0)	5	15
4	Odour	IS 3025 (Part 5)	--	Agreeable	Agreeable	Agreeable
5	pH at 25°C	APHA 24th Edn, 4500 H+ B	--	7.8	6.5 - 8.5	No Relaxation
6	Turbidity	APHA 24th Edn, 2130-B	NTU	2	1.0	5.0
7	Total Dissolved Solids	APHA 24th Edn, 2540-C	mg/L	1158	500	2000

C. GENERAL PARAMETERS :

8	Calcium as Ca	APHA 24th Edn, 3500- Ca B	mg/L	108	75	200
9	Calcium Hardness as Ca	APHA 24th Edn, 3500- Ca B	mg/L	270	No relaxation	
10	Chloride as Cl	APHA 24th Edn, 4500 Cl-B	mg/L	339.47	250	1000
11	Residual Free Chlorine	IS 3025 (Part 26)	mg/l	<0.1 (DL:0.1)	0.20	1.0
12	Iron as Fe	APHA 24th Edn, 3500- Fe B	mg/L	0.14	0.30	No Relaxation
13	Magnesium as Mg	APHA 24th Edn, 3500- Mg B	mg/L	34.02	30	100
14	Nitrate as NO ₃	APHA 24th Edn, 4500-NO3 B	mg/l	<0.2(DL:0.2)	45	No relaxation
15	Sulphate as SO ₄	APHA 24th Edn, 4500- SO42- E	mg/L	19.57	200	400
16	Total Alkalinity as CaCO ₃	APHA 24th Edn, 2320-B	mg/L	336	200	600
17	Total Hardness as CaCO ₃	APHA 24th Edn, 2340-C	mg/L	410	200	600
18	Arsenic as As	APHA 24th Edn, 3114C	mg/l	<0.002 (DL: 0.002)	0.01	0.05

Note : 1. AL - Acceptable Limit. 2. PL - Permissible Limit, DL - Detection Limit.

Remarks : Bacteriologically : Satisfactory for the above tested parameters.

Chemically : Satisfactory for the above tested parameters.

Turbidity, Total Dissolved Solids, Calcium, Chloride, Magnesium, Total Alkalinity & Total Hardness are beyond the AL(Max.) but within PL(Max.).

Statement of Conformity is applied considering Decision Rule as per ISO Guide 98-4.

...END OF TEST REPORT...

For, N.D. International Lab LLP

Sweta Mukherjee
(Microbiologist)

(Authorised Signatory)



For, N.D. International Lab LLP

K. P. De - CEO
(Authorised Signatory)

- The test report shall not be reproduced, except in full, without written approval of the company.
- Results relate only to the parameters tested.
- The remaining sample after test will be retained for 15 days from the date of issue of certificate.

MB-II



N. D. INTERNATIONAL LAB LLP

GOVERNMENT REGISTERED
An ISO 9001:2015 Certified Company

TEST REPORT

Certificate No : W(D)-(NN)/25-26/00918

Dated: 06.09.2025

SAMPLE DRAWN BY : N.D. INTERNATIONAL LAB LLP

Page - 1 of 1

Name of Customer : M/S Century Plyboards India Limited
Address : Diamond Harbour Road, Konchowki, Bishnupur, South 24 Parganas,
West Bengal, Pin - 743503

Description of Sample : Borewell Water
Collection Source : Dispenser Ply Resin Plant Borewell Near Dust Collector (P-5)
Sampling Done by : Mr. R. Mandal, A. Mondal, R. Patra.
Environmental Condition : Temperature : 29°C, Humidity : 82%
Sample Drawn on : 28.08.2025
Analysis Started on : 29.08.2025
Analysis Completed on : 05.09.2025

Method of Sampling : IS 17614 (P-25) : 2022, IS 1622 : 1981 (Bact), IS 17614 (P-5) : 2021 (Chem)
Mode of Sampling : Grab Sampling Plan : NDI/FM/52A

A. MICROBIOLOGICAL PARAMETERS :

Sl. No.	Test Parameters	Test Method	Unit	Results	Norms as per IS 10500
1	Total Coliform/100ml @ 37°C for 24 hours	IS 1622	Cfu	Absent	Not Detectable
2	Faecal Coliform/100ml @ 44.5°C for 24 hours		Cfu	Absent	Not Detectable

B. ORGANOLEPTIC & PHYSICAL PARAMETERS :

Sl. No.	Test Parameters	Test Method	Unit	Results	Norms as per IS 10500:2012	
					AL(Max.)	PL(Max.)
3	Colour	IS 3025 (Part 4)	Hazen	<1.0(DL:1.0)	5	15
4	Odour	IS 3025 (Part 5)	--	Agreeable	Agreeable	Agreeable
5	pH at 25°C	APHA 24th Edn, 4500 H+ B	--	7.7	6.5 - 8.5	No Relaxation
6	Turbidity	APHA 24th Edn, 2130-B	NTU	2	1.0	5.0
7	Total Dissolved Solids	APHA 24th Edn, 2540-C	mg/L	1170	500	2000

C. GENERAL PARAMETERS :

8	Calcium as Ca	APHA 24th Edn, 3500- Ca B	mg/L	104	75	200
9	Calcium Hardness as Ca	APHA 24th Edn, 3500- Ca B	mg/L	260	No relaxation	
10	Chloride as Cl	APHA 24th Edn, 4500 Cl-B	mg/L	377.19	250	1000
11	Residual Free Chlorine	IS 3025 (Part 26)	mg/l	<0.1 (DL:0.1)	0.20	1.0
12	Iron as Fe	APHA 24th Edn, 3500- Fe B	mg/L	<0.1 (DL:0.1)	0.30	No Relaxation
13	Magnesium as Mg	APHA 24th Edn, 3500- Mg B	mg/L	31.6	30	100
14	Nitrate as NO ₃	APHA 24th Edn, 4500-NO3 B	mg/l	<0.2(DL:0.2)	45	No relaxation
15	Sulphate as SO ₄	APHA 24th Edn, 4500- SO42- E	mg/L	20.01	200	400
16	Total Alkalinity as CaCO ₃	APHA 24th Edn, 2320-B	mg/L	348	200	600
17	Total Hardness as CaCO ₃	APHA 24th Edn, 2340-C	mg/L	390	200	600
18	Arsenic as As	APHA 24th Edn, 3114C	mg/l	<0.002 (DL: 0.002)	0.01	0.05

Note : 1. AL - Acceptable Limit. 2. PL - Permissible Limit, DL - Detection Limit.

Remarks : Bacteriologically : Satisfactory for the above tested parameters.

Chemically : Satisfactory for the above tested parameters.

Turbidity, Total Dissolved Solids, Calcium, Chloride, Magnesium, Total Alkalinity & Total Hardness are beyond the AL(Max.) but within PL(Max.).

Statement of Conformity is applied considering Decision Rule as per ISO Guide 98-4.

...END OF TEST REPORT...

For, N.D. International Lab LLP

Sweta Mukherjee
(Microbiologist)

(Authorised Signatory)



For, N.D. International Lab LLP

K. P. De - CEO
(Authorised Signatory)

- The test report shall not be reproduced, except in full, without written approval of the company.
- Results relate only to the parameters tested.
- The remaining sample after test will be retained for 15 days from the date of issue of certificate.

MB-II



N. D. INTERNATIONAL LAB LLP

GOVERNMENT REGISTERED
An ISO 9001:2015 Certified Company

TEST REPORT

SAMPLE DRAWN BY : N.D. INTERNATIONAL LAB LLP

NO. AA(M)/25-26/00932

Date: September 08, 2025

Page 1 of 1

Name of Customer : M/s Century Plyboards India Limited
Address : Diamond Harbour Road, Konchowki, Bishnupur, South 24 Pgs.
: Pincode - 743503.
Description of Sample : Ambient Air.
Collection Source : Near Main Gate(East Side of the Factory)
Monitoring on : 28.08.2025
Monitoring done by : Mr. A. Mondal, Mr. R. Mandal, Mr. R. Patra.
Analysis Started on : 29.08.2025
Analysis Completed on : 05.09.2025

Environmental Condition:

Barometric Pressure (mmHg) (Average) : 750
Ambient Temperature (°C) (Average) : 32
Relative Humidity (%) : 74
Time of Sampling : 10:00 A.M. to 06:00 P.M.

A. CHEMICAL TEST FINDINGS:

Sl No.	Test Parameters	Test Method	Unit	Results	Limit as per NAAQS Notification 18th November, 2009
1	Respirable Particulate Matter (PM _{2.5})	USEPA CFR40, P-50, APP-L	µg/m ³	21.2	60
2	Particulate Matter (PM ₁₀)	IS : 5182 (Part-23)	µg/m ³	52.0	100
3	Sulphur dioxide as SO ₂	IS 5182 (Part-2)	µg/m ³	8.5	80
4	Nitrogen dioxide as NO ₂	IS 5182 (Part-6)	µg/m ³	17.2	80
5	Ammonia as NH ₃	CPCB Method NAAQS Vol I	µg/m ³	9.4	400
6	Arsenic (As)	CPCB NAAQHS/36	ng/m ³	<2.0 (DL:2.0)	6
7	Nickel (Ni)	CPCB NAAQHS/36	ng/m ³	<10 (DL:10)	20
8	Lead (Pb)	CPCB NAAQHS/36	µg/m ³	<0.004 (DL:0.004)	1.0
9	Ozone (O ₃)	CPCB Method NAAQS Vol I	µg/m ³	<32	180
10	Carbon Monoxide (CO)	IS 5182 (Part – 10)	ppm	<1.0 (DL:1.0)	4
11	Benzene (C ₆ H ₆)	IS 5182 (Part – 11)	µg/m ³	< 2 (DL:2.0)	5
12	Benzo (a) Pyrene (BaP)	IS 5182 (Part – 12)	ng/m ³	< 0.1 <1.0 (DL:0.1)	1

Note: DL: Detection Limit.

...END OF TEST REPORT...

For N.D. International Lab LLP



K.P. De – CEO
(Authorised Signatory)

1. The test report shall not be reproduced, except in full, without written approval of the company.
2. Results relate only to the parameters tested.
3. The remaining sample after test will be retained for 15 days from the date of issue of certificate.

NS



N. D. INTERNATIONAL LAB LLP

GOVERNMENT REGISTERED
An ISO 9001:2015 Certified Company

TEST REPORT

SAMPLE DRAWN BY : N.D. INTERNATIONAL LAB LLP

NO. AA(M)/25-26/00933

Date: September 08, 2025

Page 1 of 1

Name of Customer : M/s Century Plyboards India Limited
Address : Diamond Harbour Road, Konchowki, Bishnupur, South 24 Pgs.
: Pincode - 743503.
Description of Sample : Ambient Air.
Collection Source : Near Decoveneer (South Side of the Factory)
Monitoring on : 28.08.2025
Monitoring done by : Mr. A. Mondal, Mr. R. Mandal, Mr. R. Patra.
Analysis Started on : 29.08.2025
Analysis Completed on : 05.09.2025

Environmental Condition:

Barometric Pressure (mmHg) (Average) : 750
Ambient Temperature (°C) (Average) : 32
Relative Humidity (%) : 74
Time of Sampling : 10:20 A.M. to 06:20 P.M.

A. CHEMICAL TEST FINDINGS:

Sl No.	Test Parameters	Test Method	Unit	Results	Limit as per NAAQS Notification 18th November, 2009
1	Respirable Particulate Matter (PM _{2.5})	USEPA CFR40, P-50, APP-L	µg/m ³	18.7	60
2	Particulate Matter (PM ₁₀)	IS : 5182 (Part-23)	µg/m ³	47.3	100
3	Sulphur dioxide as SO ₂	IS 5182 (Part-2)	µg/m ³	<8.0 (DL:8.0)	80
4	Nitrogen dioxide as NO ₂	IS 5182 (Part-6)	µg/m ³	14.7	80
5	Ammonia as NH ₃	CPCB Method NAAQS Vol 1	µg/m ³	8.3	400
6	Arsenic (As)	CPCB NAAQHS/36	ng/m ³	<2.0 (DL:2.0)	6
7	Nickel (Ni)	CPCB NAAQHS/36	ng/m ³	<10 (DL:10)	20
8	Lead (Pb)	CPCB NAAQHS/36	µg/m ³	<0.004 (DL:0.004)	1.0
9	Ozone (O ₃)	CPCB Method NAAQS Vol 1	µg/m ³	<32	180
10	Carbon Monoxide (CO)	IS 5182 (Part – 10)	ppm	<1.0 (DL:1.0)	4
11	Benzene (C ₆ H ₆)	IS 5182 (Part – 11)	µg/m ³	< 2 (DL:2.0)	5
12	Benzo (a) Pyrene (BaP)	IS 5182 (Part – 12)	ng/m ³	< 0.1 <1.0 (DL:0.1)	1

Note: DL: Detection Limit.

...END OF TEST REPORT...



For N.D. International Lab LLP

K.P. De – CEO
(Authorised Signatory)

1. The test report shall not be reproduced, except in full, without written approval of the company.
2. Results relate only to the parameters tested.
3. The remaining sample after test will be retained for 15 days from the date of issue of certificate.

NS



N. D. INTERNATIONAL LAB LLP

GOVERNMENT REGISTERED

An ISO 9001:2015 Certified Company

TEST REPORT

Format No. : NDI/FM/90

Date: 08.09.2025

Page 1 of 1

Certificate No. FG(M)/25-26/00934

SAMPLE MONITORING BY: N.D. INTERNATIONAL LAB LLP

Name of Company : M/s Century Plyboards India Limited
Address : Diamond Harbour Road, Konchowki, Bishnupur, South 24 Pgs.
: Pincode - 743503

Sample Description : Stack Emission Date & Time of sampling : 28.08.2025 at 10.05 AM.
Equipment used : Stack Monitoring Kit Test Completed on : 05.09.2025
Monitoring Done By : Mr . A Mondal, R. Mondal,& R. Patra.

A. General Information :

- 1 Stack connected to : 1010 KVA DG Set (Stack No-2) (Ply board DG-2)
- 2 Shape of Stack : Circular
- 3 Material of construction of stack : M.S.
- 4 Whether stack is provided with permanent platform & ladder : Yes
- 5 Emission due to: : Burning Of H.S.D
- 6 Capacity : 1010 KVA. Working Load: 80%

B. Physical characteristics:

- 1 Heights of the stack (a) from Ground level : 11.0 m. (b) from Roof level : ---
- 2 Diameter of the stack(a) at bottom: : --- (b) at top : ---
- 3 Height of the sampling point from ground level : 5.4 m
- 4 Diameter of the stack at sampling point : 0.203 m.
- 5 No. of Traverse Point : 4 nos.
- 6 Area of Stack : 0.0324 m²

C. Fuel Information:

- 1 Fuel used : H.S.D.
- 2 Fuel Consumption : 140 Lit/hr.

Barometric Pressure (Pbar) mmHg: 749

D. Results of sampling and analysis of gaseous emission:

Sl. No.	Test Parameters	Test Method	Unit	Results	Norms as per Environmental Protection Act,1986 General Standard Emission Part-D
1	Temperature of emission	IS 11255 (Part III)	°C	242	Not Specified
2	Velocity of Gas in duct	IS 11255 (Part III)	m/sec	15.3	Not Specified
3	Quantity of gas flow	IS 11255 (Part III)	Nm ³ /hr	1011	Not Specified
4	Sulphur dioxide	IS 11255 (Part 2)	mg/Nm ³	81.5	Not Specified
5	Nitrogen dioxide	IS 11255(Part 7)	mg/Nm ³	124.2	Not Specified
6	Carbon monoxide	IS 13270	% (v/v)	<0.2	1.0 (Max.)
7	Carbon dioxide	IS 13270	% (v/v)	7.2	Not Specified
8	Particulate Matters	IS 11255 (Part 1)	mg/Nm ³	41.9	150 (Max.)

Pollution Control Device attached with the stack: Nill.

...END OF TEST REPORT...



For N.D. International Lab LLP

K.P. De - CEO
(Authorised Signatory)

1. The test report shall not be reproduced, except in full, without written approval of the company.
2. Results relate only to the parameters tested.
3. The remaining sample after test will be retained for 15 days from the date of issue of certificate.

AK



N. D. INTERNATIONAL LAB LLP

GOVERNMENT REGISTERED
An ISO 9001:2015 Certified Company

TEST REPORT

Format No. : NDI/FM/90

Date: 08.09.2025

Page 1 of 1

Certificate No. FG(M)/25-26/00935

SAMPLE MONITORING BY: N.D. INTERNATIONAL LAB LLP

Name of Company : M/s Century Plyboards India Limited
Address : Diamond Harbour Road, Konchowki, Bishnupur, South 24 Pgs.
Pincode - 743503

Sample Description : Stack Emission Date & Time of sampling : 28.08.2025 at 10.42 AM.
Equipment used : Stack Monitoring Kit Test Completed on : 05.09.2025
Monitoring Done By : Mr. A Mondal, R. Mondal, & R. Patra.

A. General Information :

- 1 Stack connected to : 750 KVA DG Set (Stack No-3) (Ply board DG-3)
- 2 Shape of Stack : Circular
- 3 Material of construction of stack : M.S.
- 4 Whether stack is provided with permanent platform & ladder : Yes
- 5 Emission due to: : Burning Of H.S.D
- 6 Capacity : 750 KVA. Working Load: 85%

B. Physical characteristics:

- 1 Heights of the stack (a) from Ground level : 11.0 m. (b) from Roof level : ---
- 2 Diameter of the stack(a) at bottom: : --- (b) at top : ---
- 3 Height of the sampling point from ground level : 5.4 m
- 4 Diameter of the stack at sampling point : 0.203 m.
- 5 No. of Traverse Point : 04 nos.
- 6 Area of Stack : 0.0324 m²

C. Fuel Information:

- 1 Fuel used : H.S.D.
- 2 Fuel Consumption : 125 Lit/hr.

Barometric Pressure (Pbar) mmHg: 749

D. Results of sampling and analysis of gaseous emission:

Sl. No.	Test Parameters	Test Method	Unit	Results	Norms as per Environmental Protection Act, 1986 General Standard Emission Part-D
1	Temperature of emission	IS 11255 (Part III)	°C	205	Not Specified
2	Velocity of Gas in duct	IS 11255 (Part III)	m/sec	12.7	Not Specified
3	Quantity of gas flow	IS 11255 (Part III)	Nm ³ /hr	903	Not Specified
4	Sulphur dioxide	IS 11255 (Part 2)	mg/Nm ³	71.6	Not Specified
5	Nitrogen dioxide	IS 11255(Part 7)	mg/Nm ³	95.5	Not Specified
6	Carbon monoxide	IS 13270	% (v/v)	<0.2	1.0 (Max.)
7	Carbon dioxide	IS 13270	% (v/v)	6.8	Not Specified
8	Particulate Matters	IS 11255 (Part 1)	mg/Nm ³	38.07	150 (Max.)

Pollution Control Device attached with the stack: Null.

...END OF TEST REPORT...



For N.D. International Lab LLP

K.P. De - CEO
(Authorised Signatory)

1. The test report shall not be reproduced, except in full, without written approval of the company.
2. Results relate only to the parameters tested.
3. The remaining sample after test will be retained for 15 days from the date of issue of certificate.

AK



N. D. INTERNATIONAL LAB LLP

GOVERNMENT REGISTERED
An ISO 9001:2015 Certified Company

TEST REPORT

Format No. : NDI/FM/90

Date: 08.09.2025

Page 1 of 1

Certificate No. FG(M)/25-26/00936

SAMPLE MONITORING BY: N.D. INTERNATIONAL LAB LLP

Name of Company : M/s Century Plyboards India Limited

Address : Diamond Harbour Road, Konchowki, Bishnupur, South 24 Pgs.
: Pincode - 743503

Sample Description : Stack Emission Date & Time of sampling : 28.08.2025 at 11.25 AM.

Equipment used : Stack Monitoring Kit Test Completed on : 05.09.2025

Monitoring Done By : Mr . A Mondal, R. Mondal,& R. Patra.

A. General Information :

1 Stack connected to : 600 KVA DG Set (Stack No- 1) (Ply board DG-1)

2 Shape of Stack : Circular

3 Material of construction of stack : M.S.

4 Whether stack is provided with permanent platform & ladder : Yes

5 Emission due to: : Burning Of H.S.D

6 Capacity : 600 KVA.

Working Load: 80%

B. Physical characteristics:

1 Heights of the stack (a) from Ground level : 11.0 m. (b) from Roof level : ---

2 Diameter of the stack(a) at bottom: : --- (b) at top : ---

3 Height of the sampling point from ground level : 5.4 m

4 Diameter of the stack at sampling point : 0.203 m.

5 No. of Traverse Point : 04 nos.

6 Area of Stack : 0.0324 m²

C. Fuel Information:

1 Fuel used : H.S.D.

2 Fuel Consumption : 95 Lit/hr.

Barometric Pressure (Pbar) mmHg: 749

D. Results of sampling and analysis of gaseous emission:

Sl. No.	Test Parameters	Test Method	Unit	Results	Norms as per Environmental Protection Act,1986 General Standard Emission Part-D
1	Temperature of emission	IS 11255 (Part III)	°C	175	Not Specified
2	Velocity of Gas in duct	IS 11255 (Part III)	m/sec	11.2	Not Specified
3	Quantity of gas flow	IS 11255 (Part III)	Nm ³ /hr	847	Not Specified
4	Sulphur dioxide	IS 11255 (Part 2)	mg/Nm ³	70.4	Not Specified
5	Nitrogen dioxide	IS 11255(Part 7)	mg/Nm ³	111.7	Not Specified
6	Carbon monoxide	IS 13270	% (v/v)	<0.2	1.0 (Max.)
7	Carbon dioxide	IS 13270	% (v/v)	6.4	Not Specified
8	Particulate Matters	IS 11255 (Part 1)	mg/Nm ³	34.2	150 (Max.)

Pollution Control Device attached with the stack: Nill.

...END OF TEST REPORT...



For N.D. International Lab LLP

K.P. De - CEO
(Authorised Signatory)

1. The test report shall not be reproduced,except in full,without written approval of the company.
2. Results relate only to the parameters tested.
3. The remaining sample after test will be retained for 15 days from the date of issue of certificate.

AK



N. D. INTERNATIONAL LAB LLP

GOVERNMENT REGISTERED
An ISO 9001:2015 Certified Company

TEST REPORT

Format No. : NDI/FM/90

Date: 08.09.2025

Page 1 of 1

Certificate No. FG(M)/25-26/00937

SAMPLE MONITORING BY: N.D. INTERNATIONAL LAB LLP

Name of Company : M/s Century Plyboards India Limited
Address : Diamond Harbour Road, Konchowki, Bishnupur, South 24 Pgs.
Pincode - 743503

Sample Description : Stack Emission Date & Time of sampling : 28.08.2025 at 12.25 PM.
Equipment used : Stack Monitoring Kit Test Completed on : 05.09.2025
Monitoring Done By : Mr. A Mondal, R. Mondal, & R. Patra.

A. General Information :

- 1 Stack connected to : 600 KVA DG Set No-4 (Laminate Old)
- 2 Shape of Stack : Circular
- 3 Material of construction of stack : M.S.
- 4 Whether stack is provided with permanent platform & ladder : Yes
- 5 Emission due to : Burning Of H.S.D
- 6 Capacity : 600 KVA. Working Load : 80%

B. Physical characteristics:

- 1 Heights of the stack (a) from Ground level : 11.0 m. (b) from Roof level : ---
- 2 Diameter of the stack(a) at bottom: : --- (b) at top : ---
- 3 Height of the sampling point from ground level : 8.6 m
- 4 Diameter of the stack at sampling point : 0.203 m.
- 5 No. of Traverse Point : 04 nos.
- 6 Area of Stack : 0.0324 m²

C. Fuel Information:

- 1 Fuel used : H.S.D.
- 2 Fuel Consumption : 100.2 Lit/hr.

Barometric Pressure (Pbar) mmHg: 750

D. Results of sampling and analysis of gaseous emission:

Sl. No.	Test Parameters	Test Method	Unit	Results	Norms as per Environmental Protection Act, 1986 General Standard Emission Part-D
1	Temperature of emission	IS 11255 (Part III)	°C	182	Not Specified
2	Velocity of Gas in duct	IS 11255 (Part III)	m/sec	12.4	Not Specified
3	Quantity of gas flow	IS 11255 (Part III)	Nm ³ /hr	925	Not Specified
4	Sulphur dioxide	IS 11255 (Part 2)	mg/Nm ³	63.6	Not Specified
5	Nitrogen dioxide	IS 11255 (Part 7)	mg/Nm ³	90.5	Not Specified
6	Carbon monoxide	IS 13270	% (v/v)	<0.2	1.0 (Max.)
7	Carbon dioxide	IS 13270	% (v/v)	6.8	Not Specified
8	Particulate Matters	IS 11255 (Part 1)	mg/Nm ³	29.94	150 (Max.)

Pollution Control Device attached with the stack: Null.

...END OF TEST REPORT...



For N.D. International Lab LLP

K.P. De - CEO
(Authorised Signatory)

1. The test report shall not be reproduced, except in full, without written approval of the company.
2. Results relate only to the parameters tested.
3. The remaining sample after test will be retained for 15 days from the date of issue of certificate.

AK



N. D. INTERNATIONAL LAB LLP

GOVERNMENT REGISTERED
An ISO 9001:2015 Certified Company

TEST REPORT

Format No. : NDI/FM/90

Date: 08.09.2025

Page 1 of 1

Certificate No. FG(M)/25-26/00938

SAMPLE MONITORING BY: N.D. INTERNATIONAL LAB LLP

Name of Company : M/s Century Plyboards India Limited

Address : Diamond Harbour Road, Konchowki, Bishnupur, South 24 Pgs.

: Pincode - 743503

Sample Description : Stack Emission Date & Time of sampling : 28.08.2025 at 01.10 PM.

Equipment used : Stack Monitoring Kit Test Completed on : 05.09.2025

Monitoring Done By : Mr . A Mondal, R. Mondal,& R. Patra.

A. General Information :

1 Stack connected to : 600 KVA DG Set No-3 (Laminate Old)

2 Shape of Stack : Circular

3 Material of construction of stack : M.S.

4 Whether stack is provided with permanent platform & ladder : Yes

5 Emission due to: : Burning Of H.S.D

6 Capacity : 600 KVA.

Working Load : 80%

B. Physical characteristics:

1 Heights of the stack (a) from Ground level : 11.0 m. (b) from Roof level : ---

2 Diameter of the stack(a) at bottom: : --- (b) at top : ---

3 Height of the sampling point from ground level : 8.6 m

4 Diameter of the stack at sampling point : 0.203 m.

5 No. of Traverse Point : 04 nos.

6 Area of Stack : 0.0324 m²

C. Fuel Information:

1 Fuel used : H.S.D.

2 Fuel Consumption : 100 Lit/hr.

Barometric Pressure (Pbar) mmHg: 750

D. Results of sampling and analysis of gaseous emission:

Sl. No.	Test Parameters	Test Method	Unit	Results	Norms as per Environmental Protection Act,1986 General Standard Emission Part-D
1	Temperature of emission	IS 11255 (Part III)	°C	174	Not Specified
2	Velocity of Gas in duct	IS 11255 (Part III)	m/sec	11.9	Not Specified
3	Quantity of gas flow	IS 11255 (Part III)	Nm ³ /hr	907	Not Specified
4	Sulphur dioxide	IS 11255 (Part 2)	mg/Nm ³	66.9	Not Specified
5	Nitrogen dioxide	IS 11255(Part 7)	mg/Nm ³	104.3	Not Specified
6	Carbon monoxide	IS 13270	% (v/v)	<0.2	1.0 (Max.)
7	Carbon dioxide	IS 13270	% (v/v)	6.4	Not Specified
8	Particulate Matters	IS 11255 (Part 1)	mg/Nm ³	36.61	150 (Max.)

Pollution Control Device attached with the stack: Nill.

...END OF TEST REPORT...



For N.D. International Lab LLP

K.R. De - CEO

(Authorised Signatory)

1. The test report shall not be reproduced, except in full, without written approval of the company.
 2. Results relate only to the parameters tested.
 3. The remaining sample after test will be retained for 15 days from the date of issue of certificate.
- AK



N. D. INTERNATIONAL LAB LLP

GOVERNMENT REGISTERED
An ISO 9001:2015 Certified Company

TEST REPORT

Format No. : NDI/FM/90

Date: 08.09.2025

Page 1 of 1

Certificate No. FG(M)/25-26/00939

SAMPLE MONITORING BY: N.D. INTERNATIONAL LAB LLP

Name of Company : M/s Century Plyboards India Limited

Address : Diamond Harbour Road, Konchowki, Bishnupur, South 24 Pgs.

: Pincode - 743503

Sample Description : Stack Emission Date & Time of sampling : 28.08.2025 at 01.45 PM.

Equipment used : Stack Monitoring Kit Test Completed on : 05.09.2025

Monitoring Done By : Mr . A Mondal, R. Mondal,& R. Patra.

A. General Information :

1 Stack connected to : 600 KVA DG Set No-7 (Laminate Old)

2 Shape of Stack : Circular

3 Material of construction of stack : M.S.

4 Whether stack is provided with permanent platform & ladder : Yes

5 Emission due to: : Burning Of H.S.D

6 Capacity : 600 KVA.

Working Load : 80%

B. Physical characteristics:

1 Heights of the stack (a) from Ground level : 11.0 m.

(b) from Roof level : ---

2 Diameter of the stack(a) at bottom: : ---

(b) at top : ---

3 Height of the sampling point from ground level : 8.6 m

4 Diameter of the stack at sampling point : 0.203 m.

5 No. of Traverse Point : 04 nos.

6 Area of Stack : 0.0324 m²

C. Fuel Information:

1 Fuel used : H.S.D.

2 Fuel Consumption : 100 Lit/hr.

Barometric Pressure (Pbar) mmHg: 750

D. Results of sampling and analysis of gaseous emission:

Sl. No.	Test Parameters	Test Method	Unit	Results	Norms as per Environmental Protection Act,1986 General Standard Emission Part-D
1	Temperature of emission	IS 11255 (Part III)	°C	177	Not Specified
2	Velocity of Gas in duct	IS 11255 (Part III)	m/sec	12.3	Not Specified
3	Quantity of gas flow	IS 11255 (Part III)	Nm ³ /hr	932	Not Specified
4	Sulphur dioxide	IS 11255 (Part 2)	mg/Nm ³	62.0	Not Specified
5	Nitrogen dioxide	IS 11255(Part 7)	mg/Nm ³	91.3	Not Specified
6	Carbon monoxide	IS 13270	% (v/v)	<0.2	1.0 (Max.)
7	Carbon dioxide	IS 13270	% (v/v)	6.4	Not Specified
8	Particulate Matters	IS 11255 (Part 1)	mg/Nm ³	40.55	150 (Max.)

Pollution Control Device attached with the stack: Nill.

...END OF TEST REPORT...



For N.D. International Lab LLP

K.P. De - CEO

(Authorised Signatory)

1. The test report shall not be reproduced,except in full,without written approval of the company.

2. Results relate only to the parameters tested.

3. The remaining sample after test will be retained for 15 days from the date of issue of certificate.

AK



N. D. INTERNATIONAL LAB LLP

GOVERNMENT REGISTERED
An ISO 9001:2015 Certified Company

TEST REPORT

Format No. : NDI/FM/90

Date: 08.09.2025

Page 1 of 1

Certificate No. FG(M)/25-26/00940

SAMPLE MONITORING BY: N.D. INTERNATIONAL LAB LLP

Name of Company : M/s Century Plyboards India Limited

Address : Diamond Harbour Road, Konchowki, Bishnupur, South 24 Pgs.
: Pincode - 743503

Sample Description : Stack Emission Date & Time of sampling : 28.08.2025 at 03.30 PM.

Equipment used : Stack Monitoring Kit Test Completed on : 05.09.2025

Monitoring Done By : Mr. A Mondal, R. Mondal, & R. Patra.

A. General Information :

- 1 Stack connected to : 500 KVA DG Set No-2 (Laminate New)
- 2 Shape of Stack : Circular
- 3 Material of construction of stack : M.S.
- 4 Whether stack is provided with permanent platform & ladder : Yes
- 5 Emission due to: : Burning Of H.S.D
- 6 Capacity : 500 KVA. Working Load: 85%

B. Physical characteristics:

- 1 Heights of the stack (a) from Ground level : 11.8 m. (b) from Roof level : ---
- 2 Diameter of the stack(a) at bottom: : --- (b) at top : ---
- 3 Height of the sampling point from ground level : 8.8 m
- 4 Diameter of the stack at sampling point : 0.203 m.
- 5 No. of Traverse Point : 04 nos.
- 6 Area of Stack : 0.0324 m²

C. Fuel Information:

- 1 Fuel used : H.S.D.
- 2 Fuel Consumption : 95 Lit/hr.

Barometric Pressure (Pbar) mmHg: 750

D. Results of sampling and analysis of gaseous emission:

Sl. No.	Test Parameters	Test Method	Unit	Results	Norms as per Environmental Protection Act, 1986 General Standard Emission Part-D
1	Temperature of emission	IS 11255 (Part III)	°C	172	Not Specified
2	Velocity of Gas in duct	IS 11255 (Part III)	m/sec	10.7	Not Specified
3	Quantity of gas flow	IS 11255 (Part III)	Nm ³ /hr	820	Not Specified
4	Sulphur dioxide	IS 11255 (Part 2)	mg/Nm ³	58.9	Not Specified
5	Nitrogen dioxide	IS 11255 (Part 7)	mg/Nm ³	85.4	Not Specified
6	Carbon monoxide	IS 13270	% (v/v)	<0.2	1.0 (Max.)
7	Carbon dioxide	IS 13270	% (v/v)	6.4	Not Specified
8	Particulate Matters	IS 11255 (Part 1)	mg/Nm ³	32.0	150 (Max.)

Pollution Control Device attached with the stack: Nill.

...END OF TEST REPORT...



For N.D. International Lab LLP

K.P. De - CEO
(Authorised Signatory)

1. The test report shall not be reproduced, except in full, without written approval of the company.
2. Results relate only to the parameters tested.
3. The remaining sample after test will be retained for 15 days from the date of issue of certificate.

AK



N. D. INTERNATIONAL LAB LLP

GOVERNMENT REGISTERED
An ISO 9001:2015 Certified Company

TEST REPORT

Format No. : NDI/FM/90

Date: 08.09.2025

Page 1 of 1

Certificate No. FG(M)/25-26/00941

SAMPLE MONITORING BY: N.D. INTERNATIONAL LAB LLP

Name of Company : M/s Century Plyboards India Limited

Address : Diamond Harbour Road, Konchowki, Bishnupur, South 24 Pgs.

: Pincode - 743503

Sample Description : Stack Emission Date & Time of sampling : 28.08.2025 at 04.10 PM.

Equipment used : Stack Monitoring Kit Test Completed on : 05.09.2025

Monitoring Done By : Mr . A Mondal, R. Mondal,& R. Patra.

A. General Information :

1 Stack connected to : 500 KVA DG Set No-5 (Laminate New)

2 Shape of Stack : Circular

3 Material of construction of stack : M.S.

4 Whether stack is provided with permanent platform & ladder : Yes

5 Emission due to: : Burning Of H.S.D

6 Capacity : 500 KVA.

Working Load: 80%

B. Physical characteristics:

1 Heights of the stack (a) from Ground level : 11.8 m. (b) from Roof level : ---

2 Diameter of the stack(a) at bottom: : --- (b) at top : ---

3 Height of the sampling point from ground level : 8.8 m

4 Diameter of the stack at sampling point : 0.203 m.

5 No. of Traverse Point : 04 nos.

6 Area of Stack : 0.0324 m²

C. Fuel Information:

1 Fuel used : H.S.D.

2 Fuel Consumption : 95 Lit/hr.

Barometric Pressure (Pbar) mmHg: 750

D. Results of sampling and analysis of gaseous emission:

Sl. No.	Test Parameters	Test Method	Unit	Results	Norms as per Environmental Protection Act,1986 General Standard Emission Part-D
1	Temperature of emission	IS 11255 (Part III)	°C	168	Not Specified
2	Velocity of Gas in duct	IS 11255 (Part III)	m/sec	11.1	Not Specified
3	Quantity of gas flow	IS 11255 (Part III)	Nm ³ /hr	855	Not Specified
4	Sulphur dioxide	IS 11255 (Part 2)	mg/Nm ³	55.1	Not Specified
5	Nitrogen dioxide	IS 11255(Part 7)	mg/Nm ³	87.0	Not Specified
6	Carbon monoxide	IS 13270	% (v/v)	<0.2	1.0 (Max.)
7	Carbon dioxide	IS 13270	% (v/v)	6.0	Not Specified
8	Particulate Matters	IS 11255 (Part 1)	mg/Nm ³	34.1	150 (Max.)

Pollution Control Device attached with the stack: Nill.

...END OF TEST REPORT...



For N.D. International Lab LLP

K.P. De - CEO

(Authorised Signatory)

1. The test report shall not be reproduced, except in full, without written approval of the company.

2. Results relate only to the parameters tested.

3. The remaining sample after test will be retained for 15 days from the date of issue of certificate.

AK



N. D. INTERNATIONAL LAB LLP

GOVERNMENT REGISTERED
An ISO 9001:2015 Certified Company

TEST REPORT

Certificate No. FG(M)/25-26/00942

Format No. : NDI/FM/90

Date: 08.09.2025

SAMPLE MONITORING BY: N.D. INTERNATIONAL LAB LLP

Page 1 of 1

Name of Company : M/s Century Plyboards India Limited

Address : Diamond Harbour Road, Konchowki, Bishnupur, South 24 Pgs.

: Pincode - 743503

Sample Description : Stack Emission Date & Time of sampling : 28.08.2025 at 04.48 PM.

Equipment used : Stack Monitoring Kit Test Completed on : 05.09.2025

Monitoring Done By : Mr . A Mondal, R. Mondal,& R. Patra.

A. General Information :

1 Stack connected to : 500 KVA DG Set No-6 (Laminate New)

2 Shape of Stack : Circular

3 Material of construction of stack : M.S.

4 Whether stack is provided with permanent platform & ladder : Yes

5 Emission due to: : Burning Of H.S.D

6 Capacity : 500 KVA. Working Load: 80%

B. Physical characteristics:

1 Heights of the stack (a) from Ground level : 11.8 m. (b) from Roof level : ---

2 Diameter of the stack(a) at bottom: : --- (b) at top : ---

3 Height of the sampling point from ground level : 8.8 m

4 Diameter of the stack at sampling point : 0.203 m.

5 No. of Traverse Point : 04 nos.

6 Area of Stack : 0.0324 m²

C. Fuel Information:

1 Fuel used : H.S.D. 2 Fuel Consumption : 95 Lit/hr.

Barometric Pressure (Pbar) mmHg: 750

D. Results of sampling and analysis of gaseous emission:

Sl. No.	Test Parameters	Test Method	Unit	Results	Norms as per Environmental Protection Act,1986 General Standard Emission Part-D
1	Temperature of emission	IS 11255 (Part III)	°C	173	Not Specified
2	Velocity of Gas in duct	IS 11255 (Part III)	m/sec	11.6	Not Specified
3	Quantity of gas flow	IS 11255 (Part III)	Nm ³ /hr	881	Not Specified
4	Sulphur dioxide	IS 11255 (Part 2)	mg/Nm ³	60.1	Not Specified
5	Nitrogen dioxide	IS 11255(Part 7)	mg/Nm ³	84.3	Not Specified
6	Carbon monoxide	IS 13270	% (v/v)	<0.2	1.0 (Max.)
7	Carbon dioxide	IS 13270	% (v/v)	6.0	Not Specified
8	Particulate Matters	IS 11255 (Part 1)	mg/Nm ³	38.5	150 (Max.)

Pollution Control Device attached with the stack: Nil.

...END OF TEST REPORT...



For N.D. International Lab LLP

K.P. De - CEO

(Authorised Signatory)

1. The test report shall not be reproduced,except in full,without written approval of the company.

2. Results relate only to the parameters tested.

3. The remaining sample after test will be retained for 15 days from the date of issue of certificate.

AK



N. D. INTERNATIONAL LAB LLP

GOVERNMENT REGISTERED
An ISO 9001:2015 Certified Company

TEST REPORT

Format No. : NDI/FM/90

Date: 08.09.2025

Page 1 of 1

Certificate No. FG(M)/25-26/01567

SAMPLE MONITORING BY: N.D. INTERNATIONAL LAB LLP

Name of Company : M/s Century Plyboards India Limited

Address : Diamond Harbour Road, Konchowki, Bishnupur, South 24 Pgs.

: Pincode - 743503

Sample Description : Stack Emission Date & Time of sampling : 30.08.2025 at 12.40 PM.

Equipment used : Stack Monitoring Kit Test Completed on : 05.09.2025

Monitoring Done By : Mr . A Mondal, R. Mondal,& R. Patra.

A. General Information :

- 1 Stack connected to : Thermic Fluid Heater (Stack No-1)
- 2 Shape of Stack : Circular
- 3 Material of construction of stack : M.S.
- 4 Whether stack is provided with permanent platform & ladder : Yes
- 5 Emission due to: : Combustion of Wood Chips.
- 6 Capacity : 60 Lakhs Kcal/hr.

B. Physical characteristics:

- 1 Heights of the stack (a) from Ground level : 30.0 m (b) from Roof level : ---
- 2 Diameter of the stack(a) at bottom: : --- (b) at top : ---
- 3 Height of the sampling point from ground level : 15.0 m
- 4 Diameter of the stack at sampling point : 1.5m
- 5 No. of Traverse Point : 12 nos.
- 6 Area of Stack : 1.7678 m²

C. Fuel Information:

- 1 Fuel used : Wood Chips.
- 2 Fuel Consumption : 1900 kg/hr.

Barometric Pressure (Pbar) mmHg: 750

D. Results of sampling and analysis of gaseous emission:

Sl. No.	Test Parameters	Test Method	Unit	Results	Norms as per Environmental Protection Act,1986 General Standard Emission Part-D
1	Temperature of emission	IS 11255 (Part III)	°C	156	Not Specified
2	Velocity of Gas in duct	IS 11255 (Part III)	m/sec	9.39	Not Specified
3	Quantity of gas flow	IS 11255 (Part III)	Nm ³ /hr	39349	Not Specified
4	Sulphur dioxide	IS 11255 (Part 2)	mg/Nm ³	153.6	Not Specified
5	Nitrogen dioxide	IS 11255(Part 7)	mg/Nm ³	84.1	Not Specified
6	Carbon monoxide	IS 13270	% (v/v)	<0.2	1.0 (Max.)
7	Carbon dioxide	IS 13270	% (v/v)	1.2	Not Specified
8	Particulate Matters	IS 11255 (Part 1)	mg/Nm ³	41.7	150 (Max.)

Pollution Control Device attached with the stack:Cyclone Sperator.

...END OF TEST REPORT...



For N.D. International Lab LLP

K.P. De - CEO
(Authorised Signatory)

1. The test report shall not be reproduced,except in full,without written approval of the company.
2. Results relate only to the parameters tested.
3. The remaining sample after test will be retained for 15 days from the date of issue of certificate.

AK



N. D. INTERNATIONAL LAB LLP

GOVERNMENT REGISTERED
An ISO 9001:2015 Certified Company

TEST REPORT

Format No. : NDI/FM/90

Date: 08.09.2025

Page 1 of 1

Certificate No. FG(M)/25-26/01568

SAMPLE MONITORING BY: N.D. INTERNATIONAL LAB LLP

Name of Company : M/s Century Plyboards India Limited

Address : Diamond Harbour Road, Konchowki, Bishnupur, South 24 Pgs.

: Pincode - 743503

Sample Description : Stack Emission Date & Time of sampling : 30.08.2025 at 11.25 AM.

Equipment used : Stack Monitoring Kit Test Completed on : 06.09.2025

Monitoring Done By : Mr . A Mondal, R. Mondal,& R. Patra.

A. General Information :

- 1 Stack connected to : Hot Water Generator - 2 (Stack No- 4)
- 2 Shape of Stack : Circular
- 3 Material of construction of stack : M.S.
- 4 Whether stack is provided with permanent platform & ladder : Yes
- 5 Emission due to: : Combustion of Coal.
- 6 Capacity : 50 Lakhs Kcal/hr.

B. Physical characteristics:

- 1 Heights of the stack (a) from Ground level : 33.5 m (b) from Roof level : ---
- 2 Diameter of the stack(a) at bottom: : --- (b) at top : ---
- 3 Height of the sampling point from ground level : 24.0 m
- 4 Diameter of the stack at sampling point : 0.9m
- 5 No. of Traverse Point : 12 nos.
- 6 Area of Stack : 0.6364 m²

C. Fuel Information:

- 1 Fuel used : Coal.
- 2 Fuel Consumption : 800 kg/hr.

Barometric Pressure (Pbar) mmHg: 750

D. Results of sampling and analysis of gaseous emission:

Sl. No.	Test Parameters	Test Method	Unit	Results	Norms as per Environmental Protection Act,1986 General Standard Emission Part-D
1	Temperature of emission	IS 11255 (Part III)	°C	126	Not Specified
2	Velocity of Gas in duct	IS 11255 (Part III)	m/sec	8.3	Not Specified
3	Quantity of gas flow	IS 11255 (Part III)	Nm ³ /hr	13406	Not Specified
4	Sulphur dioxide	IS 11255 (Part 2)	mg/Nm ³	224.7	Not Specified
5	Nitrogen dioxide	IS 11255(Part 7)	mg/Nm ³	142.5	Not Specified
6	Carbon monoxide	IS 13270	% (v/v)	<0.2	1.0 (Max.)
7	Carbon dioxide	IS 13270	% (v/v)	8.2	Not Specified
8	Particulate Matters	IS 11255 (Part 1)	mg/Nm ³	46.9	150 (Max.)

Pollution Control Device attached with the stack: Bag Filter.

...END OF TEST REPORT...



For N.D. International Lab LLP

K.P. De - CEO
(Authorised Signatory)

1. The test report shall not be reproduced, except in full, without written approval of the company.

2. Results relate only to the parameters tested.

3. The remaining sample after test will be retained for 15 days from the date of issue of certificate.

AK



N. D. INTERNATIONAL LAB LLP

GOVERNMENT REGISTERED
An ISO 9001:2015 Certified Company

TEST REPORT

Format No. : NDI/FM/90

Date: 08.09.2025

Page 1 of 1

Certificate No. FG(M)/25-26/01569

SAMPLE MONITORING BY: N.D. INTERNATIONAL LAB LLP

Name of Company : M/s Century Plyboards India Limited

Address : Diamond Harbour Road, Konchowki, Bishnupur, South 24 Pgs.

: Pincode - 743503

Sample Description : Stack Emission Date & Time of sampling : 30.08.2025 at 09.20 AM.

Equipment used : Stack Monitoring Kit Test Completed on : 05.09.2025

Monitoring Done By : Mr . A Mondal, R. Mondal,& R. Patra.

A. General Information :

- 1 Stack connected to : Thermic Fluid Heater (Stack No-6).
- 2 Shape of Stack : Circular
- 3 Material of construction of stack : M.S.
- 4 Whether stack is provided with permanent platform & ladder : Yes
- 5 Emission due to: : Combustion of Coal.
- 6 Capacity : 50 Lakhs Kcal/hr.

B. Physical characteristics:

- 1 Heights of the stack (a) from Ground level : 33.5 m (b) from Roof level : ---
- 2 Diameter of the stack(a) at bottom: : --- (b) at top : ---
- 3 Height of the sampling point from ground level : 24.0 m
- 4 Diameter of the stack at sampling point : 1.4 m.
- 5 No. of Traverse Point : 12 nos.
- 6 Area of Stack : 1.54 m²

C. Fuel Information:

- 1 Fuel used : Coal.
- 2 Fuel Consumption : 800 kg/hr.

Barometric Pressure (Pbar) mmHg: 750

D. Results of sampling and analysis of gaseous emission:

Sl. No.	Test Parameters	Test Method	Unit	Results	Norms as per Environmental Protection Act,1986 General Standard Emission Part-D
1	Temperature of emission	IS 11255 (Part III)	°C	132	Not Specified
2	Velocity of Gas in duct	IS 11255 (Part III)	m/sec	8.5	Not Specified
3	Quantity of gas flow	IS 11255 (Part III)	Nm ³ /hr	32812	Not Specified
4	Sulphur dioxide	IS 11255 (Part 2)	mg/Nm ³	301.6	Not Specified
5	Nitrogen dioxide	IS 11255(Part 7)	mg/Nm ³	124.2	Not Specified
6	Carbon monoxide	IS 13270	% (v/v)	<0.2	1.0 (Max.)
7	Carbon dioxide	IS 13270	% (v/v)	9.4	Not Specified
8	Particulate Matters	IS 11255 (Part 1)	mg/Nm ³	54.4	150 (Max.)

Pollution Control Device attached with the stack: Bag Filter.

...END OF TEST REPORT...



For N.D. International Lab LLP

K.P. De - CEO
(Authorised Signatory)

1. The test report shall not be reproduced,except in full,without written approval of the company.
2. Results relate only to the parameters tested.
3. The remaining sample after test will be retained for 15 days from the date of issue of certificate.

AK



N. D. INTERNATIONAL LAB LLP

GOVERNMENT REGISTERED

An ISO 9001:2015 Certified Company

TEST REPORT

Format No. : NDI/FM/90

Date: 08.09.2025

Page 1 of 1

Certificate No. FG(M)/25-26/01570

SAMPLE MONITORING BY: N.D. INTERNATIONAL LAB LLP

Name of Company : M/s Century Plyboards India Limited

Address : Diamond Harbour Road, Konchowki, Bishnupur, South 24 Pgs.

: Pincode - 743503

Sample Description : Stack Emission Date & Time of sampling : 30.08.2025 at 10.20 AM.

Equipment used : Stack Monitoring Kit Test Completed on : 05.09.2025

Monitoring Done By : Mr . A Mondal, R. Mondal,& R. Patra.

A. General Information :

- 1 Stack connected to : Hot Water Generator (Stack No 5).
- 2 Shape of Stack : Circular
- 3 Material of construction of stack : M.S.
- 4 Whether stack is provided with permanent platform & ladder : Yes
- 5 Emission due to: : Combustion of Coal.
- 6 Capacity : 30 Lakhs Kcal/hr.

B. Physical characteristics:

- 1 Heights of the stack (a) from Ground level : 33.0 m. (b) from Roof level : ---
- 2 Diameter of the stack(a) at bottom: : --- (b) at top : ---
- 3 Height of the sampling point from ground level : 26.0 m
- 4 Diameter of the stack at sampling point : 0.9 m.
- 5 No. of Traverse Point : 08 nos.
- 6 Area of Stack : 0.6364 m²

C. Fuel Information:

- 1 Fuel used : Coal.
- 2 Fuel Consumption : 500 kg/hr.

Barometric Pressure (Pbar) mmHg: 750

D. Results of sampling and analysis of gaseous emission:

Sl. No.	Test Parameters	Test Method	Unit	Results	Norms as per Environmental Protection Act,1986 General Standard Emission Part-D
1	Temperature of emission	IS 11255 (Part III)	°C	127	Not Specified
2	Velocity of Gas in duct	IS 11255 (Part III)	m/sec	8.4	Not Specified
3	Quantity of gas flow	IS 11255 (Part III)	Nm ³ /hr	13334	Not Specified
4	Sulphur dioxide	IS 11255 (Part 2)	mg/Nm ³	224.3	Not Specified
5	Nitrogen dioxide	IS 11255(Part 7)	mg/Nm ³	105.7	Not Specified
6	Carbon monoxide	IS 13270	% (v/v)	<0.2	1.0 (Max.)
7	Carbon dioxide	IS 13270	% (v/v)	8.8	Not Specified
8	Particulate Matters	IS 11255 (Part 1)	mg/Nm ³	44.3	150 (Max.)

Pollution Control Device attached with the stack: Bag Filter.

...END OF TEST REPORT...



For N.D. International Lab LLP

K.P. De - CEO


(Authorised Signatory)

1. The test report shall not be reproduced,except in full,without written approval of the company.

2. Results relate only to the parameters tested.

3. The remaining sample after test will be retained for 15 days from the date of issue of certificate.

AK



N. D. INTERNATIONAL LAB LLP

GOVERNMENT REGISTERED
An ISO 9001:2015 Certified Company

TEST REPORT

Format No. : NDI/FM/90

Date: 08.09.2025

Page 1 of 1

Certificate No. FG(M)/25-26/01567

SAMPLE MONITORING BY: N.D. INTERNATIONAL LAB LLP

Name of Company : M/s Century Plyboards India Limited

Address : Diamond Harbour Road, Konchowki, Bishnupur, South 24 Pgs.

: Pincode - 743503

Sample Description : Stack Emission Date & Time of sampling : 30.08.2025 at 12.40 PM.

Equipment used : Stack Monitoring Kit Test Completed on : 05.09.2025

Monitoring Done By : Mr . A Mondal, R. Mondal,& R. Patra.

A. General Information :

- 1 Stack connected to : Thermic Fluid Heater (Stack No-1)
- 2 Shape of Stack : Circular
- 3 Material of construction of stack : M.S.
- 4 Whether stack is provided with permanent platform & ladder : Yes
- 5 Emission due to : Combustion of Wood Chips.
- 6 Capacity : 60 Lakhs Kcal/hr.

B. Physical characteristics:

- 1 Heights of the stack (a) from Ground level : 30.0 m (b) from Roof level : ---
- 2 Diameter of the stack(a) at bottom: : --- (b) at top : ---
- 3 Height of the sampling point from ground level : 15.0 m
- 4 Diameter of the stack at sampling point : 1.5m
- 5 No. of Traverse Point : 12 nos.
- 6 Area of Stack : 1.7678 m²

C. Fuel Information:

- 1 Fuel used : Wood Chips.
- 2 Fuel Consumption : 1900 kg/hr.

Barometric Pressure (Pbar) mmHg: 750

D. Results of sampling and analysis of gaseous emission:

Sl. No.	Test Parameters	Test Method	Unit	Results	Norms as per Environmental Protection Act,1986 General Standard Emission Part-D
1	Temperature of emission	IS 11255 (Part III)	°C	156	Not Specified
2	Velocity of Gas in duct	IS 11255 (Part III)	m/sec	9.39	Not Specified
3	Quantity of gas flow	IS 11255 (Part III)	Nm ³ /hr	39349	Not Specified
4	Sulphur dioxide	IS 11255 (Part 2)	mg/Nm ³	153.6	Not Specified
5	Nitrogen dioxide	IS 11255(Part 7)	mg/Nm ³	84.1	Not Specified
6	Carbon monoxide	IS 13270	% (v/v)	<0.2	1.0 (Max.)
7	Carbon dioxide	IS 13270	% (v/v)	1.2	Not Specified
8	Particulate Matters	IS 11255 (Part 1)	mg/Nm ³	41.7	150 (Max.)

Pollution Control Device attached with the stack:Cyclone Separator.

...END OF TEST REPORT...



For N.D. International Lab LLP

K.P. De - CEO
(Authorised Signatory)

1. The test report shall not be reproduced,except in full,without written approval of the company.
 2. Results relate only to the parameters tested.
 3. The remaining sample after test will be retained for 15 days from the date of issue of certificate.
- AK



N. D. INTERNATIONAL LAB LLP

GOVERNMENT REGISTERED
An ISO 9001:2015 Certified Company

TEST REPORT

Format No. : NDI/FM/90

Date: 08.09.2025

Page 1 of 1

Certificate No. FG(M)/25-26/01568

SAMPLE MONITORING BY: N.D. INTERNATIONAL LAB LLP

Name of Company : M/s Century Plyboards India Limited

Address : Diamond Harbour Road, Konchowki, Bishnupur, South 24 Pgs.

: Pincode - 743503

Sample Description : Stack Emission Date & Time of sampling : 30.08.2025 at 11.25 AM.

Equipment used : Stack Monitoring Kit Test Completed on : 06.09.2025

Monitoring Done By : Mr . A Mondal, R. Mondal,& R. Patra.

A. General Information :

- 1 Stack connected to : Hot Water Generator - 2 (Stack No- 4)
- 2 Shape of Stack : Circular
- 3 Material of construction of stack : M.S.
- 4 Whether stack is provided with permanent platform & ladder : Yes
- 5 Emission due to: : Combustion of Coal.
- 6 Capacity : 50 Lakhs Kcal/hr.

B. Physical characteristics:

- 1 Heights of the stack (a) from Ground level : 33.5 m (b) from Roof level : ---
- 2 Diameter of the stack(a) at bottom: : --- (b) at top : ---
- 3 Height of the sampling point from ground level : 24.0 m
- 4 Diameter of the stack at sampling point : 0.9m
- 5 No. of Traverse Point : 12 nos.
- 6 Area of Stack : 0.6364 m²

C. Fuel Information:

- 1 Fuel used : Coal.
- 2 Fuel Consumption : 800 kg/hr.

Barometric Pressure (Pbar) mmHg: 750

D. Results of sampling and analysis of gaseous emission:

Sl. No.	Test Parameters	Test Method	Unit	Results	Norms as per Environmental Protection Act,1986 General Standard Emission Part-D
1	Temperature of emission	IS 11255 (Part III)	°C	126	Not Specified
2	Velocity of Gas in duct	IS 11255 (Part III)	m/sec	8.3	Not Specified
3	Quantity of gas flow	IS 11255 (Part III)	Nm ³ /hr	13406	Not Specified
4	Sulphur dioxide	IS 11255 (Part 2)	mg/Nm ³	224.7	Not Specified
5	Nitrogen dioxide	IS 11255(Part 7)	mg/Nm ³	142.5	Not Specified
6	Carbon monoxide	IS 13270	% (v/v)	<0.2	1.0 (Max.)
7	Carbon dioxide	IS 13270	% (v/v)	8.2	Not Specified
8	Particulate Matters	IS 11255 (Part 1)	mg/Nm ³	46.9	150 (Max.)

Pollution Control Device attached with the stack: Bag Filter.

...END OF TEST REPORT...



For N.D. International Lab LLP

K.P. De - CEO
(Authorised Signatory)

1. The test report shall not be reproduced,except in full,without written approval of the company.

2. Results relate only to the parameters tested.

3. The remaining sample after test will be retained for 15 days from the date of issue of certificate.

AK



N. D. INTERNATIONAL LAB LLP

GOVERNMENT REGISTERED
An ISO 9001:2015 Certified Company

TEST REPORT

Format No. : NDI/FM/90

Date: 08.09.2025

Page 1 of 1

Certificate No. FG(M)/25-26/01569

SAMPLE MONITORING BY: N.D. INTERNATIONAL LAB LLP

Name of Company : M/s Century Plyboards India Limited

Address : Diamond Harbour Road, Konchowki, Bishnupur, South 24 Pgs.

: Pincode - 743503

Sample Description : Stack Emission Date & Time of sampling : 30.08.2025 at 09.20 AM.

Equipment used : Stack Monitoring Kit Test Completed on : 05.09.2025

Monitoring Done By : Mr. A Mondal, R. Mondal, & R. Patra.

A. General Information :

- 1 Stack connected to : Thermic Fluid Heater (Stack No-6).
- 2 Shape of Stack : Circular
- 3 Material of construction of stack : M.S.
- 4 Whether stack is provided with permanent platform & ladder : Yes
- 5 Emission due to: : Combustion of Coal.
- 6 Capacity : 50 Lakhs Kcal/hr.

B. Physical characteristics:

- 1 Heights of the stack (a) from Ground level : 33.5 m (b) from Roof level : ---
- 2 Diameter of the stack(a) at bottom: : --- (b) at top : ---
- 3 Height of the sampling point from ground level : 24.0 m
- 4 Diameter of the stack at sampling point : 1.4 m.
- 5 No. of Traverse Point : 12 nos.
- 6 Area of Stack : 1.54 m²

C. Fuel Information:

- 1 Fuel used : Coal.
- 2 Fuel Consumption : 800 kg/hr.

Barometric Pressure (Pbar) mmHg: 750

D. Results of sampling and analysis of gaseous emission:

Sl. No.	Test Parameters	Test Method	Unit	Results	Norms as per Environmental Protection Act, 1986 General Standard Emission Part-D
1	Temperature of emission	IS 11255 (Part III)	°C	132	Not Specified
2	Velocity of Gas in duct	IS 11255 (Part III)	m/sec	8.5	Not Specified
3	Quantity of gas flow	IS 11255 (Part III)	Nm ³ /hr	32812	Not Specified
4	Sulphur dioxide	IS 11255 (Part 2)	mg/Nm ³	301.6	Not Specified
5	Nitrogen dioxide	IS 11255 (Part 7)	mg/Nm ³	124.2	Not Specified
6	Carbon monoxide	IS 13270	% (v/v)	<0.2	1.0 (Max.)
7	Carbon dioxide	IS 13270	% (v/v)	9.4	Not Specified
8	Particulate Matters	IS 11255 (Part 1)	mg/Nm ³	54.4	150 (Max.)

Pollution Control Device attached with the stack: Bag Filter.

...END OF TEST REPORT...



For N.D. International Lab LLP

K.P. De - CEO
(Authorised Signatory)

1. The test report shall not be reproduced, except in full, without written approval of the company.
 2. Results relate only to the parameters tested.
 3. The remaining sample after test will be retained for 15 days from the date of issue of certificate.
- AK



N. D. INTERNATIONAL LAB LLP

GOVERNMENT REGISTERED
An ISO 9001:2015 Certified Company

TEST REPORT

Format No. : NDI/FM/90

Date: 08.09.2025

Page 1 of 1

Certificate No. FG(M)/25-26/01570

SAMPLE MONITORING BY: N.D. INTERNATIONAL LAB LLP

Name of Company : M/s Century Plyboards India Limited

Address : Diamond Harbour Road, Konchowki, Bishnupur, South 24 Pgs.

: Pincode - 743503

Sample Description : Stack Emission Date & Time of sampling : 30.08.2025 at 10.20 AM.

Equipment used : Stack Monitoring Kit Test Completed on : 05.09.2025

Monitoring Done By : Mr. A Mondal, R. Mondal, & R. Patra.

A. General Information :

- 1 Stack connected to : Hot Water Generator (Stack No 5).
- 2 Shape of Stack : Circular
- 3 Material of construction of stack : M.S.
- 4 Whether stack is provided with permanent platform & ladder : Yes
- 5 Emission due to: : Combustion of Coal.
- 6 Capacity : 30 Lakhs Kcal/hr.

B. Physical characteristics:

- 1 Heights of the stack (a) from Ground level : 33.0 m. (b) from Roof level : ---
- 2 Diameter of the stack(a) at bottom: : --- (b) at top : ---
- 3 Height of the sampling point from ground level : 26.0 m
- 4 Diameter of the stack at sampling point : 0.9 m.
- 5 No. of Traverse Point : 08 nos.
- 6 Area of Stack : 0.6364 m²

C. Fuel Information:

- 1 Fuel used : Coal.
- 2 Fuel Consumption : 500 kg/hr.

Barometric Pressure (Pbar) mmHg: 750

D. Results of sampling and analysis of gaseous emission:

Sl. No.	Test Parameters	Test Method	Unit	Results	Norms as per Environmental Protection Act, 1986 General Standard Emission Part-D
1	Temperature of emission	IS 11255 (Part III)	°C	127	Not Specified
2	Velocity of Gas in duct	IS 11255 (Part III)	m/sec	8.4	Not Specified
3	Quantity of gas flow	IS 11255 (Part III)	Nm ³ /hr	13334	Not Specified
4	Sulphur dioxide	IS 11255 (Part 2)	mg/Nm ³	224.3	Not Specified
5	Nitrogen dioxide	IS 11255 (Part 7)	mg/Nm ³	106.7	Not Specified
6	Carbon monoxide	IS 13270	% (v/v)	<0.2	1.0 (Max.)
7	Carbon dioxide	IS 13270	% (v/v)	8.8	Not Specified
8	Particulate Matters	IS 11255 (Part 1)	mg/Nm ³	44.3	150 (Max.)

Pollution Control Device attached with the stack: Bag Filter.

...END OF TEST REPORT...



For N.D. International Lab LLP

K.P. De - CEO

(Authorised Signatory)

1. The test report shall not be reproduced, except in full, without written approval of the company.
 2. Results relate only to the parameters tested.
 3. The remaining sample after test will be retained for 15 days from the date of issue of certificate.
- AK



N. D. INTERNATIONAL LAB LLP

GOVERNMENT REGISTERED
An ISO 9001:2015 Certified Company

TEST REPORT

SAMPLE DRAWN BY : N.D. INTERNATIONAL LAB LLP

NO. WA(M)/25-26/00972

Date: September 08, 2025

Page 1 of 1

Name of Client : M/s Century Plyboards India Limited.
Address : Diamond Harbour Road, Konchowki, Bishnupur, South 24 Pgs.
Pincode - 743503
Description of Sample : Fugitive Air
Collection Source : Ply Finishing Area
Monitoring on : 29.08.2025
Monitoring done by : Mr. A. Mondal & Mr. R. Mandal, R. Patra.
Analysis Started on : 01.09.2025
Analysis Completed on : 06.09.2025

Environmental Condition:

Barometric Pressure (mmHg) (Average) : 751

Room Temperature (°C) (Average) : 33.5

Relative Humidity (%) : 74

Time of Sampling : 11.20 A.M. to 03.20 P.M.

A. CHEMICAL TESTFINDINGS:

Sl No.	Test parameters	Test Method	Unit	Results	Limit as per Factory Act 1948 (For 8 Hours Exposure Time)
1	Suspended Particulate Matter (SPM)	IS : 5182 (Part-4)	mg/m ³	0.039	Not Specified
2	Respirable Particulate Matter (PM ₁₀)	IS : 5182 (Part-23)	mg/m ³	0.025	Not Specified
3	Sulphur dioxide as SO ₂	IS 5182 (Part-2)	mg/m ³	<0.01 (DL:0.01)	5
4	Nitrogen dioxide as NO ₂	IS 5182 (Part-6)	mg/m ³	0.012	6
5	Formaldehyde	EN13986	ppm	<1.0 (DL:1.0)	1
6	Total Volatile Organic Compound	NDI/CHEM/SOP/I/HE/01	µg/m ³	24	-

Note: DL: Detection Limit

...END OF TEST REPORT...



For N.D. International Lab LLP

K.P. De – CEO
(Authorised Signatory)

1. The test report shall not be reproduced, except in full, without written approval of the company.
2. Results relate only to the parameters tested.
3. The remaining sample after test will be retained for 15 days from the date of issue of certificate.



N. D. INTERNATIONAL LAB LLP

GOVERNMENT REGISTERED
An ISO 9001:2015 Certified Company

TEST REPORT

SAMPLE DRAWN BY : N.D. INTERNATIONAL LAB LLP

NO. WA(M)/25-26/00973

Date: September 08, 2025

Page 1 of 1

Name of Client : M/s Century Plyboards India Limited.
Address : Diamond Harbour Road, Konchowki, Bishnupur, South 24 Pgs.
Pincode - 743503
Description of Sample : Fugitive Air
Collection Source : Near Resin Plant Laminate Unit
Monitoring on : 29.08.2025
Monitoring done by : Mr. A. Mondal & Mr. R. Mandal, R. Patra.
Analysis Started on : 01.09.2025
Analysis Completed on : 06.09.2025

Environmental Condition:

Barometric Pressure (mmHg) (Average) : 751
Room Temperature (°C) (Average) : 34.2
Relative Humidity (%) : 70
Time of Sampling : 11.40 A.M. to 03.40 P.M.

A. CHEMICAL TESTFINDINGS:

Sl No.	Test parameters	Test Method	Unit	Results	Limit as per Factory Act 1948 (For 8 Hours Exposure Time)
1	Suspended Particulate Matter (SPM)	IS : 5182 (Part-4)	mg/m ³	0.044	Not Specified
2	Respirable Particulate Matter (PM ₁₀)	IS : 5182 (Part-23)	mg/m ³	0.028	Not Specified
3	Sulphur dioxide as SO ₂	IS 5182 (Part-2)	mg/m ³	<0.01 (DL:0.01)	5
4	Nitrogen dioxide as NO ₂	IS 5182 (Part-6)	mg/m ³	0.014	6
5	Formaldehyde	EN13986	ppm	<1.0 (DL:1.0)	1
6	Total Volatile Organic Compound	NDI/CHEM/SOP/I/HE/G1	µg/m ³	131	-

Note: DL: Detection Limit

...END OF TEST REPORT...



For N.D. International Lab LLP

K.P. De – CEO
(Authorised Signatory)

1. The test report shall not be reproduced, except in full, without written approval of the company.
2. Results relate only to the parameters tested.
3. The remaining sample after test will be retained for 15 days from the date of issue of certificate.



N. D. INTERNATIONAL LAB LLP

GOVERNMENT REGISTERED
An ISO 9001:2015 Certified Company

TEST REPORT

SAMPLE DRAWN BY : N.D. INTERNATIONAL LAB LLP

NO. WA(M)/25-26/00974

Date: September 08, 2025

Page 1 of 1

Name of Client : M/s Century Plyboards India Limited.
Address : Diamond Harbour Road, Konchowki, Bishnupur, South 24 Pgs.
Pincode - 743503
Description of Sample : Fugitive Air
Collection Source : Near Decorative Veneer
Monitoring on : 29.08.2025
Monitoring done by : Mr. A. Mondal & Mr. R. Mandal, R. Patra.
Analysis Started on : 01.09.2025
Analysis Completed on : 06.09.2025

Environmental Condition:

Barometric Pressure (mmHg) (Average) : 751

Room Temperature (°C) (Average) : 35.0

Relative Humidity (%) : 72

Time of Sampling : 12.10 P.M. to 04.10 P.M.

A. CHEMICAL TESTFINDINGS:

Sl No.	Test parameters	Test Method	Unit	Results	Limit as per Factory Act 1948 (For 8 Hours Exposure Time)
1	Suspended Particulate Matter (SPM)	IS : 5182 (Part-4)	mg/m ³	0.051	Not Specified
2	Respirable Particulate Matter (PM ₁₀)	IS : 5182 (Part-23)	mg/m ³	0.031	Not Specified
3	Sulphur dioxide as SO ₂	IS 5182 (Part-2)	mg/m ³	<0.01 (DL:0.01)	5
4	Nitrogen dioxide as NO ₂	IS 5182 (Part-6)	mg/m ³	0.015	6
5	Formaldehyde	EN13986	ppm	<1.0 (DL:1.0)	1
6	Total Volatile Organic Compound	NDI/CHEM/SOP/I/HE/01	µg/m ³	140	-

Note: DL: Detection Limit

...END OF TEST REPORT...



For N.D. International Lab LLP

K.P. De – CEO
(Authorised Signatory)

1. The test report shall not be reproduced, except in full, without written approval of the company.
2. Results relate only to the parameters tested.
3. The remaining sample after test will be retained for 15 days from the date of issue of certificate.



N. D. INTERNATIONAL LAB LLP

GOVERNMENT REGISTERED
An ISO 9001:2015 Certified Company

TEST REPORT

SAMPLE DRAWN BY : N.D. INTERNATIONAL LAB LLP

NO. WA(M)/25-26/00975

Date: September 08, 2025

Page 1 of 1

Name of Client : M/s Century Plyboards India Limited.
Address : Diamond Harbour Road, Konchowki, Bishnupur, South 24 Pgs.
Pincode - 743503
Description of Sample : Fugitive Air
Collection Source : Deco Ply Hot Press Area
Monitoring on : 29.08.2025
Monitoring done by : Mr. A. Mondal & Mr. R. Mandal, R. Patra.
Analysis Started on : 01.09.2025
Analysis Completed on : 06.09.2025

Environmental Condition:

Barometric Pressure (mmHg) (Average) : 751
Room Temperature (°C) (Average) : 34.8
Relative Humidity (%) : 71
Time of Sampling : 12.40 P.M. to 04.40 P.M.

A. CHEMICAL TESTFINDINGS:

Sl No.	Test parameters	Test Method	Unit	Results	Limit as per Factory Act 1948 (For 8 Hours Exposure Time)
1	Suspended Particulate Matter (SPM)	IS : 5182 (Part-4)	mg/m ³	0.052	Not Specified
2	Respirable Particulate Matter (PM ₁₀)	IS : 5182 (Part-23)	mg/m ³	0.030	Not Specified
3	Sulphur dioxide as SO ₂	IS 5182 (Part-2)	mg/m ³	<0.01 (DL:0.01)	5
4	Nitrogen dioxide as NO ₂	IS 5182 (Part-6)	mg/m ³	0.012	6
5	Formaldehyde	EN13986	ppm	<1.0 (DL:1.0)	1
6	Total Volatile Organic Compound	NDI/CHEM/SOP/I/HE/01	µg/m ³	132	-

Note: DL: Detection Limit

...END OF TEST REPORT...



For N.D. International Lab LLP

K.P. De – CEO
(Authorised Signatory)

1. The test report shall not be reproduced, except in full, without written approval of the company.
2. Results relate only to the parameters tested.
3. The remaining sample after test will be retained for 15 days from the date of issue of certificate.



N. D. INTERNATIONAL LAB LLP

GOVERNMENT REGISTERED
An ISO 9001:2015 Certified Company

TEST REPORT

SAMPLE DRAWN BY : N.D. INTERNATIONAL LAB LLP

NO. WA(M)/25-26/00966

Date: September 08, 2025

Page 1 of 1

Name of Client : M/s Century Plyboards India Limited.
Address : Diamond Harbour Road, Konchowki, Bishnupur, South 24 Pgs.
Pincode - 743503
Description of Sample : Fugitive Air
Collection Source : Near Resin Plant
Monitoring on : 28.08.2025
Monitoring done by : Mr. A. Mondal & Mr. R. Mandal, R. Patra.
Analysis Started on : 30.08.2025
Analysis Completed on : 06.09.2025

Environmental Condition:

Barometric Pressure (mmHg) (Average) : 750
Room Temperature (°C) (Average) : 31.5
Relative Humidity (%) : 82
Time of Sampling : 10.10 A.M. to 02.10 P.M.

A. CHEMICAL TESTFINDINGS:

Sl No.	Test parameters	Test Method	Unit	Results	Limit as per Factory Act 1948 (For 8 Hours Exposure Time)
1	Suspended Particulate Matter (SPM)	IS : 5182 (Part-4)	mg/m ³	0.045	Not Specified
2	Respirable Particulate Matter (PM ₁₀)	IS : 5182 (Part-23)	mg/m ³	0.028	Not Specified
3	Sulphur dioxide as SO ₂	IS 5182 (Part-2)	mg/m ³	<0.01 (DL:0.01)	5
4	Nitrogen dioxide as NO ₂	IS 5182 (Part-6)	mg/m ³	0.011	6
5	Formaldehyde	EN13986	ppm	<1.0 (DL:1.0)	1
6	Total Volatile Organic Compound	NDI/CHEM/SOP/I/HE/01	µg/m ³	152	-

Note: DL: Detection Limit

...END OF TEST REPORT...



For N.D. International Lab LLP

K.P. De – CEO
(Authorised Signatory)

1. The test report shall not be reproduced, except in full, without written approval of the company.
2. Results relate only to the parameters tested.
3. The remaining sample after test will be retained for 15 days from the date of issue of certificate.



N. D. INTERNATIONAL LAB LLP

GOVERNMENT REGISTERED
An ISO 9001:2015 Certified Company

TEST REPORT

SAMPLE DRAWN BY : N.D. INTERNATIONAL LAB LLP

NO. WA(M)/25-26/00967

Date: September 08, 2025

Page 1 of 1

Name of Client : M/s Century Plyboards India Limited.
Address : Diamond Harbour Road, Konchowki, Bishnupur, South 24 Pgs.
Pincode - 743503
Description of Sample : Fugitive Air
Collection Source : Near Laminate AC Room (Old Plant)
Monitoring on : 28.08.2025
Monitoring done by : Mr. A. Mondal & Mr. R. Mandal, R. Patra.
Analysis Started on : 30.08.2025
Analysis Completed on : 06.09.2025

Environmental Condition:

Barometric Pressure (mmHg) (Average) : 750

Room Temperature (°C) (Average) : 29.5

Relative Humidity (%) : 42

Time of Sampling : 10.30 A.M. to 02.30 P.M.

A. CHEMICAL TESTFINDINGS:

Sl No.	Test parameters	Test Method	Unit	Results	Limit as per Factory Act 1948 (For 8 Hours Exposure Time)
1	Suspended Particulate Matter (SPM)	IS : 5182 (Part-4)	mg/m ³	0.038	Not Specified
2	Respirable Particulate Matter (PM ₁₀)	IS : 5182 (Part-23)	mg/m ³	0.022	Not Specified
3	Sulphur dioxide as SO ₂	IS 5182 (Part-2)	mg/m ³	<0.01 (DL:0.01)	5
4	Nitrogen dioxide as NO ₂	IS 5182 (Part-6)	mg/m ³	0.016	6
5	Formaldehyde	EN13986	ppm	<1.0 (DL:1.0)	1
6	Total Volatile Organic Compound	NDI/CHEM/SOP/I/HE/01	µg/m ³	149	-

Note: DL: Detection Limit

...END OF TEST REPORT...



For N.D. International Lab LLP

K.P. De – CEO

(Authorised Signatory)

1. The test report shall not be reproduced, except in full, without written approval of the company.
2. Results relate only to the parameters tested.
3. The remaining sample after test will be retained for 15 days from the date of issue of certificate.



N. D. INTERNATIONAL LAB LLP

GOVERNMENT REGISTERED
An ISO 9001:2015 Certified Company

TEST REPORT

SAMPLE DRAWN BY : N.D. INTERNATIONAL LAB LLP

NO. WA(M)/25-26/00968

Date: September 08, 2025

Page 1 of 1

Name of Client : M/s Century Plyboards India Limited.
Address : Diamond Harbour Road, Konchowki, Bishnupur, South 24 Pgs.
Pincode - 743503
Description of Sample : Fugitive Air
Collection Source : Between Glue Spreader and Hot Press Ply.
Monitoring on : 28.08.2025
Monitoring done by : Mr. A. Mondal & Mr. R. Mandal, R. Patra.
Analysis Started on : 30.08.2025
Analysis Completed on : 06.09.2025

Environmental Condition:

Barometric Pressure (mmHg) (Average) : 750

Room Temperature (°C) (Average) : 25.7

Relative Humidity (%) : 63

Time of Sampling : 11.15 A.M. to 03.15 P.M.

A. CHEMICAL TESTFINDINGS:

Sl No.	Test parameters	Test Method	Unit	Results	Limit as per Factory Act 1948 (For 8 Hours Exposure Time)
1	Suspended Particulate Matter (SPM)	IS : 5182 (Part-4)	mg/m ³	0.050	Not Specified
2	Respirable Particulate Matter (PM ₁₀)	IS : 5182 (Part-23)	mg/m ³	0.030	Not Specified
3	Sulphur dioxide as SO ₂	IS 5182 (Part-2)	mg/m ³	<0.01 (DL:0.01)	5
4	Nitrogen dioxide as NO ₂	IS 5182 (Part-6)	mg/m ³	0.018	6
5	Formaldehyde	EN13986	ppm	<1.0 (DL:1.0)	1
6	Total Volatile Organic Compound	NDI/CHEM/SOP/I/HE/01	µg/m ³	130	-

Note: DL: Detection Limit

...END OF TEST REPORT...



For N.D. International Lab LLP

K.P. De – CEO
(Authorised Signatory)

1. The test report shall not be reproduced, except in full, without written approval of the company.
2. Results relate only to the parameters tested.
3. The remaining sample after test will be retained for 15 days from the date of issue of certificate.



N. D. INTERNATIONAL LAB LLP

GOVERNMENT REGISTERED
An ISO 9001:2015 Certified Company

TEST REPORT

SAMPLE DRAWN BY : N.D. INTERNATIONAL LAB LLP

NO. WA(M)/25-26/00969

Date: September 08, 2025

Page 1 of 1

Name of Client : M/s Century Plyboards India Limited.
Address : Diamond Harbour Road, Konchowki, Bishnupur, South 24 Pgs.
Pincode - 743503
Description of Sample : Fugitive Air
Collection Source : Near Laminate AC Hot Press Old Plant.
Monitoring on : 28.08.2025
Monitoring done by : Mr. A. Mondal & Mr. R. Mandal, R. Patra.
Analysis Started on : 30.08.2025
Analysis Completed on : 06.09.2025

Environmental Condition:

Barometric Pressure (mmHg) (Average) : 750

Room Temperature (°C) (Average) : 23.0

Relative Humidity (%) : 44

Time of Sampling : 11.40 A.M. to 03.40 P.M.

A. CHEMICAL TESTFINDINGS:

Sl No.	Test parameters	Test Method	Unit	Results	Limit as per Factory Act 1948 (For 8 Hours Exposure Time)
1	Suspended Particulate Matter (SPM)	IS : 5182 (Part-4)	mg/m ³	0.056	Not Specified
2	Respirable Particulate Matter (PM ₁₀)	IS : 5182 (Part-23)	mg/m ³	0.032	Not Specified
3	Sulphur dioxide as SO ₂	IS 5182 (Part-2)	mg/m ³	<0.01 (DL:0.01)	5
4	Nitrogen dioxide as NO ₂	IS 5182 (Part-6)	mg/m ³	0.013	6
5	Formaldehyde	EN13986	ppm	<1.0 (DL:1.0)	1
6	Total Volatile Organic Compound	NDI/CHEM/SOP/I/HE/01	µg/m ³	150	-

Note: DL: Detection Limit

...END OF TEST REPORT...



For N.D. International Lab LLP

K.P. De – CEO

(Authorised Signatory)

1. The test report shall not be reproduced, except in full, without written approval of the company.
2. Results relate only to the parameters tested.
3. The remaining sample after test will be retained for 15 days from the date of issue of certificate.



N. D. INTERNATIONAL LAB LLP

GOVERNMENT REGISTERED
An ISO 9001:2015 Certified Company

TEST REPORT

SAMPLE DRAWN BY : N.D. INTERNATIONAL LAB LLP

NO. WA(M)/25-26/00970

Date: September 08, 2025

Page 1 of 1

Name of Client : M/s Century Plyboards India Limited.
Address : Diamond Harbour Road, Konchowki, Bishnupur, South 24 Pgs.
Pincode - 743503
Description of Sample : Fugitive Air
Collection Source : Laminate Hot Press New Plant.
Monitoring on : 28.08.2025
Monitoring done by : Mr. A. Mondal & Mr. R. Mandal, R. Patra.
Analysis Started on : 30.08.2025
Analysis Completed on : 06.09.2025

Environmental Condition:


Barometric Pressure (mmHg) (Average) : 750
Room Temperature (°C) (Average) : 23.1
Relative Humidity (%) : 40
Time of Sampling : 12.15 A.M. to 04.15 P.M.

A. CHEMICAL TESTFINDINGS:

Sl No.	Test parameters	Test Method	Unit	Results	Limit as per Factory Act 1948 (For 8 Hours Exposure Time)
1	Suspended Particulate Matter (SPM)	IS : 5182 (Part-4)	mg/m ³	0.043	Not Specified
2	Respirable Particulate Matter (PM ₁₀)	IS : 5182 (Part-23)	mg/m ³	0.031	Not Specified
3	Sulphur dioxide as SO ₂	IS 5182 (Part-2)	mg/m ³	<0.01 (DL:0.01)	5
4	Nitrogen dioxide as NO ₂	IS 5182 (Part-6)	mg/m ³	0.015	6
5	Formaldehyde	EN13986	ppm	<1.0 (DL:1.0)	1
6	Total Volatile Organic Compound	NDI/CHEM/SOP/I/HE/01	µg/m ³	112	-

Note: DL: Detection Limit

...END OF TEST REPORT...



For N.D. International Lab LLP
K.P. De - CEO
(Authorised Signatory)

1. The test report shall not be reproduced, except in full, without written approval of the company.
2. Results relate only to the parameters tested.
3. The remaining sample after test will be retained for 15 days from the date of issue of certificate.



N. D. INTERNATIONAL LAB LLP

GOVERNMENT REGISTERED
An ISO 9001:2015 Certified Company

TEST REPORT

SAMPLE DRAWN BY : N.D. INTERNATIONAL LAB LLP

NO. WA(M)/25-26/00971

Date: September 08, 2025

Page 1 of 1

Name of Client : M/s Century Plyboards India Limited.
Address : Diamond Harbour Road, Konchowki, Bishnupur, South 24 Pgs.
Pincode - 743503
Description of Sample : Fugitive Air
Collection Source : Laminate AC Room New Plant
Monitoring on : 28.08.2025
Monitoring done by : Mr. A. Mondal & Mr. R. Mandal, R. Patra.
Analysis Started on : 30.08.2025
Analysis Completed on : 06.09.2025

Environmental Condition:

Barometric Pressure (mmHg) (Average) : 750

Room Temperature (°C) (Average) : 22.8

Relative Humidity (%) : 39

Time of Sampling : 12.50 P.M. to 04.50 P.M.

A. CHEMICAL TESTFINDINGS:

Sl No.	Test parameters	Test Method	Unit	Results	Limit as per Factory Act 1948 (For 8 Hours Exposure Time)
1	Suspended Particulate Matter (SPM)	IS : 5182 (Part-4)	mg/m ³	0.040	Not Specified
2	Respirable Particulate Matter (PM ₁₀)	IS : 5182 (Part-23)	mg/m ³	0.025	Not Specified
3	Sulphur dioxide as SO ₂	IS 5182 (Part-2)	mg/m ³	<0.01 (DL:0.01)	5
4	Nitrogen dioxide as NO ₂	IS 5182 (Part-6)	mg/m ³	0.015	6
5	Formaldehyde	EN13986	ppm	<1.0 (DL:1.0)	1
6	Total Volatile Organic Compound	NDI/CHEM/SOP/I/HE/01	µg/m ³	119	-

Note: DL: Detection Limit

...END OF TEST REPORT...



For N.D. International Lab LLP

K.P. De – CEO

(Authorised Signatory)

1. The test report shall not be reproduced, except in full, without written approval of the company.
2. Results relate only to the parameters tested.
3. The remaining sample after test will be retained for 15 days from the date of issue of certificate.



N. D. INTERNATIONAL LAB LLP

GOVERNMENT REGISTERED
An ISO 9001:2015 Certified Company

TEST REPORT



TC - 15617

ULR No.:TC1561725000007535F

Format No.:NDI/FM/51

Certificate No : NDI/FDS/25-26/01267

Dated : 06/09/2025

UID No : NDI/FDS/25-26/01267

Page No.: 1 of 1

Sample Drawn By : N.D. International LAB LLP

Name of Customer : M/s. Century Ply Boards Ltd.
Address : Diamond Harbour Road, Kanchowki, Bishnupur, West Bengal-743503

Description of Sample : Rice
Collection Source : Laminate Worker Canteen

Sampling Done by : A.Mondal, R.Mandal, R.Patra
Environmental Condition : Temperature :31°C, Humidity : 80%
Sample Drawn on : 29/08/2025
Analysis Started on : 30/08/2025
Analysis Completed on : 06/09/2025
Sample Quantity : 250 gm
Sample Received on : 29/08/2025
Sampling Plan : NDI/FM/52A

Method of Sampling : IS 5404 : 1984
Mode of Sampling : Grab
Sampling Plan : NDI/FM/52A

TEST RESULT

Sl.No.	Parameters	Test Method	Unit	Results	Norms as per FSSAI 2006, Rules & Regulations 2011
Heavy Metals					
1	Copper as Cu	AOAC 999.11	mg/kg	<0.75(DL:0.75)	Not Specified
2	Iron as Fe	AOAC 999.11	mg/kg	<3.0(DL:3.0)	Not Specified
3	Zinc as Zn	AOAC 999.11	mg/kg	<0.75(DL:0.75)	Not Specified
Microbiological Test Parameters					
4	Detection of Escherichia coli/gm at 37°C	IS 5887 Part 1	-	Absent	Not Specified
5	Detection of Staphylococcus aureus/gm at 37°C	IS 5887 Part 8 Section 1	-	Absent	Not Specified
6	Standard Plate count count/gm at 30°C for 72 hrs.	IS 5402	cfu	1.1x10 ³	Not Specified
7	Yeast & Mould/gm at 25°C for 5 days	IS 5403	cfu	60	Not Specified

Note : DL:Detection Limit

Remarks : Conformity cannot be assigned due to absence of any limit / specification.

End of Report

FOR N.D. INTERNATIONAL LAB LLP

Tathagata Talukder
HOD

Authorized Signatory



FOR N.D. INTERNATIONAL LAB LLP

K. P. De
CEO

Authorized Signatory

1. The test report shall not be reproduced,except in full,without written approval of the company.
2. Results relate only to the parameters tested.
3. The remaining sample after test will be retained for 1 days from the date of issue of certificate.



N. D. INTERNATIONAL LAB LLP

GOVERNMENT REGISTERED
An ISO 9001:2015 Certified Company

TEST REPORT



TC - 15617

ULR No.:TC1561725000007536F

Certificate No : NDI/FDS/25-26/01268

UID No : NDI/FDS/25-26/01268

Sample Drawn By : N.D. International LAB LLP

Format No.:NDI/FM/51

Dated : 06/09/2025

Page No.: 1 of 1

Name of Customer : M/s. Century Ply Boards Ltd.
Address : Diamond Harbour Road, Kanchowki, Bishnupur, West Bengal-743503

Description of Sample : Dal
Collection Source : Laminate Worker Canteen

Sampling Done by : A.Mondal, R.Mandal, R.Patra
Environmental Condition : Temperature :31°C, Humidity : 80%
Sample Drawn on : 29/08/2025
Analysis Started on : 29/08/2025
Analysis Completed on : 06/09/2025
Sample Quantity : 250 gm
Sample Received on : 29/08/2025
Sampling Plan : NDI/FM/52A

Method of Sampling : IS 5404 : 1984
Mode of Sampling : Grab
Sampling Plan : NDI/FM/52A

TEST RESULT

Sl.No.	Parameters	Test Method	Unit	Results	Norms as per FSSA 2006, Rules & Regulations 2011
Heavy Metals					
1	Copper as Cu	AOAC 999.11	mg/kg	<0.75(DL:0.75)	Not Specified
2	Iron as Fe	AOAC 999.11	mg/kg	<3.0(DL:3.0)	Not Specified
3	Zinc as Zn	AOAC 999.11	mg/kg	<0.75(DL:0.75)	Not Specified
Microbiological Test Parameters					
4	Detection of Escherichia coli/gm at 37°C	IS 5887 Part 1	-	Absent	Not Specified
5	Detection of Staphylococcus aureus/gm at 37°C	IS 5887 Part 8 Section 1	-	Absent	Not Specified
6	Standard Plate count count/gm at 30°C for 72 hrs.	IS 5402	cfu	8.5x10 ¹	Not Specified
7	Yeast & Mould/gm at 25°C for 5 days	IS 5403	cfu	90	Not Specified

Note : DL:Detection Limit

Remarks : Conformity cannot be assigned due to absence of any limit / specification.

End of Report

FOR N.D. INTERNATIONAL LAB LLP

Tathagata Talukder

HOD

Authorized Signatory



FOR N.D. INTERNATIONAL LAB LLP

K. P. De

CEO

Authorized Signatory

1. The test report shall not be reproduced,except in full,without written approval of the company.
2. Results relate only to the parameters tested.
3. The remaining sample after test will be retained for 1 days from the date of issue of certificate.



N. D. INTERNATIONAL LAB LLP

GOVERNMENT REGISTERED
An ISO 9001:2015 Certified Company

TEST REPORT



TC - 15617

ULR No.:TC1561725000007537F

Certificate No : NDI/FDS/25-26/01269

UID No : NDI/FDS/25-26/01269

Sample Drawn By : N.D. International LAB LLP

Format No.:NDI/FM/51

Dated : 06/09/2025

Page No.: 1 of 1

Name of Customer : M/s. Century Ply Boards Ltd.
Address : Diamond Harbour Road, Kanchowki, Bishnupur, West Bengal-743503

Description of Sample : Mixed Veg
Collection Source : Laminate Worker Canteen

Sampling Done by : A.Mondal, R.Mandal, R.Patra
Environmental Condition : Temperature :31°C, Humidity : 80%
Sample Drawn on : 29/08/2025
Analysis Started on : 29/08/2025
Analysis Completed on : 06/09/2025
Sample Quantity : 250 gm
Sample Received on : 29/08/2025
Sampling Plan : NDI/FM/52A

Method of Sampling : IS 5404 : 1984

Mode of Sampling : Grab

Sampling Plan : NDI/FM/52A

TEST RESULT

Sl.No.	Parameters	Test Method	Unit	Results	Norms as per FSSA 2006, Rules & Regulations 2011
Heavy Metals					
1	Copper as Cu	AOAC 999.11	mg/kg	<0.75(DL:0.75)	Not Specified
2	Iron as Fe	AOAC 999.11	mg/kg	<3.0(DL:3.0)	Not Specified
3	Zinc as Zn	AOAC 999.11	mg/kg	<0.75(DL:0.75)	Not Specified
Microbiological Test Parameters					
4	Detection of Escherichia coli/gm at 37°C	IS 5887 Part 1	-	Absent	Not Specified
5	Detection of Staphylococcus aureus/gm at 37°C	IS 5887 Part 8 Section 1	-	Absent	Not Specified
6	Standard Plate count count/gm at 30°C for 72 hrs.	IS 5402	cfu	4.9x10 ¹	Not Specified
7	Yeast & Mould/gm at 25°C for 5 days	IS 5403	cfu	50	Not Specified

Note : DL:Detection Limit

Remarks : Conformity cannot be assigned due to absence of any limit / specification.

End of Report

FOR N.D. INTERNATIONAL LAB LLP

Tathagata Talukder

HOD

Authorized Signatory



FOR N.D. INTERNATIONAL LAB LLP

K. P. De

CEO

Authorized Signatory

1. The test report shall not be reproduced,except in full,without written approval of the company.
2. Results relate only to the parameters tested.
3. The remaining sample after test will be retained for 1 days from the date of issue of certificate.



N. D. INTERNATIONAL LAB LLP

GOVERNMENT REGISTERED
An ISO 9001:2015 Certified Company

TEST REPORT



TC - 15617

ULR No.:TC1561725000007538F

Certificate No : NDI/FDS/25-26/01270

UID No : NDI/FDS/25-26/01270

Sample Drawn By : N.D. International LAB LLP

Format No.:NDI/FM/51

Dated : 06/09/2025

Page No.: 1 of 1

Name of Customer : M/s. Century Ply Boards Ltd.
Address : Diamond Harbour Road, Kanchowki, Bishnupur, West Bengal-743503

Description of Sample : Rice
Collection Source : Executive Food Facility

Sampling Done by : A.Mondal, R.Mandal, R.Patra
Environmental Condition : Temperature :31°C, Humidity : 80%
Sample Drawn on : 29/08/2025
Analysis Started on : 29/08/2025
Analysis Completed on : 06/09/2025
Sample Quantity : 250 gm
Sample Received on : 29/08/2025
Sampling Plan : NDI/FM/52A

Method of Sampling : IS 5404 : 1984
Mode of Sampling : Grab
Sampling Plan : NDI/FM/52A

TEST RESULT

Sl.No.	Parameters	Test Method	Unit	Results	Norms as per FSSAI 2006, Rules & Regulations 2011
Heavy Metals					
1	Copper as Cu	AOAC 999.11	mg/kg	<0.75(DL:0.75)	Not Specified
2	Iron as Fe	AOAC 999.11	mg/kg	<3.0(DL:3.0)	Not Specified
3	Zinc as Zn	AOAC 999.11	mg/kg	<0.75(DL:0.75)	Not Specified
Microbiological Test Parameters					
4	Detection of Escherichia coli/gm at 37°C	IS 5887 Part 1	-	Absent	Not Specified
5	Detection of Staphylococcus aureus/gm at 37°C	IS 5887 Part 8 Section 1	-	Absent	Not Specified
6	Standard Plate count count/gm at 30°C for 72 hrs.	IS 5402	cfu	6.6 x 10 ²	Not Specified
7	Yeast & Mould/gm at 25°C for 5 days	IS 5403	cfu	1.4 x 10 ²	Not Specified

Note : DL:Detection Limit

Remarks : Conformity cannot be assigned due to absence of any limit / specification.

End of Report

FOR N.D. INTERNATIONAL LAB LLP

Tathagata Talukder

HOD

Authorized Signatory



FOR N.D. INTERNATIONAL LAB LLP

K. P. De

CEO

Authorized Signatory

- The test report shall not be reproduced,except in full,without written approval of the company.
- Results relate only to the parameters tested.
- The remaining sample after test will be retained for 1 days from the date of issue of certificate.



N. D. INTERNATIONAL LAB LLP

GOVERNMENT REGISTERED
An ISO 9001:2015 Certified Company

TEST REPORT



TC - 15617

ULR No.:TC1561725000007539F

Certificate No : NDI/FDS/25-26/01271

UID No : NDI/FDS/25-26/01271

Sample Drawn By : N.D. International LAB LLP

Format No.:NDI/FM/51

Dated : 06/09/2025

Page No.: 1 of 1

Name of Customer : M/s. Century Ply Boards Ltd.
Address : Diamond Harbour Road, Kanchowki, Bishnupur, West Bengal-743503

Description of Sample : Dal
Collection Source : Executive Food Facility

Sampling Done by : A.Mondal, R.Mandal, R.Patra
Environmental Condition : Temperature :31°C, Humidity : 80%
Sample Drawn on : 29/08/2025
Analysis Started on : 29/08/2025
Analysis Completed on : 06/09/2025
Sample Quantity : 250 gm
Sample Received on : 29/08/2025
Sampling Plan : NDI/FM/52A

Method of Sampling : IS 5404 : 1984
Mode of Sampling : Grab
Sampling Plan : NDI/FM/52A

TEST RESULT

Sl.No.	Parameters	Test Method	Unit	Results	Norms as per FSSAI 2006, Rules & Regulations 2011
Heavy Metals					
1	Copper as Cu	AOAC 999.11	mg/kg	<0.75(DL:0.75)	Not Specified
2	Iron as Fe	AOAC 999.11	mg/kg	<3.0(DL:3.0)	Not Specified
3	Zinc as Zn	AOAC 999.11	mg/kg	<0.75(DL:0.75)	Not Specified
Microbiological Test Parameters					
4	Detection of Escherichia coli/gm at 37°C	IS 5887 Part 1	-	Absent	Not Specified
5	Detection of Staphylococcus aureus/gm at 37°C	IS 5887 Part 8 Section 1	-	Absent	Not Specified
6	Standard Plate count count/gm at 30°C for 72 hrs.	IS 5402	cfu	4 x 10 ²	Not Specified
7	Yeast & Mould/gm at 25°C for 5 days	IS 5403	cfu	90	Not Specified

Note : DL:Detection Limit

Remarks : Conformity cannot be assigned due to absence of any limit / specification.

End of Report

FOR N.D. INTERNATIONAL LAB LLP

Tathagata Talukder

HOD

Authorized Signatory



FOR N.D. INTERNATIONAL LAB LLP

K. R. De

CEO

Authorized Signatory

1. The test report shall not be reproduced,except in full,without written approval of the company.
2. Results relate only to the parameters tested.
3. The remaining sample after test will be retained for 1 days from the date of issue of certificate.



N. D. INTERNATIONAL LAB LLP

GOVERNMENT REGISTERED
An ISO 9001:2015 Certified Company

TEST REPORT



TC - 15617

ULR No.:TC1561725000007540F

Format No.:NDI/FM/51

Certificate No : NDI/FDS/25-26/01272

Dated : 06/09/2025

UID No : NDI/FDS/25-26/01272

Page No.: 1 of 1

Sample Drawn By : N.D. International LAB LLP

Name of Customer : M/s. Century Ply Boards Ltd.
Address : Diamond Harbour Road, Kanchowki, Bishnupur, West Bengal-743503

Description of Sample : Mixed Veg
Collection Source : Executive Food Facility

Sampling Done by : A.Mondal, R.Mandal, R.Patra
Environmental Condition : Temperature :31°C, Humidity : 80%
Sample Drawn on : 29/08/2025
Analysis Started on : 29/08/2025
Analysis Completed on : 06/09/2025
Sample Quantity : 250 gm
Sample Received on : 29/08/2025
Sampling Plan : NDI/FM/52A

Method of Sampling : IS 5404 : 1984

Mode of Sampling : Grab
Sampling Plan : NDI/FM/52A

TEST RESULT

Sl.No.	Parameters	Test Method	Unit	Results	Norms as per FSSAI 2006, Rules & Regulations 2011
Heavy Metals					
1	Copper as Cu	AOAC 999.11	mg/kg	<0.75(DL:0.75)	Not Specified
2	Iron as Fe	AOAC 999.11	mg/kg	<3.0(DL:3.0)	Not Specified
3	Zinc as Zn	AOAC 999.11	mg/kg	<0.75(DL:0.75)	Not Specified
Microbiological Test Parameters					
4	Detection of Escherichia coli/gm at 37°C	IS 5887 Part 1	-	Absent	Not Specified
5	Detection of Staphylococcus aureus/gm at 37°C	IS 5887 Part 8 Section 1	-	Absent	Not Specified
6	Standard Plate count count/gm at 30°C for 72 hrs.	IS 5402	cfu	9.6 x 10 ²	Not Specified
7	Yeast & Mould/gm at 25°C for 5 days	IS 5403	cfu	1.7 x 10 ²	Not Specified

Note : DL:Detection Limit

Remarks : Conformity cannot be assigned due to absence of any limit / specification.

End of Report

FOR N.D. INTERNATIONAL LAB LLP

Tathagata Talukder

HOD

Authorized Signatory



FOR N.D. INTERNATIONAL LAB LLP

K. P. De

CEO

Authorized Signatory

- The test report shall not be reproduced, except in full, without written approval of the company.
- Results relate only to the parameters tested.
- The remaining sample after test will be retained for 1 days from the date of issue of certificate.



N. D. INTERNATIONAL LAB LLP

GOVERNMENT REGISTERED
An ISO 9001:2015 Certified Company

TEST REPORT



TC - 15617

ULR No.:TC1561725000007541F

Certificate No : NDI/FDS/25-26/01273

UID No : NDI/FDS/25-26/01273

Sample Drawn By : N.D. International LAB LLP

Format No.:NDI/FM/51

Dated : 06/09/2025

Page No.: 1 of 1

Name of Customer : M/s. Century Ply Boards Ltd.
Address : Diamond Harbour Road, Kanchowki, Bishnupur, West Bengal-743503

Description of Sample : Rice
Collection Source : Operational Mess

Sampling Done by : A.Mondal, R.Mandal, R.Patra
Environmental Condition : Temperature :31°C, Humidity : 80%
Sample Drawn on : 29/08/2025
Analysis Started on : 29/08/2025
Analysis Completed on : 06/09/2025

Sample Quantity : 250 gm
Sample Received on : 29/08/2025
Sampling Plan : NDI/FM/52A

Method of Sampling : IS 5404 : 1984
Mode of Sampling : Grab
Sampling Plan : NDI/FM/52A

TEST RESULT

Sl.No.	Parameters	Test Method	Unit	Results	Norms as per FSSAI 2006, Rules & Regulations 2011
Heavy Metals					
1	Copper as Cu	AOAC 999.11	mg/kg	<0.75(DL:0.75)	Not Specified
2	Iron as Fe	AOAC 999.11	mg/kg	<3.0(DL:3.0)	Not Specified
3	Zinc as Zn	AOAC 999.11	mg/kg	<0.75(DL:0.75)	Not Specified
Microbiological Test Parameters					
4	Detection of Escherichia coli/gm at 37°C	IS 5887 Part 1	-	Absent	Not Specified
5	Detection of Staphylococcus aureus/gm at 37°C	IS 5887 Part 8 Section 1	-	Absent	Not Specified
6	Standard Plate count count/gm at 30°C for 72 hrs.	IS 5402	cfu	7.9 x 10 ²	Not Specified
7	Yeast & Mould/gm at 25°C for 5 days	IS 5403	cfu	1.4 x 10 ²	Not Specified

Note : DL:Detection Limit

Remarks : Conformity cannot be assigned due to absence of any limit / specification.

End of Report

FOR N.D. INTERNATIONAL LAB LLP

Tathagata Talukder

HOD

Authorized Signatory



FOR N.D. INTERNATIONAL LAB LLP

K. P. De

CEO

Authorized Signatory

- The test report shall not be reproduced, except in full, without written approval of the company.
- Results relate only to the parameters tested.
- The remaining sample after test will be retained for 1 days from the date of issue of certificate.



N. D. INTERNATIONAL LAB LLP

GOVERNMENT REGISTERED
An ISO 9001:2015 Certified Company

TEST REPORT



TC - 15617

ULR No.:TC1561725000007542F

Certificate No : NDI/FDS/25-26/01274

UID No : NDI/FDS/25-26/01274

Sample Drawn By : N.D. International LAB LLP

Format No.:NDI/FM/51

Dated : 06/09/2025

Page No.: 1 of 1

Name of Customer : M/s. Century Ply Boards Ltd.
Address : Diamond Harbour Road, Kanchowki, Bishnupur, West Bengal-743503

Description of Sample : Dal
Collection Source : Operational Mess

Sampling Done by : A.Mondal, R.Mandal, R.Patra
Environmental Condition : Temperature :31°C, Humidity : 80%
Sample Drawn on : 29/08/2025
Analysis Started on : 29/08/2025
Analysis Completed on : 06/09/2025
Sample Quantity : 250 gm
Sample Received on : 29/08/2025
Sampling Plan : NDI/FM/52A

Method of Sampling : IS 5404 : 1984
Mode of Sampling : Grab
Sampling Plan : NDI/FM/52A

TEST RESULT

Sl.No.	Parameters	Test Method	Unit	Results	Norms as per FSSAI 2006, Rules & Regulations 2011
Heavy Metals					
1	Copper as Cu	AOAC 999.11	mg/kg	<0.75(DL:0.75)	Max 30
2	Iron as Fe	AOAC 999.11	mg/kg	<3.0(DL:3.0)	Not Specified
3	Zinc as Zn	AOAC 999.11	mg/kg	<0.75(DL:0.75)	Not Specified
Microbiological Test Parameters					
4	Detection of Escherichia coli/gm at 37°C	IS 5887 Part 1	-	Absent	Not Specified
5	Detection of Staphylococcus aureus/gm at 37°C	IS 5887 Part 8 Section 1	-	Absent	Not Specified
6	Standard Plate count count/gm at 30°C for 72 hrs.	IS 5402	cfu	8.5 x 10 ²	Not Specified
7	Yeast & Mould/gm at 25°C for 5 days	IS 5403	cfu	1 x 10 ²	Not Specified

Note : DL:Detection Limit

Remarks : Conformity cannot be assigned due to absence of any limit / specification.

End of Report

FOR N.D. INTERNATIONAL LAB LLP

Tathagata Talukder

HOD

Authorized Signatory



FOR N.D. INTERNATIONAL LAB LLP

K. P. De

CEO

Authorized Signatory

- The test report shall not be reproduced,except in full,without written approval of the company.
- Results relate only to the parameters tested.
- The remaining sample after test will be retained for 1 days from the date of issue of certificate.



N. D. INTERNATIONAL LAB LLP

GOVERNMENT REGISTERED
An ISO 9001:2015 Certified Company

TEST REPORT



TC - 15617

ULR No.:TC1561725000007543F

Certificate No : NDI/FDS/25-26/01275

UID No : NDI/FDS/25-26/01275

Sample Drawn By : N.D. International LAB LLP

Format No.:NDI/FM/51

Dated : 06/09/2025

Page No.: 1 of 1

Name of Customer : M/s. Century Ply Boards Ltd.
Address : Diamond Harbour Road, Kanchowki, Bishnupur, West Bengal-743503

Description of Sample : Mixed Veg
Collection Source : Operational Mess

Sampling Done by : A.Mondal, R.Mandal, R.Patra
Environmental Condition : Temperature :31°C, Humidity : 80%
Sample Drawn on : 29/08/2025
Analysis Started on : 29/08/2025
Analysis Completed on : 06/09/2025
Sample Quantity : 250 gm
Sample Received on : 29/08/2025
Sampling Plan : NDI/FM/52A

Method of Sampling : IS 5404 : 1984
Mode of Sampling : Grab
Sampling Plan : NDI/FM/52A

TEST RESULT

Sl.No.	Parameters	Test Method	Unit	Results	Norms as per FSSAI 2006, Rules & Regulations 2011
Heavy Metals					
1	Copper as Cu	AOAC 999.11	mg/kg	<0.75(DL:0.75)	Not Specified
2	Iron as Fe	AOAC 999.11	mg/kg	<3.0(DL:3.0)	Not Specified
3	Zinc as Zn	AOAC 999.11	mg/kg	<0.75(DL:0.75)	Not Specified
Microbiological Test Parameters					
4	Detection of Escherichia coli/gm at 37°C	IS 5887 Part 1	-	Absent	Not Specified
5	Detection of Staphylococcus aureus/gm at 37°C	IS 5887 Part 8 Section 1	-	Absent	Not Specified
6	Standard Plate count count/gm at 30°C for 72 hrs.	IS 5402	cfu	1.2 x 10 ³	Not Specified
7	Yeast & Mould/gm at 25°C for 5 days	IS 5403	cfu	1.7 x 10 ²	Not Specified

Note : DL:Detection Limit

Remarks : Bacteriologically: Conformity cannot be assigned due to absence of any limit / specification.

End of Report

FOR N.D. INTERNATIONAL LAB LLP

Tathagata Talukder

HOD

Authorized Signatory



FOR N.D. INTERNATIONAL LAB LLP

K. P. De

CEO

Authorized Signatory

1. The test report shall not be reproduced,except in full,without written approval of the company.
2. Results relate only to the parameters tested.
3. The remaining sample after test will be retained for 1 days from the date of issue of certificate.



N. D. INTERNATIONAL LAB LLP

GOVERNMENT REGISTERED
An ISO 9001:2015 Certified Company

TEST REPORT



ULR No.:TC1561725000007544F

Format No.:NDI/FM/51

Certificate No : NDI/FDS/25-26/01276

Dated : 06/09/2025

UID No : NDI/FDS/25-26/01276

Page No.: 1 of 1

Sample Drawn By : N.D. International LAB LLP

Name of Customer : M/s. Century Ply Boards Ltd.
Address : Diamond Harbour Road, Kanchowki, Bishnupur, West Bengal-743503

Description of Sample : Rice
Collection Source : Ply Worker Canteen

Sampling Done by : A.Mondal, R.Mandal, R.Patra
Environmental Condition : Temperature :31°C, Humidity : 80%
Sample Drawn on : 29/08/2025
Analysis Started on : 29/08/2025
Analysis Completed on : 06/09/2025
Sample Quantity : 250 gm
Sample Received on : 29/08/2025
Sampling Plan : NDI/FM/52A

Method of Sampling : IS 5404 : 1984
Mode of Sampling : Grab
Sampling Plan : NDI/FM/52A

TEST RESULT

Sl.No.	Parameters	Test Method	Unit	Results	Norms as per FSSAI 2006, Rules & Regulations 2011
Heavy Metals					
1	Copper as Cu	AOAC 999.11	mg/kg	<0.75(DL:0.75)	Not Specified
2	Iron as Fe	AOAC 999.11	mg/kg	<3.0(DL:3.0)	Not Specified
3	Zinc as Zn	AOAC 999.11	mg/kg	<0.75(DL:0.75)	Not Specified
Microbiological Test Parameters					
4	Detection of Escherichia coli/gm at 37°C	IS 5887 Part 1	-	Absent	Not Specified
5	Detection of Staphylococcus aureus/gm at 37°C	IS 5887 Part 8 Section 1	-	Absent	Not Specified
6	Standard Plate count count/gm at 30°C for 72 hrs.	IS 5402	cfu	1 x 10 ³	Not Specified
7	Yeast & Mould/gm at 25°C for 5 days	IS 5403	cfu	1.5 x 10 ²	Not Specified

Note : DL:Detection Limit

Remarks : Bacteriologically: Conformity cannot be assigned due to absence of any limit / specification.

End of Report

FOR N.D. INTERNATIONAL LAB LLP

Tathagata Talukder

HOD

Authorized Signatory



FOR N.D. INTERNATIONAL LAB LLP

K. R. De

CEO

Authorized Signatory

- The test report shall not be reproduced, except in full, without written approval of the company.
- Results relate only to the parameters tested.
- The remaining sample after test will be retained for 1 days from the date of issue of certificate.



N. D. INTERNATIONAL LAB LLP

GOVERNMENT REGISTERED
An ISO 9001:2015 Certified Company

TEST REPORT



TC - 15617

ULR No.:TC1561725000007545F

Format No.:NDI/FM/51

Certificate No : NDI/FDS/25-26/01277

Dated : 06/09/2025

UID No : NDI/FDS/25-26/01277

Page No.: 1 of 1

Sample Drawn By : N.D. International LAB LLP

Name of Customer : M/s. Century Ply Boards Ltd.
Address : Diamond Harbour Road, Kanchowki, Bishnupur, West Bengal-743503

Description of Sample : Dal
Collection Source : Ply Worker Canteen

Sampling Done by : A.Mondal, R.Mandal, R.Patra
Environmental Condition : Temperature :31°C, Humidity : 80%
Sample Drawn on : 29/08/2025
Analysis Started on : 29/08/2025
Analysis Completed on : 06/09/2025
Sample Quantity : 250 gm
Sample Received on : 29/08/2025
Sampling Plan : NDI/FM/52A

Method of Sampling : IS 5404 : 1984
Mode of Sampling : Grab
Sampling Plan : NDI/FM/52A

TEST RESULT

Sl.No.	Parameters	Test Method	Unit	Results	Norms as per FSSA 2006, Rules & Regulations 2011
Heavy Metals					
1	Copper as Cu	AOAC 999.11	mg/kg	<0.75(DL:0.75)	Not Specified
2	Iron as Fe	AOAC 999.11	mg/kg	<3.0(DL:3.0)	Not Specified
3	Zinc as Zn	AOAC 999.11	mg/kg	<0.75(DL:0.75)	Not Specified
Microbiological Test Parameters					
4	Detection of Escherichia coli/gm at 37°C	IS 5887 Part 1	-	Absent	Not Specified
5	Detection of Staphylococcus aureus/gm at 37°C	IS 5887 Part 8 Section 1	-	Absent	Not Specified
6	Standard Plate count count/gm at 30°C for 72 hrs.	IS 5402	cfu	7.2 x 10 ²	Not Specified
7	Yeast & Mould/gm at 25°C for 5 days	IS 5403	cfu	1.9 x 10 ²	Not Specified

Note : DL:Detection Limit

Remarks : Conformity cannot be assigned due to absence of any limit / specification.

End of Report

FOR N.D. INTERNATIONAL LAB LLP

Tathagata Talukder
HOD
Authorized Signatory



FOR N.D. INTERNATIONAL LAB LLP

K. P. De
CEO
Authorized Signatory

- The test report shall not be reproduced,except in full,without written approval of the company.
- Results relate only to the parameters tested.
- The remaining sample after test will be retained for 1 days from the date of issue of certificate.



N. D. INTERNATIONAL LAB LLP

GOVERNMENT REGISTERED
An ISO 9001:2015 Certified Company

TEST REPORT



TC - 15617

ULR No.:TC1561725000007546F

Format No.:NDI/FM/51

Certificate No : NDI/FDS/25-26/01278

Dated : 06/09/2025

UID No : NDI/FDS/25-26/01278

Page No.: 1 of 1

Sample Drawn By : N.D. International LAB LLP

Name of Customer : M/s. Century Ply Boards Ltd.
Address : Diamond Harbour Road, Kanchowki, Bishnupur, West Bengal-743503

Description of Sample : Mixed Veg
Collection Source : Ply Worker Canteen

Sampling Done by : A.Mondal, R.Mandal, R.Patra
Environmental Condition : Temperature :31°C, Humidity : 80%
Sample Drawn on : 29/08/2025
Analysis Started on : 29/08/2025
Analysis Completed on : 06/09/2025
Sample Quantity : 250 gm
Sample Received on : 29/08/2025
Sampling Plan : NDI/FM/52A

Method of Sampling : IS 5404 : 1984
Mode of Sampling : Grab
Sampling Plan : NDI/FM/52A

TEST RESULT

Sl.No.	Parameters	Test Method	Unit	Results	Norms as per FSSAI 2006, Rules & Regulations 2011
Heavy Metals					
1	Copper as Cu	AOAC 999.11	mg/kg	<0.75(DL:0.75)	Not Specified
2	Iron as Fe	AOAC 999.11	mg/kg	<3.0(DL:3.0)	Not Specified
3	Zinc as Zn	AOAC 999.11	mg/kg	<0.75(DL:0.75)	Not Specified
Microbiological Test Parameters					
4	Detection of Escherichia coli/gm at 37°C	IS 5887 Part 1	-	Absent	Not Specified
5	Detection of Staphylococcus aureus/gm at 37°C	IS 5887 Part 8 Section 1	-	Absent	Not Specified
6	Standard Plate count count/gm at 30°C for 72 hrs.	IS 5402	cfu	8.4 x 10 ²	Not Specified
7	Yeast & Mould/gm at 25°C for 5 days	IS 5403	cfu	1.1 x 10 ²	Not Specified

Note : DL:Detection Limit

Remarks : Conformity cannot be assigned due to absence of any limit / specification.

End of Report

FOR N.D. INTERNATIONAL LAB LLP

Tathagata Talukder

HOD

Authorized Signatory



FOR N.D. INTERNATIONAL LAB LLP

K. P. De

CEO

Authorized Signatory

- The test report shall not be reproduced, except in full, without written approval of the company.
- Results relate only to the parameters tested.
- The remaining sample after test will be retained for 1 days from the date of issue of certificate.