

Century Plyboards (India) Limited

Diamond Harbour Road, Kanchowki, Bishnupur
24 Parganas (S), West Bengal
Phone : (033)3041 5400, Fax : (033)2453 1902
E-mail : factory@centuryply.com
Website : www.centuryply.com
Cin No : L20101WB1982PLC034435
Pincode : 743503



3 April 2019

To
The Regional Director
Central Pollution Control Board
5th Floor, Southend Conclave
1582, Rajdanga Main Road
Kolkata, West Bengal- 700107

Sub: Environmental Compliance Status Report

Dear Sir,

This is in reference to the Environmental Clearance letter EC Letter No.: J-11011/362/2012-IA II (I) dated 18th April 2016, wherein it was mentioned to send the Environmental Compliance Status Report after every 6 months.

We are sending herewith the ECSR for the period 1st July 2018 to 31st December 2018.

Your cooperation and support in this regard will be highly appreciated.

Thanking You.

Yours Truly,

For Century Plyboards (I) Ltd.

P. Banerjee
Manager- H.R. & Legal

CC: The Deputy Director
Chief Conservator of Forests (C)
Ministry of Environment and Forests
Regional Office (EZ)
A/3, Chandrasekharpur,
Bhubaneswar- 751023

Encl: As stated above.

Century Plyboards (India) Limited

Diamond Harbour Road, Kanchowki, Bishnupur
24 Parganas (S), West Bengal
Phone : (033)3041 5400, Fax : (033)2453 1902
E-mail : factory@centuryply.com
Website : www.centuryply.com
Cin No : L20101WB1982PLC034435
Pincode : 743503



3 April 2019

To
The Deputy Director
Ministry of Environment and Forests
Regional Office (EZ)
A/3, Chandrasekharpur,
Bhubaneswar- 751023

Sub: Environmental Compliance Status Report

Dear Sir,

This is in reference to the Environmental Clearance letter EC Letter No.: J-11011/362/2012-IA II (I) dated 18th April 2016, wherein it was mentioned to send the Environmental Compliance Status Report after every 6 months.

We are sending herewith the ECSR for the period 1st July 2018 to 31st December 2018.

Your cooperation and support in this regard will be highly appreciated.

Thanking You.

Yours Truly,

For Century Plyboards (I) Ltd.

P. Banerjee
Manager- H.R. & Legal

CC: To
The Regional Director
Central Pollution Control Board
5th Floor, Southend Conclave
1582, Rajdanga Main Road
Kolkata, West Bengal- 700107

Encl: As stated above.

CENTURY PLYBOARDS (I) LTD.
ENVIRONMENTAL COMPLIANCE STATUS REPORT

Project : Expansion of Laminate & Resin Manufacturing Unit at Diamond Harbour Road, Village-Kanchowki, Tehsil-Bishnupur, District- 24 Parganas (South), West Bengal
--

EC Letter No.: J-11011/362/2012-IA II (I) Dated 18th April 2016

M/s Century Plyboards (I) Ltd. Diamond Harbour Road, Kanchowki, Bishnupur, 24 Parganas (South) West Bengal - 743503 Period: December 2018

M/s Century Plyboards (I) Ltd. Diamond Harbour Road, Village-Kanchowki, Tehsil-Bishnupur, District- 24 Parganas (South), West Bengal
--

Compliance Status of Expansion of Laminate & Resin Manufacturing Unit

EC Letter No.: J-11011/362/2012-IA II (I) Dated 18th April 2016

Period of Compliance: 1 st July 2018 to 31 st December 2018

• SPECIFIC CONDITIONS		
Sl.No.	EC Conditions	Compliance Status (as on 31 st December 2018)
i)	National Emissions Standards for Organic Chemicals Manufacturing Industry issued by Ministry vide G.S.R 608 (E) dated 21 st July 2010 and amended time to time shall be followed by the unit.	Complied as per standard
ii)	Bag filter along with stack of adequate height should be installed to coal/lignite fired steam boiler to control particulate emissions.	Stack height from ground level: 33.53 m Stack height from roof level: 24 m
iii)	In plant control measures for checking fugitive emissions from all the vulnerable sources shall be provided. Adequate dust suppression systems with water spray shall be provided for storage yard, junction houses. Raw materials loading and unloading area shall be covered and also provided with water spraying system. Fugitive emissions in the work zone environment, product, raw materials storage area etc. shall be regularly monitored and records maintained. Wet scrubber shall be provided to control process emissions. Regular monitoring of Volatile Organic Compounds (VOCs) should be carried out. The emissions shall conform to the limits stipulated by the WBSPCB.	Complied & Maintained The requisite tests for Fugitive Emission & VOC are carried out by approved and NABL accredited laboratory. The results are enclosed.
iv)	The gaseous emissions from DG set shall be dispersed through adequate stack height as per CPCB standards. Acoustic enclosure shall be provided to the DG sets to mitigate the noise pollution.	Complied as per CPCB standards Sound mufflers installed
v)	The company shall upload the status of compliance of the stipulated environmental clearance conditions, including results of monitored data on its website and shall update the same periodically. It shall simultaneously be sent to the Regional office of MOEF, the respective Zonal office of CPCB and the State Pollution Control Board. The levels of PM10, PM2.5, SO2, NOx, CO and VOCs in ambient air shall be monitored and displayed at a convenient location near the main gate of the company and at important public places.	We have uploaded it on the website. Sent to all the mentioned bodies. Displayed near the main entrance.
vi)	Total fresh water requirement from ground water source shall not exceed 70m3/day and prior permission shall be obtained from the CGWA/SGWA.	Maintained as per the directives.
vii)	As proposed, no process industrial effluent will be generated as processed condensate shall be recycled in the process Industrial effluent generation (10	Controlled & Complied Sewage Treatment Plant (STP) is installed to treat the

	m3/day) from cooling tower blow down will be treated and recycled/reused within plant premises. Sewage will be treated in the sewage treatment plant (STP). Water quality of treated effluent shall meet the norms prescribed by CPCB/SPCB.	sewage as per the standard.
viii)	No effluent from the plant shall be discharged outside the factory premises and 'Zero' effluent discharge concept shall be followed.	Followed & Complied
ix)	Automatic /online monitoring system (24 x 7 monitoring devices) for flow measurement and relevant pollutants in the treatment system to be installed. The data to be made available to the respective SPCB and in the Company's website. To prevent bypassing of effluent during non-operation of ETP, software controlled interlocking facility should be provided on the basis of real time data from the plant control system.	Automatic and online monitoring system for stack emission is under process.
x)	Process effluent/any waste water shall not be allowed to mix with storm water. Storm water drain shall be passed through guard pond.	Complied as there is no generation of process effluent.
xi)	The company shall obtain Authorization for collection, storage and disposal of hazardous waste under the Hazardous Waste (Management, Handling and Trans-Boundary Movement) Rules, 2008 and amended as on date for management of Hazardous wastes and prior permission from SPCB shall be obtained for disposal of solid / hazardous waste in the TSDF. Measures shall be taken for fire fighting facilities in case of emergency. Disposal of wastes will be as per HW Rules.	Manifest copy F10 is enclosed. The hazardous waste sent to West Bengal Waste Management Limited for disposal.
xii)	The Company shall strictly comply with the rules and guidelines under Manufacture, Storage and Import of Hazardous Chemicals (MSIHC) Rules, 1989 as amended time to time. All Transportation of Hazardous Chemicals shall be as per the Motor Vehicle Act (MVA), 1989.	Complied
xiii)	All the commitments made to the public during the Public Hearing/Public Consultation meeting held on 20th November, 2014 shall be satisfactorily implemented and a separate budget for implementing the same shall be allocated and information submitted to the Ministry's Regional Office at Bhubaneswar.	The commitments made to the ESC has been implemented along with the separate budget
xiv)	At least 2.5 % of the total cost of the project should be earmarked towards the Enterprise social Commitment and item-wise details along with time bound action plan should be prepared and submitted to the Ministry's Regional Office at Bhopal. Implementation of such program should be ensured accordingly in a time bound manner.	Complied. Blood Donation Camp (Village-Purba Bhasa) Rs. 15,337/- Construction of tube well –Rs. 48,436/- Construction of Guard

		wall/Canal around local village-Rs. 13,16,228/-
xv)	The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Fire fighting system shall be as per norms	The company maintains fire fighting preparedness procedures.
xvi)	Occupational health surveillance of the workers should be done on a regular basis and records maintained as per the Factories Act.	Complied
xvii)	Green belt over 16755.3 m ² area shall be developed within plant premises with at least 10 meter wide green belt on all sides along the periphery of the project area, in downward direction, and along road sides etc. Selection of plant species shall be as per the CPCB guidelines in consultation with the DFO.	Under implementation stage, green belt over 16122.68 m ² already developed. Remaining shall be done soon to meet the required norms.
xviii)	Provision shall be made for the housing for the construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile sewage treatment plant, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structure to be removed after the completion of the project. All the construction wastes shall be managed so that there is no impact on the surrounding environment.	Complied as per the norms.
• GENERAL CONDITIONS		
i)	The project authorities shall strictly adhere to the stipulations made by the State Pollution Control Board.	Complied
ii)	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment and Forests. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any	Necessary compliances will be made.
iii)	Ambient air quality data should be collected as per NAAQES standards notified by the Ministry on 16th November, 2009	Complied
iv)	The locations of ambient air quality monitoring stations shall be decided in consultation with the State Pollution Control Board (SPCB) and it shall be ensured that at least one stations is installed in the upwind and downwind direction as well as where maximum ground level concentrations are anticipated.	Complied
v)	The overall noise levels in and around the plant area	

	shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).	Complied
vi)	The Company shall harvest rainwater from the roof tops of the buildings and storm water drains to recharge the ground water and use the same water for the process activities of the project to conserve fresh water.	We maintain ponds inside the factory premises with storm water drainage system.
vii)	Training shall be imparted to all employees on safety and health aspects of chemicals handling. Pre-employment and routine periodical medical examinations for all employees shall be undertaken on regular basis. Training to all employees on handling of chemicals shall be imparted.	Training imparted to all level employees & Complied
viii)	Usage of Personnel Protection Equipments (PPEs) by all employees/ workers shall be ensured.	Complied
ix)	The company shall also comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, risk mitigation measures and public hearing relating to the project shall be implemented	Complied
x)	The company shall undertake all relevant measures for improving the socio-economic conditions of the surrounding area. CSR activities shall be undertaken by involving local villages and administration.	In consultation with the local village & administration, i.e B.D.O, Gram Panchayat, we are conducting Carpentry Training, Computer Training and Knitting course to make the local unemployed youth skilled & adept for self-employment.
xi)	The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.	Undertaken eco-friendly beautification of BAPS Swaminarayan Temple situated in the vicinity. Undertaking plantation work in the nearby villages, installed tubewells. Provided an ambulance.
xii)	A separate Environmental Management Cell equipped with full-fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions.	Environmental Management Cell exists but the Environmental Management & Monitoring functions have been outsourced to a 3 rd Party vendor, which has full-

		fledged laboratory facilities.
xiii)	The company shall earmark sufficient funds toward capital cost and recurring cost/annum to implement the conditions stipulated by the Ministry of Environment and Forests as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management/pollution control measures shall not be diverted for any other purpose.	As the below investment was already made in the first half of the year no further upgradation was required. Dust Extraction System - Rs. 9,10,000/- Bag Filter for 30kcal HWG- Rs. 39,60,000/- Bag Filter for 50kcal TFH- Rs. 50,36,000/-
xiv)	A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zila Parisad/Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal.	Sent
xv)	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the State Pollution Control Board. A copy of Environmental Clearance and six monthly compliance status reports shall be posted on the website of the company.	1 st July – 31 st December 2018
xvi)	The environmental statement for each financial year ending 31 st March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.	Sent
xvii)	The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry at http://envfor.nic.in . This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of	Complied

	the Ministry.	
xviii)	The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.	We have already received the Consent to Establish (NoC) bearing the Memo No.: 449-2N-33/2014(E), dated 18/07/2016 & Consent to Operate(NoC) bearing the Memo No.: 122-30/WPB - B(113)98, dated 06/12/2016 from WBPCB

Envirotech East Pvt. Limited

An ISO 9001:2008, 14001:2004 & OHSAS 18001:2007 Company

• Laboratory Recognised by West Bengal Pollution Control Board

Bengal Ambuja Commercial Complex,

UN-F 13, 1050/1, Survey Park, Kolkata – 700 075

☎ – 2418 8127/8128/8601; Fax – 2418 8128; email: eeplkol@gmail.com

No. 2018/PAJO/KLK/MON/54/118

11.12.2018

AMBIENT AIR QUALITY MONITORING REPORT

Name of Industry	M/s. Century Plyboards (India) Limited
Address	Diamond Harbour Road, Kanchowki, Bishnupur, 24 Pgs (S), W.B
Average Temperature (°C)	27
Weather Condition	Clear
Rainfall (mm)	Nil
Avg. Relative Humidity (%)	83
Barometric Pressure (mmHg)	759


AMBIENT AIR QUALITY MONITORING RESULT

Sl. No.	Location Name	Date of Monitoring	Pollutants Concentration			
			PM ₁₀ (µg/m ³)	PM _{2.5} (µg/m ³)	SO ₂ (µg/m ³)	NO ₂ (µg/m ³)
1	Northern Side of the Factory	26.11.2018	75	41	7	33
2	Behind of Worker Canteen (Western side of Factory)	26.11.2018	73	38	4	31
3	Near Main Gate (Eastern side of Factory)	26.11.2018	83	46	5	37
4	Near Decorative Veener (Southern side of the Factory)	26.11.2018	69	34	8	29

Note : All above Meteorological conditions prevails at the time of monitoring

For ENVIROTECH EAST (P) LTD.




(Authorized Signatory)

Envirotech East Pvt. Limited

An ISO 9001:2008, 14001:2004 & OHSAS:18001:2007 Company
Laboratory Recognised by West Bengal Pollution Control board

Bengal Ambuja Commercial Complex,
UN-F 13, 1050/1, Survey Park, Kolkata – 700 075
☎ – 2418 8127/8128/8601; Fax – 2418 8128; email: eeplkol@gmail.com

No. 2018/PAJO/KLK/MON/8/81

08.08.2018

ANALYSIS REPORT OF FLUE GAS

Name of Industry	M/s. Century Plyboards (India) Limited
Address	Diamond Harbour Road, Kanchowki, Bishnupur, 24 Pgs (S), W.B
Date of Sampling	30.07.2018
Time of Sampling	11:40 hrs.

A.	General Information about stack	
1	Stack connected to	Diesel Generator No.1 (125 KVA)
2	Emission due to	Burning of H.S.D
3	Material of Construction of Stack	M.S
4	Shape of Stack	Circular
5	Whether Stack is provided with Permanent Platform & Ladders	Temporary
B.	Physical Characteristics of Stack	
1	Height of the stack	
	(a) from Ground Level (m)	8.0
	(b) from Roof Level (m)	-
2	Diameter of the stack	
	(a) at bottom (m)	0.10
	(b) at top (m)	0.10
3	Diameter of the stack at sampling point (m)	0.10
4	Height of the sampling point from GL (m)	4.5
C.	Analysis/Characteristics of Stack	
1	Fuel used	H.S.D
2	Fuel consumption	17 L/hr
3	Calorific value (K-Cal/Kg)	-
4	Sulphur Content (% by wt)	-
5	Ash Content (% by wt)	-
D.	Results of sampling & Analysis of gaseous emission	
1	Temperature of emission (°C)	139
2	Barometric Pressure (mmHg)	750
3	Velocity of gas in duct (M/sec)	12.61
4	Quantity of gas flow (Nm ³ /hr)	256
5	Concentration of SO ₂ (mg/Nm ³)	48
6	Concentration of NO _x (mg/Nm ³)	15
7	Concentration of CO (% V/V)	-
8	Concentration of CO ₂ (% V/V)	6.4
9	Concentration of PM (mg/Nm ³)	55
E.	Pollution Control Device	
	Details of pollution control device attached with the stack	None

Note : - Contents of this report are meant for your guidance and should not be used for Advertisement, Evidence or Litigation
- The Physical information about stack details (viz. height, diameter etc.) were provided by respective Industry/Party

For ENVIROTECH EAST (P) LTD.



[Signature]
8/8/18
(Authorized Signatory)

Envirotech East Pvt. Limited

An ISO 9001:2008, 14001:2004 & OHSAS:18001:2007 Company

Laboratory Recognised by West Bengal Pollution Control board

Bengal Ambuja Commercial Complex,

UN-F 13, 1050/1, Survey Park, Kolkata – 700 075

☎ – 2418 8127/8128/8601; Fax – 2418 8128; email: eeplkol@gmail.com

No. 2018/PAJO/KLK/MON/54/116

11.12.2018

ANALYSIS REPORT OF FLUE GAS

Name of Industry	M/s. Century Plyboards (India) Limited
Address	Diamond Harbour Road, Kanchowki, Bishnupur, 24 Pgs (S), W.B
Date of Sampling	26.11.2018
Time of Sampling	15:10 hrs.

A.	General Information about stack	
1	Stack connected to	Thermic Fluid Heater 2 Nos. (No. 2 & No. 3)
2	Emission due to	Burning of Waste Veneers
3	Material of Construction of Stack	M.S
4	Shape of Stack	Circular
5	Whether Stack is provided with Permanent Platform & Ladders	Temporary
B.	Physical Characteristics of Stack	
1	Height of the stack	
	(a) from Ground Level (m)	33.53
	(b) from Roof Level (m)	-
2	Diameter of the stack	
	(a) at bottom (m)	0.762
	(b) at top (m)	0.762
3	Diameter of the stack at sampling point (m)	0.762
4	Height of the sampling point from GL (m)	12.6
C.	Analysis/Characteristics of Stack	
1	Fuel used	Waste Veneers
2	Fuel consumption	700 kg/hr
3	Calorific value (K-Cal/Kg)	-
4	Sulphur Content (% by wt)	-
5	Ash Content (% by wt)	-
D	Results of sampling & Analysis of gaseous emission	
1	Temperature of emission (°C)	175
2	Barometric Pressure (mmHg)	759
3	Velocity of gas in duct (M/sec)	7.93
4	Quantity of gas flow (Nm ³ /hr)	8536
5	Concentration of SO ₂ (mg/Nm ³)	55
6	Concentration of NO _x (mg/Nm ³)	22
7	Concentration of CO (% V/V)	-
8	Concentration of CO ₂ (% V/V)	4.6
9	Concentration of PM (mg/Nm ³)	49
E	Pollution Control Device	
	Details of pollution control device attached with the stack	Bag Filter (Pulsjet)

Note : - Contents of this report are meant for your guidance and should not be used for Advertisement, Evidence or Litigation
 - The Physical information about stack details (viz. height, diameter etc.) were provided by respective Industry/Party

For ENVIROTECH EAST (P) LTD.



[Signature]
 11/12/18
 (Authorized Signatory)

Envirotech East Pvt. Limited

An ISO 9001:2008, 14001:2004 & OHSAS:18001:2007 Company
Laboratory Recognised by West Bengal Pollution Control board

Bengal Ambuja Commercial Complex,

UN-F 13, 1050/1, Survey Park, Kolkata – 700 075

☎ – 2418 8127/8128/8601; Fax – 2418 8128; email: eeplkol@gmail.com

No. 2018/PAJO/KLK/MON/54/117

11.12.2018

ANALYSIS REPORT OF FLUE GAS

Name of Industry	M/s. Century Plyboards (India) Limited
Address	Diamond Harbour Road, Kanchowki, Bishnupur, 24 Pgs (S), W.B
Date of Sampling	26.11.2018
Time of Sampling	11:30 hrs.

A.	General Information about stack	
1	Stack connected to	Hot Water Generator (3)
2	Emission due to	Burning of Coal
3	Material of Construction of Stack	M.S
4	Shape of Stack	Circular
5	Whether Stack is provided with Permanent Platform & Ladders	Temporary
B.	Physical Characteristics of Stack	
1	Height of the stack	
	(a) from Ground Level (m)	33.53
	(b) from Roof Level (m)	-
2	Diameter of the stack	
	(a) at bottom (m)	-
	(b) at top (m)	-
3	Diameter of the stack at sampling point (m)	0.9
4	Height of the sampling point from GL (m)	26
C.	Analysis/Characteristics of Stack	
1	Fuel used	Coal
2	Fuel consumption	500 kg/hr
3	Calorific value (K-Cal/Kg)	-
4	Sulphur Content (% by wt)	-
5	Ash Content (% by wt)	-
D	Results of sampling & Analysis of gaseous emission	
1	Temperature of emission (°C)	103
2	Barometric Pressure (mmHg)	759
3	Velocity of gas in duct (M/sec)	6.56
4	Quantity of gas flow (Nm ³ /hr)	11730
5	Concentration of SO ₂ (mg/Nm ³)	57
6	Concentration of NO _x (mg/Nm ³)	29
7	Concentration of CO (% V/V)	<0.2
8	Concentration of CO ₂ (% V/V)	9.4
9	Concentration of PM (mg/Nm ³)	67
E	Pollution Control Device	
	Details of pollution control device attached with the stack	Bag Filter (Pulsjet)

Note : - Contents of this report are meant for your guidance and should not be used for Advertisement, Evidence or Litigation
- The Physical information about stack details (viz. height, diameter etc.) were provided by respective Industry/Party

For ENVIROTECH EAST (P) LTD.

(Authorized Signatory)



Envirotech East Pvt. Limited

An ISO 9001:2008, 14001:2004 & OHSAS 18001:2007 Company

• Laboratory Recognised by West Bengal Pollution Control Board

Bengal Ambuja Commercial Complex,

UN-F 13, 1050/1, Survey Park, Kolkata – 700 075

☎ – 2418 8127/8128/8601; Fax – 2418 8128; email: eeplkol@gmail.com

No. 2018/PAJO/KLK/MON/54/118

11.12.2018

MONITORING REPORT

Name of the client	M/s. Century Plyboards (India) Limited
Address	Diamond Harbour Road, Kanchowki, Bishnupur, 24 Pgs (S), W.B
Sampling Type	TVOC and Formaldehyde
Sampling Location and Date of Sampling	1) Inside A. C Plant – 26.11.2018 2) Near UPS (1 st Floor) - 26.11.2018 3) Hot Press No.-3 (Plywood Section) - 26.11.2018 4) In between 7 & 8 Dryer (Laminate Section) - 26.11.2018 5) Resin Plant (1 st Floor) Plywood Section – 26.11.2018 6) Resin Plant (First Floor), Laminate Section – 26.11.2018

FUGITIVE EMISSION MONITORING RESULT

Sl. No.	Parameter	Unit	Concentration					
			1	2	3	4	5	6
1	TVOC	ppb	39	33	36	31	41	38
2	Formaldehyde	ppb	BDL	BDL	BDL	BDL	BDL	BDL

BDL – Below Detectable Limit

Contents of this report are meant for your guidance and should not be used for Advertisement, Evidence or Litigation.

For ENVIROTECH EAST (P) LTD.



(Signature)
11/12/18
(Authorized Signatory)

Envirotech East Pvt. Limited

an ISO 9001:2008, 14001:2004 & OHSAS:18001:2007 Company
Laboratory Recognised by West Bengal Pollution Control board
Ambuja Commercial Complex,
N-F 13, 1050/1, Survey Park, Kolkata – 700 075
Tel – 2418 8127/8128/8601; Fax – 2418 8128; email: eeplkol@gmail.com

06.2018/PAJO/KLK/MON/7/76

06.07.2018

NOISE LEVEL MONITORING

Name of Industry	M/s. Century Plyboards (India) Limited
Address	Diamond Harbour Road, Kanchowki, Bishnupur, 24 Pgs (S), W.B
Date of Sampling	22.06.2018

Sl. No.	Location Name	Noise Level Range dB (A)
		Day Time
1	Plywood Section near main gate	62-67
2	Plywood Section near peeling machine	81-88
3	Plywood Section D.D Saw	76-89
4	Plywood Section new hot press section	70-83
5	Laminate section Near compressor room	80-87
6	Laminate section power house	76-84
7	Near end of factory (North west) labour hutment	62-64
8	South west of the factory near cooling tower	62-69
9	New laminate section between two drier	70-84
10	New laminate section new compressor room	72-78
11	Plywood Section saw mill	73-89
12	Plywood section near sending machine no.2	80-89

For ENVIROTECH EAST (P) LTD.






6/7/18

(Authorized Signatory)

FORM 10
[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

1.	Sender's name and mailing address (including Phone No. and e-mail)	Century Ply boards Co Ltd D-H Road Konehowki Bishnupur, 24 Pgs (S) 128/25 (HW) / -1522/2003 Dtd.		
2.	Sender's authorisation No.			
3.	Manifest Document No.			
4.	Transporter's name and address : (including Phone No. and e-mail)	Inspec oils Limited A/122 Phase III. Block-A Kalyani		
5.	Type of vehicle	(Truck / Tanker / Special Vehicle)		
6.	Transporter's registration No.	203/25 (HW) - 2545/2009 Dt. 30		
7.	Vehicle registration No.	WB 9A 8388		
8.	Receiver's name and mailing address (including Phone No. and e-mail)	Inspec oils Limited A/122, Phase III. Block-A Kalyani.		
9.	Receiver's authorisation No.	203/25 (HW) - 2545/2009 Dt.		
10.	Waste description	- Used oil -		
11.	Total quantity No. of Containers	_____ m ³ or MT / 175 _____ Nos.		
12.	Physical form	(Solid / Semi-Solid / Sludge / Oily / Tarry / Slurry / Liquid)		
13.	Special handling instructions and additional information	Handle with care		
14.	Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.		
Name and stamp : Hann Chakraborty		Signature : 	Month 02	Day 22
15. Transporter acknowledgement of receipt of Wastes		Year 2018		
Name and stamp : Mamun Dasgupta		Signature : 	Month 02	Day 22
16. Receiver's certification for receipt of hazardous and other waste		Year 2018		
Name and stamp :		Signature :	Month	Day

Handwritten signature and date 22/2

FORM 10
[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

1.	Sender's name and mailing address (including Phone No. and e-mail)	Century Plyboards (I) Ltd Diamond Harbour Road Joka, 24 Parganas (S)		
2.	Sender's authorisation No.			
3.	Manifest Document No.			
4.	Transporter's name and address : (including Phone No. and e-mail)	Kospee Oils Limited A/122, Phase-III, Block-A Kalyani, Nadia		
5.	Type of vehicle	(Truck / Tanker / Special Vehicle)		
6.	Transporter's registration No.	203/25 (HN) - 2545/2007		
7.	Vehicle registration No.	WB196 C120		
8.	Receiver's name and mailing address (including Phone No. and e-mail)	Kospee Oils Limited A/122, Phase-III, Block-A Kalyani, Nadia		
9.	Receiver's authorisation No.	203/25 (HN) - 2545/2007		
10.	Waste description	Used oil		
11.	Total quantity No. of Containers	2511 m ³ or MT / Nos. 12 Nos.		
12.	Physical form	(Solid / Semi-Solid / Sludge / Oily / Tarry / Slurfy / Liquid)		
13.	Special handling instructions and additional information	Handle with care		
14.	Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.		
Name and stamp : ATANU CHAKRABORTY		Signature : <i>Atanu Chakraborty</i>	Month 11	Day 03
				Year 2018
15.	Transporter acknowledgement of receipt of Wastes			
Name and stamp : <i>Mammy Dasgupta</i>		Signature : <i>Mammy Dasgupta</i>	Month 11	Day 03
				Year 2018
16.	Receiver's certification for receipt of hazardous and other waste			
Name and stamp :		Signature :	Month	Day
				Year

Received Original
[Signature]