

**CENTURY PLYBOARDS (I) LTD.**

**ENVIRONMENTAL**

**COMPLIANCE STATUS**

**REPORT**

Project : Expansion of Laminate & Resin  
Manufacturing Unit at Diamond Harbour  
Road, Village-Kanchowki, Tehsil-Bishnupur,  
District- 24 Parganas (South), West Bengal

EC Letter No.: J-11011/362/2012-IA II (I) Dated 18th April 2016

M/s Century Plyboards (I) Ltd.  
Diamond Harbour Road,  
Kanchowki, Bishnupur,  
24 Parganas (South)  
West Bengal - 743503  
**Period: June 2021**

M/s Century Plyboards (I) Ltd.  
Diamond Harbour Road, Village-Kanchowki, Tehsil-Bishnupur, District- 24  
Parganas (South), West Bengal

Compliance Status of Expansion of Laminate & Resin Manufacturing Unit

EC Letter No.: J-11011/362/2012-IA II (I) Dated 18th April 2016

Period of Compliance: 1<sup>st</sup> January 2021 to 30<sup>th</sup> June 2021

• SPECIFIC CONDITIONS		
Sl.No.	EC Conditions	Compliance Status (as on 30th June 2021)
i)	National Emissions Standards for Organic Chemicals Manufacturing Industry issued by Ministry vide G.S.R 608 (E) dated 21 <sup>st</sup> July 2010 and amended time to time shall be followed by the unit.	Complied as per standard
ii)	Bag filter along with stack of adequate height should be installed to coal/lignite fired steam boiler to control particulate emissions.	Stack height from ground level: 33.53 m Stack height from roof level: 24 m
iii)	In plant control measures for checking fugitive emissions from all the vulnerable sources shall be provided. Adequate dust suppression systems with water spray shall be provided for storage yard, junction houses. Raw materials loading and unloading area shall be covered and also provided with water spraying system. Fugitive emissions in the work zone environment, product, raw materials storage area etc. shall be regularly monitored and records maintained. Wet scrubber shall be provided to control process emissions. Regular monitoring of Volatile Organic Compounds (VOCs) should be carried out. The emissions shall conform to the limits stipulated by the WBSPCB.	Complied & Maintained  The requisite tests for Fugitive Emission & VOC is carried out by approved and NABL accredited laboratory. The results are enclosed.
iv)	The gaseous emissions from DG set shall be dispersed through adequate stack height as per CPCB standards. Acoustic enclosure shall be provided to the DG sets to mitigate the noise pollution.	Complied as per CPCB standards Sound mufflers installed
v)	The company shall upload the status of compliance of the stipulated environmental clearance conditions, including results of monitored data on its website and shall update the same periodically. It shall simultaneously be sent to the Regional office of MOEF, the respective Zonal office of CPCB and the State Pollution Control Board. The levels of PM10, PM2.5, SO2, NOx, CO and VOCs in ambient air shall be monitored and displayed at a convenient location near the main gate of the company and at important public places.	We have uploaded it on the website.  Sent to all the mentioned bodies.  Displayed near the main entrance.
vi)	Total fresh water requirement from ground water source shall not exceed 70m3/day and prior permission shall be obtained from the CGWA/SGWA.	Maintained as per the directives.
vii)	As proposed, no process industrial effluent will be generated as processed condensate shall be recycled in the process Industrial effluent generation (10 m3/day) from cooling tower blow down will be treated and recycled/reused within plant premises.	Controlled & Complied Sewage Treatment Plant(STP) is installed to treat the sewage as per the standard.



	Sewage will be treated in the sewage treatment plant (STP). Water quality of treated effluent shall meet the norms prescribed by CPCB/SPCB.	
viii)	No effluent from the plant shall be discharged outside the factory premises and 'Zero' effluent discharge concept shall be followed.	Followed & Complied
ix)	Automatic /online monitoring system (24 x 7 monitoring devices) for flow measurement and relevant pollutants in the treatment system to be installed. The data to be made available to the respective SPCB and in the Company's website. To prevent bypassing of effluent during non-operation of ETP, software controlled interlocking facility should be provided on the basis of real time data from the plant control system.	Automatic and online monitoring system for stack emission is under process.
x)	Process effluent/any waste water shall not be allowed to mix with storm water. Storm water drain shall be passed through guard pond.	Complied as there is no generation of process effluent.
xi)	The company shall obtain Authorization for collection, storage and disposal of hazardous waste under the Hazardous Waste (Management, Handling and Trans-Boundary Movement) Rules, 2008 and amended as on date for management of Hazardous wastes and prior permission from SPCB shall be obtained for disposal of solid / hazardous waste in the TSDF. Measures shall be taken for fire fighting facilities in case of emergency. Disposal of wastes will be as per HW Rules.	Complied
xii)	The Company shall strictly comply with the rules and guidelines under Manufacture, Storage and Import of Hazardous Chemicals (MSIHC) Rules, 1989 as amended time to time. All Transportation of Hazardous Chemicals shall be as per the Motor Vehicle Act (MVA), 1989.	Complied
xiii)	All the commitments made to the public during the Public Hearing/Public Consultation meeting held on 20th November, 2014 shall be satisfactorily implemented and a separate budget for implementing the same shall be allocated and information submitted to the Ministry's Regional Office at Bhubaneswar.	The commitments made to the ESC has been implemented along with the separate budget
xiv)	At least 2.5 % of the total cost of the project should be earmarked towards the Enterprise social Commitment and item-wise details along with time bound action plan should be prepared and submitted to the Ministry's Regional Office at Bhopal. Implementation of such program should be ensured accordingly in a time bound manner.	Complied. Tree Plantations – Rs. 96688.88/- Construction Work at Century Tulipdale School – Rs. 109897/- <b>Total – Rs.206585.88/-</b>
xv)	The unit shall make the arrangement for protection of	

14

	possible fire hazards during manufacturing process in material handling. Fire fighting system shall be as per norms	The company maintains fire fighting preparedness procedures.
xvi)	Occupational health surveillance of the workers should be done on a regular basis and records maintained as per the Factories Act.	Complied
xvii)	Green belt over 16755.3 m <sup>2</sup> area shall be developed within plant premises with at least 10 meter wide green belt on all sides along the periphery of the project area, in downward direction, and along road sides etc. Selection of plant species shall be as per the CPCB guidelines in consultation with the DFO.	Under implementation stage, green belt over 17203 m <sup>2</sup> already developed.
xviii)	Provision shall be made for the housing for the construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile sewage treatment plant, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structure to be removed after the completion of the project. All the construction wastes shall be managed so that there is no impact on the surrounding environment.	Complied as per the norms.
<b>• GENERAL CONDITIONS</b>		
i)	The project authorities shall strictly adhere to the stipulations made by the State Pollution Control Board.	Complied
ii)	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment and Forests. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any	Necessary compliances will be made.
iii)	Ambient air quality data should be collected as per NAAQES standards notified by the Ministry on 16th November, 2009	Complied
iv)	The locations of ambient air quality monitoring stations shall be decided in consultation with the State Pollution Control Board (SPCB) and it shall be ensured that at least one stations is installed in the upwind and downwind direction as well as where maximum ground level concentrations are anticipated.	Complied
v)	The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day	Complied



	time) and 70 dBA (night time).	
vi)	The Company shall harvest rainwater from the roof tops of the buildings and storm water drains to recharge the ground water and use the same water for the process activities of the project to conserve fresh water.	We maintain ponds inside the factory premises with storm water drainage system.
vii)	Training shall be imparted to all employees on safety and health aspects of chemicals handling. Pre-employment and routine periodical medical examinations for all employees shall be undertaken on regular basis. Training to all employees on handling of chemicals shall be imparted.	Training imparted to all level employees & Complied
viii)	Usage of Personnel Protection Equipments (PPEs) by all employees/ workers shall be ensured.	Complied
ix)	The company shall also comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, risk mitigation measures and public hearing relating to the project shall be implemented	Complied
x)	The company shall undertake all relevant measures for improving the socio-economic conditions of the surrounding area. CSR activities shall be undertaken by involving local villages and administration.	In consultation with the local village & administration, i.e B.D.O, Gram Panchayat, we are conducting Carpentry Training, Computer Training and Knitting course to make the local unemployed youth skilled & adept for self-employment.
xi)	The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.	Undertaken eco-friendly beautification of BAPS Swaminarayan Temple situated in the vicinity. Undertaking plantation work in the nearby villages, installed tubewells. Provided an ambulance.
xii)	A separate Environmental Management Cell equipped with full-fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions.	Environmental Management Cell exists but the Environmental Management & Monitoring functions have been outsourced to a 3 <sup>rd</sup> Party vendor, which has full-fledged laboratory facilities.
xiii)	The company shall earmark sufficient funds toward capital cost and recurring cost/annum to implement the conditions stipulated by the Ministry of Environment and Forests as well as the State Government along with the implementation schedule	Dust Extraction System for WBS - Rs. 20805.55/-.  Dust Collector Bag- Rs. 50114.77/-

	for all the conditions stipulated herein. The funds so earmarked for environment management/ pollution control measures shall not be diverted for any other purpose.	Bag Filter- Rs. 945445/-
xiv)	A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zila Parisad/Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal.	Sent
xv)	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the State Pollution Control Board. A copy of Environmental Clearance and six monthly compliance status reports shall be posted on the website of the company.	1st January 2021 to 30th June 2021
xvi)	The environmental statement for each financial year ending 31 <sup>st</sup> March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.	Sent
xvii)	The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry at <a href="http://envfor.nic.in">http://envfor.nic.in</a> . This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.	Complied
xviii)	The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.	We have already received the Consent to Establish (NoC) bearing the Memo No.: 171/30/WPB_B(113)/98 dated 28/06/2019



## Envirotech East Pvt. Limited

An ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018 Certified Company

- Laboratory Recognised by MoEF&CC, Govt. of India
- Laboratory Recognised by WBPCB
- Accredited EIA Consultant by QCI-NABET



100, Kalikapur, Madurdaha, Kolkata – 700 107, West Bengal, India

☎ – +91 33 2443 8127/8128 ; Fax – +91 33 2443 8128; email: [eeplkol@gmail.com](mailto:eeplkol@gmail.com)

CIN NO : U74210WB1989PTC047403

No. 2021-22/PAC/MON/172

20.04.2021

### AMBIENT AIR QUALITY MONITORING REPORT


Name of Industry	M/s. Century Plyboards (India) Limited
Address	Diamond Harbour Road, Kanchowki, Bishnupur, 24 Pgs (S), W.B
Average Temperature (°C)	19
Weather Condition	Clear
Rainfall (mm)	Nil
Avg. Relative Humidity (%)	68
Barometric Pressure (mmHg)	755

### AMBIENT AIR QUALITY MONITORING RESULT

SL. No.	Location	Date of Monitoring	Reference Method	Parameter	Unit	Result	Standard
1	Near Main Gate	02.02.2021	IS 5182 (Part 23) : 2006	PM <sub>10</sub>	µg/m <sup>3</sup>	89	100
			IS 5182 (Part 24) : 2019	PM <sub>2.5</sub>	µg/m <sup>3</sup>	45	60
			IS 5182 (Part 2) : 2001	SO <sub>2</sub>	µg/m <sup>3</sup>	11	80
			IS 5182 (Part 6) : 2006	NO <sub>2</sub>	µg/m <sup>3</sup>	42	80
			IS 5182 (Part 22) : 2004	Lead	µg/m <sup>3</sup>	0.05	1.0
			IS 5182 (Part 10) : 1999	CO	mg/m <sup>3</sup>	0.8	2
			IS 5182 (Part 25) : 2018	NH <sub>3</sub>	µg/m <sup>3</sup>	28	400
			IS 5182 (Part 9) : 1974	Ozone (O <sub>3</sub> )	µg/m <sup>3</sup>	32	100 (8 hr.)
			Guidelines of CPCB - Vol.I	Arsenic	ng/m <sup>3</sup>	<0.5	6 (Annual*)
			IS 5182 (Part 26) : 2020	Nickel	ng/m <sup>3</sup>	<2	20 (Annual*)
			IS 5182 (Part 11) : 2006	Benzene	µg/m <sup>3</sup>	0.3	5 (Annual*)
			IS 5182 (Part 12) : 2004	Benzo (a) Pyrene	ng/m <sup>3</sup>	<0.3	1 (Annual*)

Note : All above Meteorological conditions prevails at the time of monitoring

For ENVIROTECH EAST (P) LTD.



*[Signature]*  
(Authorized Signatory)

## Envirotech East Pvt. Limited

An ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018 Certified Company

- Laboratory Recognised by MoEF&CC, Govt. of India
- Laboratory Recognised by WBPCB
- Accredited EIA Consultant by QCI-NABET



100, Kalikapur, Madurdaha, Kolkata – 700 107, West Bengal, India

☎ – +91 33 2443 8127/8128 ; Fax – +91 33 2443 8128; email: [eeplkol@gmail.com](mailto:eeplkol@gmail.com)

CIN NO : U74210WB1989PTC047403

No. 2021-22/PAC/MON/174

20.04.2021

### AMBIENT AIR QUALITY MONITORING REPORT


Name of Industry	M/s. Century Plyboards (India) Limited
Address	Diamond Harbour Road, Kanchowki, Bishnupur, 24 Pgs (S), W.B
Average Temperature (°C)	20
Weather Condition	Clear
Rainfall (mm)	Nil
Avg. Relative Humidity (%)	66
Barometric Pressure (mmHg)	756

### AMBIENT AIR QUALITY MONITORING RESULT

SL. No.	Location	Date of Monitoring	Reference Method	Parameter	Unit	Result	Standard
1	Northern Side of Factory (Near Security hermit)	04.02.2021	IS 5182 (Part 23) : 2006	PM <sub>10</sub>	µg/m <sup>3</sup>	84	100
			IS 5182 (Part 24) : 2019	PM <sub>2.5</sub>	µg/m <sup>3</sup>	41	60
			IS 5182 (Part 2) : 2001	SO <sub>2</sub>	µg/m <sup>3</sup>	10	80
			IS 5182 (Part 6) : 2006	NO <sub>2</sub>	µg/m <sup>3</sup>	40	80
			IS 5182 (Part 22) : 2004	Lead	µg/m <sup>3</sup>	0.06	1.0
			IS 5182 (Part 10) : 1999	CO	mg/m <sup>3</sup>	0.6	2
			IS 5182 (Part 25) : 2018	NH <sub>3</sub>	µg/m <sup>3</sup>	34	400
			IS 5182 (Part 9) : 1974	Ozone (O <sub>3</sub> )	µg/m <sup>3</sup>	27	100 (8 hr.)
			Guidelines of CPCB - Vol.I	Arsenic	ng/m <sup>3</sup>	<0.5	6 (Annual*)
			IS 5182 (Part 26) : 2020	Nickel	ng/m <sup>3</sup>	<2	20 (Annual*)
			IS 5182 (Part 11) : 2006	Benzene	µg/m <sup>3</sup>	0.2	5 (Annual*)
			IS 5182 (Part 12) : 2004	Benzo (a) Pyrene	ng/m <sup>3</sup>	<0.3	1 (Annual*)

Note : All above Meteorological conditions prevails at the time of monitoring

For ENVIROTECH EAST (P) LTD.



*[Signature]*  
20/04/2021  
(Authorized Signatory)



# Enviroftech East Pvt. Limited

An ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018 Certified Company

- Laboratory Recognised by MoEF&CC, Govt. of India
- Laboratory Recognised by WBPCB
- Accredited EIA Consultant by QCI-NABET



100, Kalikapur, Madurdaha, Kolkata – 700 107, West Bengal, India

☎ – + 91 33 2443 8127/8128 ; Fax – + 91 33 2443 8128; email: [eeplkol@gmail.com](mailto:eeplkol@gmail.com)

CIN NO : U74210WB1989PTC047403

No. 2021-22/PAC/MON/175

20.04.2021

## AMBIENT AIR QUALITY MONITORING REPORT

Name of Industry	M/s. Century Plyboards (India) Limited
Address	Diamond Harbour Road, Kanchowki, Bishnupur, 24 Pgs (S), W.B
Average Temperature (°C)	20
Weather Condition	Clear
Rainfall (mm)	Nil
Avg. Relative Humidity (%)	62
Barometric Pressure (mmHg)	756

## AMBIENT AIR QUALITY MONITORING RESULT

SL. No.	Location	Date of Monitoring	Reference Method	Parameter	Unit	Result	Standard
1	Southern Side of Factory (Near Decorative Veener)	05.02.2021	IS 5182 (Part 23) : 2006	PM <sub>10</sub>	µg/m <sup>3</sup>	76	100
			IS 5182 (Part 24) : 2019	PM <sub>2.5</sub>	µg/m <sup>3</sup>	34	60
			IS 5182 (Part 2) : 2001	SO <sub>2</sub>	µg/m <sup>3</sup>	7	80
			IS 5182 (Part 6) : 2006	NO <sub>2</sub>	µg/m <sup>3</sup>	34	80
			IS 5182 (Part 22) : 2004	Lead	µg/m <sup>3</sup>	<0.05	1.0
			IS 5182 (Part 10) : 1999	CO	mg/m <sup>3</sup>	0.6	2
			IS 5182 (Part 25) : 2018	NH <sub>3</sub>	µg/m <sup>3</sup>	25	400
			IS 5182 (Part 9) : 1974	Ozone (O <sub>3</sub> )	µg/m <sup>3</sup>	26	100 (8 hr.)
			Guidelines of CPCB - Vol.I	Arsenic	ng/m <sup>3</sup>	<0.5	6 (Annual*)
			IS 5182 (Part 26) : 2020	Nickel	ng/m <sup>3</sup>	<2	20 (Annual*)
			IS 5182 (Part 11) : 2006	Benzene	µg/m <sup>3</sup>	<0.1	5 (Annual*)
			IS 5182 (Part 12) : 2004	Benzo (a) Pyrene	ng/m <sup>3</sup>	<0.3	1 (Annual*)

Note : All above Meteorological conditions prevails at the time of monitoring

For ENVIROTECH EAST (P) LTD.



*[Signature]*  
(Authorized Signatory)

# Envirotech East Pvt. Limited

An ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018 Certified Company

- Laboratory Recognised by MoEF&CC, Govt. of India
- Laboratory Recognised by WBPCB
- Accredited EIA Consultant by QCI-NABET

## Envirotech



100, Kalikapur, Madurdaha, Kolkata – 700 107, West Bengal, India

☎ – + 91 33 2443 8127/8128 ; Fax – + 91 33 2443 8128; email: [eeplkol@gmail.com](mailto:eeplkol@gmail.com)

CIN NO : U74210WB1989PTC047403

No. 2021-22/PAC/MON/173

20.04.2021

### AMBIENT AIR QUALITY MONITORING REPORT

Name of Industry	M/s. Century Plyboards (India) Limited
Address	Diamond Harbour Road, Kanchowki, Bishnupur, 24 Pgs (S), W.B
Average Temperature (°C)	18
Weather Condition	Clear
Rainfall (mm)	Nil
Avg. Relative Humidity (%)	64
Barometric Pressure (mmHg)	755

### AMBIENT AIR QUALITY MONITORING RESULT

SL. No.	Location	Date of Monitoring	Reference Method	Parameter	Unit	Result	Standard
1	Western Side of Factory (Behind the Workers Canteen)	03.02.2021	IS 5182 (Part 23) : 2006	PM <sub>10</sub>	µg/m <sup>3</sup>	78	100
			IS 5182 (Part 24) : 2019	PM <sub>2.5</sub>	µg/m <sup>3</sup>	36	60
			IS 5182 (Part 2) : 2001	SO <sub>2</sub>	µg/m <sup>3</sup>	9	80
			IS 5182 (Part 6) : 2006	NO <sub>2</sub>	µg/m <sup>3</sup>	36	80
			IS 5182 (Part 22) : 2004	Lead	µg/m <sup>3</sup>	0.07	1.0
			IS 5182 (Part 10) : 1999	CO	mg/m <sup>3</sup>	0.7	2
			IS 5182 (Part 25) : 2018	NH <sub>3</sub>	µg/m <sup>3</sup>	24	400
			IS 5182 (Part 9) : 1974	Ozone (O <sub>3</sub> )	µg/m <sup>3</sup>	28	100 (8 hr.)
			Guidelines of CPCB - Vol.I	Arsenic	ng/m <sup>3</sup>	<0.5	6 (Annual*)
			IS 5182 (Part 26) : 2020	Nickel	ng/m <sup>3</sup>	<2	20 (Annual*)
			IS 5182 (Part 11) : 2006	Benzene	µg/m <sup>3</sup>	<0.1	5 (Annual*)
			IS 5182 (Part 12) : 2004	Benzo (a) Pyrene	ng/m <sup>3</sup>	<0.3	1 (Annual*)

Note : All above Meteorological conditions prevails at the time of monitoring

For ENVIROTECH EAST (P) LTD.



(Authorized Signatory)



# Enviroftech East Pvt. Limited

An ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018 Certified Company

- Laboratory Recognised by MoEF&CC, Govt. of India
- Laboratory Recognised by WBPCB



100, Kalikapur, Madurdaha, Kolkata – 700 107, West Bengal, India

☎ – + 91 33 2443 8127/8128 ; Fax – + 91 33 2443 8128; email: [eeplkol@gmail.com](mailto:eeplkol@gmail.com)

CIN NO : U74210WB1989PTC047403

No. 2021-22/PAC/MON/167

20.04.2021

## MONITORING REPORT

Name of the client	M/s. Century Plyboards (India) Limited
Address (as written on the sampling bottle)	Diamond Harbour Road, Kanchowki, Bishnupur, 24 Pgs (S), W.B
Date of Sampling (as written on the sampling bottle)	04.02.2021, 05.02.2021 & 06.02.2021
Sampling Type	TVOC and Formaldehyde
Sampling Location	1) Near U.P.S (1st Floor) Laminate Section 2) Resin Plant (1 <sup>st</sup> Floor) Laminate Section 3) Inside A.C Plant (Laminate Section) 4) In between Drier No. 3 & 4 (Laminate Section) 5) Hot Press No.- 2 (Plywood Section) 6) Resin Plant Area (1 <sup>st</sup> Floor) Plywood Section
Date of Received (as written on the sampling bottle)	07.02.2021
Sample supplied by	M/s. Pollution Analyzer Consultant

## FUGITIVE EMISSION MONITORING RESULT

Sl. No.	Parameter	Unit	Concentration					
			1	2	3	4	5	6
1	TVOC	ppb	37	39	34	41	39	36
2	Formaldehyde	ppb	BDL	BDL	BDL	BDL	BDL	BDL

BDL – Below Detectable Limit

Contents of this report are meant for your guidance and should not be used for Advertisement, Evidence or Litigation.

For ENVIROTECH EAST (P) LTD.



(Authorized Signatory)

*[Signature]*  
20/04/2021

## Envirotech East Pvt. Limited

An ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018 Certified Company

- Laboratory Recognised by MoEF&CC, Govt. of India
- Laboratory Recognised by WBPCB



100, Kalikapur, Madurdaha, Kolkata – 700 107, West Bengal, India

☎ – +91 33 2443 8127/8128 ; Fax – +91 33 2443 8128; email: [eeplkol@gmail.com](mailto:eeplkol@gmail.com)

CIN NO : U74210WB1989PTC047403

No. 2021-22/PAC/MON/171

20.04.2021

### FUGITIVE EMISSION MONITORING REPORT

Name of Industry	M/s. Century Plyboards (India) Limited
Address	Diamond Harbour Road, Kanchowki, Bishnupur, 24 Pgs (S), W.B
Average Temperature (°C)	33
Weather Condition	Clear
Rainfall (mm)	Nil
Avg. Relative Humidity (%)	78
Barometric Pressure (mmHg)	755


### FUGITIVE EMISSION MONITORING RESULT

Sl. No.	Location Name	Date of Monitoring	Pollutants Concentration			
			SPM (µg/m³)	PM <sub>10</sub> (µg/m³)	SO <sub>2</sub> (µg/m³)	NO <sub>2</sub> (µg/m³)
1	LAMINATE SECTION : In between Drier No. 7 & 8	05.02.2021	349	163	8	37

Note : All above Meteorological conditions prevails at the time of monitoring

For ENVIROTECH EAST (P) LTD.

(Authorized Signatory)





# Envirotech East Pvt. Limited

An ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018 Certified Company

- Laboratory Recognised by MoEF&CC, Govt. of India
- Laboratory Recognised by WBPCB



100, Kalikapur, Madurdaha, Kolkata – 700 107, West Bengal, India

☎ – +91 33 2443 8127/8128 ; Fax – +91 33 2443 8128; email: [eeplkol@gmail.com](mailto:eeplkol@gmail.com)

CIN NO : U74210WB1989PTC047403

No. 2021-22/PAC/MON/170

20.04.2021

## FUGITIVE EMISSION MONITORING REPORT

Name of Industry	M/s. Century Plyboards (India) Limited
Address	Diamond Harbour Road, Kanchowki, Bishnupur, 24 Pgs (S), W.B
Average Temperature (°C)	31
Weather Condition	Clear
Rainfall (mm)	Nil
Avg. Relative Humidity (%)	76
Barometric Pressure (mmHg)	755

## FUGITIVE EMISSION MONITORING RESULT

Sl. No.	Location Name	Date of Monitoring	Pollutants Concentration			
			SPM (µg/m³)	PM <sub>10</sub> (µg/m³)	SO <sub>2</sub> (µg/m³)	NO <sub>2</sub> (µg/m³)
1	LAMINATE SECTION: Near Sending Machine No.4	04.02.2021	316	163	14	52

Note : All above Meteorological conditions prevails at the time of monitoring

For ENVIROTECH EAST (P) LTD.

(Authorized Signatory)



## Envirotech East Pvt. Limited

An ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018 Certified Company

- Laboratory Recognised by MoEF&CC, Govt. of India
- Laboratory Recognised by WBPCB



100, Kalikapur, Madurdaha, Kolkata – 700 107, West Bengal, India

☎ – + 91 33 2443 8127/8128 ; Fax – + 91 33 2443 8128; email: [eeplkol@gmail.com](mailto:eeplkol@gmail.com)

CIN NO : U74210WB1989PTC047403

No. 2021-22/PAC/MON/165


20.04.2021

### NOISE LEVEL MONITORING

Name of Industry	M/s. Century Plyboards (India) Limited
Address	Diamond Harbour Road, Kanchowki, Bishnupur, 24 Pgs (S), W.B
Date of Sampling	03.02.2021

Sl. No.	Location Name	Noise Level Range dB (A)
		Day Time
1	In between Hot Water Generator No. - 2 & 3 (Laminate Section)	68-74
2	Near Power House (Laminate Section)	73-82
3	In between Drier No. - 7 & 8 (Laminate Section)	70-79
4	Near Compressor Room (Laminate Section)	74-82

For ENVIROTECH EAST (P) LTD.



( Authorized Signatory )





# Envirotech East Pvt. Limited

An ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018 Certified Company

- Laboratory Recognised by MoEF&CC, Govt. of India
- Laboratory Recognised by WBPCB



100, Kalikapur, Madurdaha, Kolkata – 700 107, West Bengal, India

☎ – + 91 33 2443 8127/8128 ; Fax – + 91 33 2443 8128; email: [eeplkol@gmail.com](mailto:eeplkol@gmail.com)

CIN NO : U74210WB1989PTC047403

No. 2021-22/PAC/MON/164


20.04.2021

## NOISE LEVEL MONITORING

Name of Industry	M/s. Century Plyboards (India) Limited
Address	Diamond Harbour Road, Kanchowki, Bishnupur, 24 Pgs (S), W.B
Date of Sampling	28.01.2021

Sl. No.	Location Name	Noise Level Range dB (A)
		Day Time
1	Southern side of factory (Near Decorative Veneers)	57-65
2	Western side of factory (Behind Workers Canteen)	59-64
3	Eastern side of factory (Near Main Gate)	60-67
4	Northern side of factory (Near Nature Treatment Plant)	57-63

For ENVIROTECH EAST (P) LTD.



( Authorized Signatory )



# Envirotech East Pvt. Limited

An ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018 Certified Company

- Laboratory Recognised by MoEF&CC, Govt. of India
- Laboratory Recognised by WBPCB



100, Kalikapur, Madurdaha, Kolkata – 700 107, West Bengal, India

☎ – +91 33 2443 8127/8128 ; Fax – +91 33 2443 8128; email: [eeplkol@gmail.com](mailto:eeplkol@gmail.com)

CIN NO : U74210WB1989PTC047403

No. 2021-22/PAC/MON/163


20.04.2021

## DRINKING WATER ANALYSIS REPORT

Name of the client	M/s. Century Plyboards (India) Limited
Address (as written on the sampling bottle)	Diamond Harbour Road, Kanchowki, Bishnupur, 24 Pgs (S), W.B
Date of Sampling (as written on the sampling bottle)	13.02.2021
Date of Received (as written on the sampling bottle)	14.02.2021
Sampling Location (as written on the sampling bottle)	DW-1 : Canteen Tap
Sample supplied by	M/s. Pollution Analyzer Consultant

## RESULTS OF SAMPLE

Sl. No.	Parameter	Unit	Concentration	Acceptable Limit as per IS:10500
			Code : DW_1	
1	Colour	Hazen	Colourless	5
2	Odour		Unobjectionable	Agreeable
3	Turbidity	NTU	BDL	1
4	pH	mg/L	7.2	6.5-8.5
5	Total Dissolved Solids	mg/L	245	500
6	Total Hardness (as CaCO <sub>3</sub> )	mg/L	128	200
7	Calcium ( as Ca )	mg/L	35	75
8	Magnesium ( as Mg )	mg/L	10	30
9	Chloride ( as Cl )	mg/L	82	250
10	Residual Free Chlorine	mg/L	BDL	0.2
11	Calcium Hardness (as CaCO <sub>3</sub> )	mg/L	87	-
12	Magnesium (as CaCO <sub>3</sub> )	mg/L	41	-
13	Sulphate ( as SO <sub>4</sub> )	mg/L	4	200
14	Arsenic ( as As )	mg/L	BDL	0.01
15	Iron ( as Fe )	mg/L	0.13	1
16	Alkalinity ( as CaCO <sub>3</sub> )	mg/L	96	200







## Enviroftech East Pvt. Limited

An ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018 Certified Company

- Laboratory Recognised by MoEF&CC, Govt. of India

- Laboratory Recognised by WBPCB

100, Kallikapur, Madurdaha, Kolkata - 700 107, West Bengal, India

☎ - + 91 33 2443 8127/8128 ; Fax - + 91 33 2443 8128; email: [eeplkol@gmail.com](mailto:eeplkol@gmail.com)

CIN NO : U74210WB1989PTC047403

17	Heterotrophic Plate Count	CFU/ml	N.D.	-
18	Total Coliform	MPN/100 ml	N.D.	***
19	Faecal Coliform	MPN/100 ml	N.D.	***

N.B.: \*\*\* : Shall not be detectable in any 100 ml sample  
BDL : Below Detectable Limit

For ENVIROTECH EAST (P) LIMITED

*[Signature]*  
20/09/2021  
( Authorized Signatory )



## Envirotech East Pvt. Limited

An ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018 Certified Company

- Laboratory Recognised by MoEF&CC, Govt. of India
- Laboratory Recognised by WBPCB



100, Kalikapur, Madurdaha, Kolkata - 700 107, West Bengal, India

☎ - +91 33 2443 8127/8128 ; Fax - +91 33 2443 8128; email: [eeplkol@gmail.com](mailto:eeplkol@gmail.com)

CIN NO : U74210WB1989PTC047403

No. 2021-22/PAC/MON/162

20.04.2021

### EFFLUENT WATER ANALYSIS REPORT

Name of the client	M/s. Century Plyboards (India) Limited
Address (as written on the sampling bottle)	Diamond Harbour Road, Kanchowki, Bishnupur, 24 Pgs (S), W.B
Date of Sampling (as written on the sampling bottle)	13.02.2021
Date of Received (as written on the sampling bottle)	14.02.2021
Sampling Location (as written on the sampling bottle)	STP Outlet
Sample supplied by	M/s. Pollution Analyzer Consultant


Sl. No.	Parameter	Unit	Concentration
1	pH		6.6
2	Total Suspended Solids	mg/l	63
3	Oil & Grease	mg/l	4
4	BOD (3 days at 27°C)	mg/l	25
5	COD	mg/l	114

Contents of this report are meant for your guidance and should not be used for Advertisement, Evidence or Litigation.

For ENVIROTECH EAST (P) LIMITED

*[Signature]*  
20/04/2021

( Authorized Signatory )





# Envirotech East Pvt. Limited

An ISO 9001:2008, 14001:2004 & OHSAS 18001:2007 Company

• Laboratory Recognised by West Bengal Pollution Control Board

Bengal Ambuja Commercial Complex,

UN-F 13, 1050/1, Survey Park, Kolkata – 700 075

☎ – 2418 8127/8128/8601; Fax – 2418 8128; email: [eeplkol@vsnl.net](mailto:eeplkol@vsnl.net)

No. 2019/EEPL/PAC/HWH/54/42

04.03.2019

## DRINKING WATER ANALYSIS REPORT

Name of the client	M/s. Century Plyboards (India) Limited
Address (as written on the sampling bottle)	Diamond Harbour Road, Kanchowki, Bishnupur, 24 Pgs (S), W.B
Date of Sampling (as written on the sampling bottle)	13.02.2019
Date of Received (as written on the sampling bottle)	13.02.2019
Sampling Location (as written on the sampling bottle)	Rear End of Factory (New Laminate Shed)
Sample supplied by	M/s. Pollution Analyzer Consultant

Sl. No.	Parameter	Unit	Concentration Code : DW_1
1	Colour	Hazen	Colourless
2	Odour	-	Unobjectionable
3	Turbidity	NTU	BDL
4	pH	mg/L	7.3
5	Total Dissolved Solids	mg/L	252
6	Total Hardness (as CaCO <sub>3</sub> )	mg/L	128
7	Calcium ( as Ca )	mg/L	36
8	Magnesium ( as Mg )	mg/L	10
9	Chloride ( as Cl )	mg/L	86
10	Residual Free Chlorine	mg/L	BDL
11	Calcium Hardness (as CaCO <sub>3</sub> )	mg/L	91
12	Magnesium (as CaCO <sub>3</sub> )	mg/L	37
13	Sulphate ( as SO <sub>4</sub> )	mg/L	7
14	Arsenic ( as As )	mg/L	BDL
15	Iron ( as Fe )	mg/L	0.14
16	Alkalinity ( as CaCO <sub>3</sub> )	mg/L	102
17	Heterotrophic Plate Count	CFU/ml	BDL
18	Total Coliform	MPN/100 ml	Absent
19	Faecal Coliform	MPN/100 ml	Absent

BDL – Below Detectable Limit

Contents of this report are meant for your guidance and should not be used for Advertisement, Evidence or Litigation.

For ENVIROTECH EAST (P) LIMITED



*[Signature]*  
04/03/2019  
(Authorized Signatory)