

CENTURY COMPOSITES

— WPC DOOR FRAMES —

PERFECT, BY NATURE

NEW-AGE, ECO-FRIENDLY DOOR FRAMES





WHY CENTURY WPC DOOR FRAME IS YOUR IDEAL CHOICE?

AtCenturyPly,we are moving towards a green, sustainable future by creating world-class products with eco-friendly materials. Our new-age WPCframes are manufactured using polymers reinforced with wood powder. This provides the door frames greater strength and longer life.

Key properties, similar to or better than wood, are:

- Can be subjected to the same processes as wood planing, drilling and sanding
- O ers 100% safety against termites and borers when compared to wood
- Screws and other fasteners often achieve greater hold when used with Century WPC Door Frames
- Century WPC Door Frames are water proof which also helps to prevent decay



PRODUCT DIMENSIONS

DOORFRAMERIGHTANGLE




1 Single Rebate
Size: 32X12.5MM




2 Single Rebate
Size: 32X12.5MM




3 Single Rebate
Size: 32X12.5MM



4 Single Rebate
Size: 32X12.5MM



5 Single Rebate
Size: 32X12.5MM




6 Double Rebate
Size: 35X12.5MM




7 Double Rebate
Size: 37X12.5MM

PRODUCT DIMENSIONS


DOORFRAMERIGHTANGLE




8 Single Rebate
Size: 32X12.5MM



9 Single Rebate
Size: 32X12.5MM




10 Single Rebate
Size: 32X12.5MM




11 Single Rebate
Size: 32X12.5MM




12 Single Rebate
Size: 32X12.5MM



13 Single Rebate
Size: 100X62mm



14 Single Rebate
Size: 125X62mm



15 Single Rebate
Size: 75X50mm

PRODUCT DIMENSIONS


DOOR FRAMEROUND CORNER



16 Single Rebate
Size: 32X12.5MM



17 Single Rebate
Size: 32X12.5MM




18 Single Rebate
Size: 32X12.5MM



19 Single Rebate
Size: 32X12.5MM



20 Single Rebate
Size: 32X12.5MM




21 Double Rebate
Size: 32X12.5MM

WINDOW

FRAME ROUND CORNER

AVAILABLE
DOOR FRAMES




Prime


Prime


Classic


Classic

CLASSIC



PRIME



ASSEMBLY OF DOOR FRAME

1.Measure the size of door opening

2.Adjust width by cutting head piece and adjust height by cutting bottom of the jamb post. Slot is not required to be cut again and again for size adjustment.

3.Now simply fix the door frame as per your requirement with hole pass or anchor fastener.

FEATURES & BENEFITS



100%
Water Proof



100% Termite
and Borer Proof



Fire
Retardant



Bend & Warp
Resistant



Swelling
Proof



Bacteria &
Fungus Proof



100% Formaldehyde
and Toxins Free



Slam
Resistant



High
Density



Minimal
Maintenance



Eco
Friendly



Ready To Use

PRODUCT TEST RESULT

	Tests	Door Frame Result	Unit of measurement
1	Modulus of Content	4	%
2	Water Absorption 1) 2 hrs. 2) 24 hrs.	 0.24 0.59	 %
3	Tensile Strength	9.08	N/mm2
4	Thickness Swelling to water absorption (after 2hr. soaking at room temp.)	0.06	%
5	Modulus of Rupture	19.3	N/mm2
6	Modulus of Elasticity	2165	N/mm2
7	Density	800	Kg/m3
8	Elevated Temperature ((60%-65%) after 2 hrs.)	No visible change observed	____
9	Flexural Modulus	____	N/mm2

WPC Door Frames VS Wooden Door Frames

Characteristics	WPC Door Frames	Wooden Door Frames
Moistureresistance	Waterproof	Water absorptive
Rot resistance	Antisepsis	Rots without special treatment
Split resistance	No cracking	Cracks due to weathering e ect
Distortion resistance	Almost no contraction/expansion	Distortion e ect due to change in moisture & temperature
UV resistance	High grade UV resistance	Easily a ected by UV
Fading resistance	Almost no impact	Fades easily
Outdoor adaptability	Great	Only some treated wood is adaptive
Painting	Not required	Required periodically
Environment e ect	100% recyclable	Consumes wood



CENTURYPLY RECOMMENDS

Tools
Century WPC Door Frames are an easy-to-work-on product. They can be cut, drilled and screwed like normal wood-based frames. And all these processes can be done using standard, conventional carpenter tools.

Screwing
Advisable to use screws. Nailing is not recommended.

Finishing
Can be sanded, painted, polished, pasted with laminate or veneer, just like wood.

Storage
Recommended way of stacking is horizontal.

Application
Door and window frame



CENTURYWPC®

Century Plyboards (India) Limited
Regd. Office: 6, Lyons Range, Kolkata - 700 001
Tel: +91 (33) 3940 3900 • Fax: +91 (33) 2248 3028
e-mail: kolkata@centuryply.com www.centuryply.com
Works: Diamond Harbour Road, Bishnupur,
Bishnupur, 24 Parganas (S)
Tel.: +91 (33) 3041 0400, Fax: +91 (33) 2453 1902

A BRAND PRODUCT FROM CENTURYPLY
ISO 9001: 2008, ISO 14001:2004
Certified company for veneer and plywood

WARRANTY

Congratulations on your purchase of the newest offering from your most trusted brand CenturyPly. At CenturyPly, quality is our top most priority while offering any products to our esteemed customers. In order to offer you peace of mind while choosing our products, we offer you a warranty.

PRODUCT VARIANTS WARRANTED:

CLASSIC WPC DOOR FRAME

Warranty period: 20 years warranty

FOLLOWING PARAMETERS ARE COVERED IN THE WARRANTY :

1. WPC is free from any manufacturing defects.
2. WPC is moisture and waterproof. Moisture and water will not cause any damage to the said products.
3. WPC is termite and borer proof. Termites and borers will not cause any damage to the said products.

CENTURY SUGGESTED CARE:

1. WPC is only meant for internal application. Do not use it for any exterior purposes.
2. Do not nail the products.
3. Use CenturyPly suggested bonding agent.
4. CenturyPly advises to use decorative skins on both side of WPC to retain product stability.
5. Do not store the product which is directly exposed to sunlight or atmospheric conditions.
6. Product performs the best under 60° C.
7. Skilled fabricators should be used to make furniture from WPC.
8. Use a wet mop with any cleaning agents to wipe stains on the product.
9. Do not use any kind of acids or hard cleaning agents to clean the product.

WARRANTY DOES NOT COVER :

1. If the product application is in the exterior area or areas under direct sun rays.
2. If material is not stored in the advised storage conditions.
3. For damages considered as an act of God.
4. If the product is not a genuine CenturyPly product.
5. If the product has been misused, mishandled or abused during the application process.
6. If the product has not been installed as per suggested parameters.
7. If invoice copy and warranty letter is not produced during claim process.
8. If warranty letter is not stamped at the point of purchase.
9. If bought from any unknown or unauthorised store.

CLAIM PROCESS:

1. Upon receipt of complaint, Century Plyboards (India) Ltd. shall depute their authorised representative for physical inspection of allegedly damaged portion of the product, at a place where it has been used.
2. At the time of inspection the purchaser/owner needs to submit proof of purchase (invoice, bill, etc.) issued by authorised dealer/distributor of Century Plyboards (India) Ltd. or by the company.
3. Century Plyboards (India) Ltd. reserves the right to take sample of damaged portions of the product and thereafter send it for physical, chemical examination of the product
   a. CenturyPly laboratory
   b. Other Government recognised laboratories
4. On satisfactory proof of the originality of the product with CenturyPly brand post testing, CenturyPly will replace equal quantity of damaged boards.
5. A maximum time of 30 days needs to be given for issue addressing and claim processing from the date of written complaint.

THIS WARRANTY IS APPLICABLE ON THE FOLLOWING CENTURYPLY PRODUCTS:
Wood Polymer Composite

For Century Plyboards (India) Limited

Date ..... Issued at ..... Branch ..... Date of mfg./CU no. .....

Cash memo / Invoice no. ..... Date ..... Authorised signatory .....

Dealer's name .....

Customer's name and address .....

Dealer's signature with seal

CENTURYWPC®

Century Plyboards (India) Limited
Regd. Office: 6, Lyons Range, Kolkata - 700 001
Tel: +91 (33) 3940 3900 • Fax: +91 (33) 2248 3028
e-mail: kolkata@centuryply.com www.centuryply.com
Works: Diamond Harbour Road, Bishnupur,
Bishnupur, 24 Parganas (S)
Tel.: +91 (33) 3041 0400, Fax: +91 (33) 2453 1902

A BRAND PRODUCT FROM CENTURYPLY
ISO 9001: 2008, ISO 14001:2004
Certified company for veneer and plywood

WARRANTY

Congratulations on your purchase of the newest offering from your most trusted brand CenturyPly. At CenturyPly, quality is our top most priority while offering any products to our esteemed customers. In order to offer you peace of mind while choosing our products, we offer you a warranty.

PRODUCT VARIANTS WARRANTED:

PRIME WPC DOOR FRAME

Warranty period: 25 years warranty

FOLLOWING PARAMETERS ARE COVERED IN THE WARRANTY :

1. WPC is free from any manufacturing defects.
2. WPC is moisture and waterproof. Moisture and water will not cause any damage to the said products.
3. WPC is termite and borer proof. Termites and borers will not cause any damage to the said products.

CENTURY SUGGESTED CARE:

1. WPC is only meant for internal application. Do not use it for any exterior purposes.
2. Do not nail the products.
3. Use CenturyPly suggested bonding agent.
4. CenturyPly advises to use decorative skins on both side of WPC to retain product stability.
5. Do not store the product which is directly exposed to sunlight or atmospheric conditions.
6. Product performs the best under 60° C.
7. Skilled fabricators should be used to make furniture from WPC.
8. Use a wet mop with any cleaning agents to wipe stains on the product.
9. Do not use any kind of acids or hard cleaning agents to clean the product.

WARRANTY DOES NOT COVER :

1. If the product application is in the exterior area or areas under direct sun rays.
2. If material is not stored in the advised storage conditions.
3. For damages considered as an act of God.
4. If the product is not a genuine CenturyPly product.
5. If the product has been misused, mishandled or abused during the application process.
6. If the product has not been installed as per suggested parameters.
7. If invoice copy and warranty letter is not produced during claim process.
8. If warranty letter is not stamped at the point of purchase.
9. If bought from any unknown or unauthorised store.

CLAIM PROCESS:

1. Upon receipt of complaint, Century Plyboards (India) Ltd. shall depute their authorised representative for physical inspection of allegedly damaged portion of the product, at a place where it has been used.
2. At the time of inspection the purchaser/owner needs to submit proof of purchase (invoice, bill, etc.) issued by authorised dealer/distributor of Century Plyboards (India) Ltd. or by the company.
3. Century Plyboards (India) Ltd. reserves the right to take sample of damaged portions of the product and thereafter send it for physical, chemical examination of the product
   a. CenturyPly laboratory
   b. Other Government recognised laboratories
4. On satisfactory proof of the originality of the product with CenturyPly brand post testing, CenturyPly will replace equal quantity of damaged boards.
5. A maximum time of 30 days needs to be given for issue addressing and claim processing from the date of written complaint.

THIS WARRANTY IS APPLICABLE ON THE FOLLOWING CENTURYPLY PRODUCTS:
Wood Polymer Composite

For Century Plyboards (India) Limited

Date ..... Issued at ..... Branch ..... Date of mfg./CU no. .....

Cash memo / Invoice no. ..... Date ..... Authorised signatory .....

Dealer's name .....

Customer's name and address .....

Dealer's signature with seal

CENTURYPLY®

CORPORATE OFFICE
Century House,
P-15/1, Taratala Road, Kolkata – 700088
www.centuryply.com

NAP OFFICE
Century Plyboards (India) Limited
1006/1009, Sakar III, 10th Floor Income Tax Circle,
Ahmedabad, Gujarat 380014

MANUFACTURING UNIT
Century Panels Limited,
Gopavaram Industrial Park, Gopavaram (Village & Mandal)
YSR Kadapa District, Andhra Pradesh - 516233

+91 90739 03950

nap@centuryply.com

Century Plyboards India Limited

Century Plyboards (India) Ltd.

Century Plyboards India Ltd

Century Plyboards (India) Limited

Century Plyboards (I) Limited